

CLEAR ANTI ITCH- pramoxine hcl, zinc acetate lotion
Topco Associates LLC

Top Care 218.002/218AF
Clear Anti-Itch Lotion

Active Ingredients

Pramoxine HCl 1%

Zinc acetate 0.1%

Purpose

External analgesic

Skin protectant

Uses

- for the temporary relief of pain and itching associated with minor skin irritations and rashes due to poison ivy, poison oak or poison sumac
- dries the oozing and weeping of poison:
 - ivy
 - oak
 - sumac

Warnings

For external use only

When using this product

do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well

- before applying was affected are of skin

adults and children 2 years of age and older - apply to affected area not more than 3 to 4 times daily

children under 2 years of age - ask a doctor

Other information

store at room temperature (59°-77°F)

Inactive ingredients

alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Lavandula angustifolia (lavender) oil, polysorbate 40, Rosmarinus officinalis (rosemary) leaf oil, sodium citrate, water

ADVERSE REACTION

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

©TOPCO VIJA0622 Questions? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

Visit here for more information: <http://topbrnds.com/4901jl>

Quality Guaranteed

Disclaimer

*This product is not manufactured of distributed by Bausch Health US, LLC, distributor of Caladryl[®] Clear[®] Lotion.

principal display panel

TopCare[®] health

NDC 36800-218-30

COMPARE TO CALADRYL[®] CLEAR[®] LOTION ACTIVE INGREDIENTS*

Clear Anti-Itch Lotion

EXTERNAL ANALGESIC / SKIN PROTECTANT

For Relief of Pain and Itching Due To:

- Poison Ivy, Oak or Sumac
- Insect Bites
- Minor Skin Irritations

6 FL OZ (177 mL)

NDC-36800-218-30



COMPARE TO CALADRYL® CLEAR® LOTION ACTIVE INGREDIENTS*

Clear Anti-Itch Lotion

EXTERNAL ANALGESIC / SKIN PROTECTANT

For Relief from Pain & Itching Due to:

- Poison Ivy, Oak & Sumac
- Insect Bites
- Minor Skin Irritations

6 FL OZ (177 mL)

Drug Facts

Active ingredients

Pramoxine HCl 1%
Zinc acetate 0,1%

Purpose

External analgesic
Skin protectant

Uses ■ for the temporary relief of pain and itching associated with minor skin irritations and rashes due to poison ivy, poison oak or poison sumac ■ dries the oozing and weeping of poison: ■ ivy ■ oak ■ sumac

Warnings

For external use only

When using this product ■ do not get into eyes

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ shake well ■ before applying wash affected area of skin

adults and children 2 years of age and older

apply to affected area not more than 3 to 4 times daily

children under 2 years

ask a doctor

Other information store at room temperature (59°-77° F)

Inactive ingredients alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Linalool, lavender oil, polysorbate 40, Rosmarinus officinalis (rosemary) leaf oil, sodium citrate, water

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007

© TOPCO | MANAGE QUESTIONS? 1-888-422-0138

topcare@topco.com www.topcarebrand.com

Visit here for more information: <http://topbrnds.com/4801/>

*This product is not manufactured or distributed by Bayer Health US, LLC, distributor of Caladryl® Clear® Lotion.

✓ QUALITY GUARANTEED



L0020577SA

0 36800 44340 2

CLEAR ANTI ITCH

pramoxine hcl, zinc acetate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-218
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYSORBATE 40 (UNII: STI11B5A2X)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-218-30	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/03/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	06/03/2009	

Labeler - Topco Associates LLC (006935977)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(36800-218)

Revised: 2/2026

Topco Associates LLC