#### TARGOL SANITIZING LEMON- ethyl alcohol aerosol, spray HEDEF KIMYA SANAYI VE TICARET ANONIM SIRKETI

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### TARGOL Sanitizing SPRAY Lemon

#### **Drug** Facts

l**Active ingredient** Ethyl Alcohol 75% v/v

#### Purpose

Antiseptic

**Use:** 

Effective in destroying (harmful) bacteria to provide antiseptic cleansing.

#### Warning

For external use only. Do not swallow. Do not inhale.

**CONTAINER MAY EXPLODE IF HEATED.** Do not use in presence of open flame or spark. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C (122°F).

**FIRST AID TREATMENT: When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water for at least 20 minutes.

**Stop use** Dand ask/ consult a doctor/ physician/ health care practitioner/ health care provider/ health care professional if irritation develops.

IKeep out of reach of children. If swallowed, call a poison control centre or get medical help right away.

### Directions:

Adults and children over 2 years of age. Supervise children when they use this product. For occasional and personal domestic use. Shake well before using. Hold can upright and spray 6-8 inches away evenly.

### Other information

Lot No. and Expiration Date can be found on container.

### Inactive ingredients

Ethanol (Éthanol), Butane, Propane, Isobutane, Parfum.

KILLS 99.9% of Most Common Germs Scent CONTAINS 075% ALCOHOL DANGER EXTREMELY FLAMMABLE CONTAINER MAY EXPLODE IF HEATED Read precautions on back panel. Quick & Effective Eliminates Odors Fights the Spread of Germs You may also report any serious side effects to PO Box 328, Wood Ridge, NJ 07075-328

#### Packaging





Read precautions on back panel. Lire les mises en gande au dos.



ł

Drug Facts / Ingrédients méd	icinaux
Active ingredient / Ingrédient actif Ethyl Alcohol 75% v/v Alcool éthyllque 75% v/v	Purpose / Objectif
<i>Use:</i> Effective in destroying (harmful) bacteria cleansing. <i>Utilisation:</i> Efficace pour détruire des bactéries un nettoyage antiseptique.	244
Warning / Avertissement: For external use only. Do not swallow. Do not In Usage externe seulement. Ne pas avaler. Ne pa	
<b>CONTAINER MAY EXPLODE IF HEATED.</b> Do not flame or spark. Contents under pressure. Do not radiators, stoves or other sources of heat. Do not container or store at temperatures over 50°C (12) <b>CE CONTENANT PEUT EXPLOSER S'IL EST CH</b> présence de flamme nue ou d'étincelles. Contemp placer dans l'eau chaude ni près des radiateurs, p de chaleur. Ne pas percer le contenant ni le jeter des températures dépassant 50°C (122°F).	place in hot water or near puncture or incinerate 2°F). AUFFÉ. Ne pas utiliser en u sous pression. Ne pas poèles ou autres sources
FIRST AID TREATMENT: When using this prod If contact occurs, rinse thoroughly with water for PREMIERS SOINS: Lors de l'utilisation de ce p avec les yeux. En cas de contact, rincer abonda moins 20 minutes.	or at least 20 minutes. produit éviter tout contact
Stop use and ask/ consult a doctor/ physician/ health care provider/ health care professional if Cessez d'utiliser et consultez/addressez-vous /praticien en soins de santé/professionnel de la développe.	Irritation develops. à un médecin/docteur
Keep out of reach of children. If swallowed, ca or get medical help right away. Tenir hors de portée des enfants. En cas d'ing Immédiatement un centre antipolson ou obtenir	gestion, appeler
Directions: Adults and children over 2 years of a when they use this product. For occasional and p Shake well before using. Hold can upright and s evenly. Mode d'emploi : Adultes et enfants de 2 ans ou enfants durant l'utilisation de ce produit. Pour u occasionnel et personnel. Tenir le contenant à 6 uniformément.	personal domestic use. spray 6-8 inches away plus. Superviser ies usage domestique
Other information / Autre information Lot No. and Expiration Date can be found on con Le numéro de lot et la date d'expiration se trouve	talner. ent sur le contenant.

TARGOL SAN		LEMON					
Due duet Informe	- <b>t</b> <sup>1</sup> - <b>-</b>						
Product Informa	ation						
Product Type		HUMAN OTC DRUG	Item Code	(Source)	NDC:80793-007		
Route of Administr	ation	TOPICAL					
Active Ingredie	nt/Active Moi	etv					
			Basis of Strengt	h Strength			
ALCOHOL (UNII: 3K				ALCOHOL	75 mL in 100 mL		
Inactive Ingredi							
Ingredient Name					Strength		
BUTANE (UNII: 6LV4							
PROPANE (UNII: T75W9911L6) ISOBUTANE (UNII: BXR49TP611)							
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Packaging							
# Item Code		Package Description		Marketing Start	_		
<b>1</b> NDC:80793-007- 01	550 mL in 1 BOT Product	TLE, SPRAY; Type 0: Not a Con	nbination	<b>Date</b> 11/27/2020	Date		
2 NDC:80793-007- 02		TLE, SPRAY; Type 0: Not a Cor	nbinatio n	11/27/2020			
Marketing Information							
Marketing Catego	ory Applicat	ion Number or Monograph (	Citation M	larketing Start Date	Marketing End Date		
OTC monograph not final part333A			11	/27/2020			

# Labeler - Hedef Kimya sanayi ve ticaret anonim sirketi (552244873)

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
HEDEF KIMYA SANAYI VE TICARET ANONIM SIRKETI		552244873	manufacture(80793-007)

#### HEDEF KIMYA SANAYI VE TICARET ANONIM SIRKETI