

SUPERACTIVE MOISTURIZER SPF 50 MATTIFYING OIL PLUS PORE CONTROL
SPF 50- avobenzone, homosalate, octisalate, octocrylene cream
Murad, LLC

Superactive Moisturizer SPF 50: Mattifying Oil + Pore Control
SPF 50

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzone 3.0%	Sunscreen
Homosalate 7.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 7.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water (Aqua), Tapioca Starch, Polysilicone-11, Propanediol, Butyloctyl Salicylate, Glycerin, Pentylene Glycol, Propanediol Dicaprylate, Amylopectin, Coconut Alkanes, Cetearyl Alcohol, PEG-100 Stearate, Glyceryl Stearate, Butyl Avocadate, Capryloyl Salicylic Acid, Coco-Glucoside, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Persea Gratissima (Avocado) Oil, Xylitylglucoside, Anhydroxylitol, Bisabolol, Allantoin, Amylose, Xylitol, Zinc Gluconate, Aminomethyl Propanol, Hydrogenated Vegetable Oil, Tocopherol, Polyacrylate Crosspolymer-6, Coco-Caprylate/Caprates, Caprylic/Capric Triglyceride, Ethylhexylglycerin, Xanthan Gum, Laureth-12, Cellulose, Cellulose Gum, Tetrasodium Glutamate Diacetate, Citric Acid, Glucose, Leuconostoc/Radish Root Ferment Filtrate, Phenoxyethanol, Chlorphenesin, Sodium Benzoate, Potassium Sorbate, Citrus Aurantium Peel Oil, Limonene, Linalool, Dimethyl Phenethyl Acetate, Linalyl Acetate, Citral, Pinene, Fragrance (Parfum), Iron Oxides (CI 77492)

Other information

- protect this product from excessive heat and direct sun

Questions or comments?

1.310.765.1520 or Murad.com

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

SPF

50

UVA

UVB

• SUNSCREEN • SPF50 • SUNSCREEN • SPF50

Murad®

Superactive Moisturizer

SPF 50: Mattifying Oil +

Pore Control

Murad

ingredients

+ plus

with shine control +

precision-delivery

salicylic acid

Broad Spectrum Sunscreen

SPF 50 / PA++++

e 50 mL NET VOL 1.7 FL OZ



3-in-1 SPF moisturizer for blemish-prone skin features shine control technology and precision-delivery salicylic acid to gently smooth texture and minimize the look of pores. Lightweight moisture boosters hydrate to help balance skin. Ultra-sheer SPF 50 helps prevent premature aging from UVA/UVB damage.

TO USE: AM. Apply liberally to face, neck and chest. Keep your product fresh! Do not twist off pump.

Drug Facts

Active ingredients Purpose
 Avobenzone 3.0% Sunscreen
 Homosalate 7.0% Sunscreen
 Octisalate 5.0% Sunscreen
 Octocrylene 7.5% Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
 Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor ■ if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ■ children under 6 months of age: ask a doctor
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m., ■ wear long-sleeved shirts, pants, hats, and sunglasses,

Inactive ingredients
 Water (Aqua), Tapioca Starch, Polysilicone-11, Propanediol, Butylbutyl Salicylate, Glycerin, Pentylene Glycol, Propanediol Dicaprylate, Amylopectin, Coconut Alkanes, Cetearyl Alcohol, PEG-100 Stearate, Glyceryl Stearate, Butyl Avocadate, Capryloyl Salicylic Acid, Coco-Glucoside, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine,



Murad.

Superactive Moisturizer
 SPF 50: Mattifying Oil +
 Pore Control



with shine control +
 precision-delivery
 salicylic acid

Broad Spectrum Sunscreen
 SPF 50 | PA++++

Drug Facts (Continued)

Betaine, Persea Gratiissima (Avocado) Oil, Xylitylglucoside, Anhydroxylicol, Bisabolol, Allantoin, Amylose, Xylitol, Zinc Gluconate, Aminomethyl Propanol, Hydrogenated Vegetable Oil, Tocopherol, Polyacrylate Crosspolymer-6, Coco-Caprylate/Caprate, Caprylic/Capric Triglyceride, Ethylhexylglycerin, Xanthan Gum, Laureth-12, Cellulose, Cellulose Gum, Tetrasodium Glutamate Diacetate, Citric Acid, Glucose, Leuconostoc/Radish Root Ferment Filtrate, Phenoxyethanol, Chlorphenesin, Sodium Benzoate, Potassium Sorbate, Citrus Aurantium Peel Oil, Limonene, Linalool, Dimethyl Phenethyl Acetate, Linalyl Acetate, Citral, Pinene, Fragrance (Parfum), Iron Oxides (CI 77482)

Other information ■ protect this product from excessive heat and direct sun

Questions or comments?
 1.310.765.1520 or Murad.com



e 50 mL NET VOL 1.7 FL OZ

Murad.com

Made in USA | © MURAD
 USA: Los Angeles, CA 90245
 UK: London SE1 0LH
 DE: Wiesenstr. 21, D-40549
 Düsseldorf
 AUS: Chatswood, NSW 2067

605710/0824



231 1030_Superactive_SPF_STE_SG_rA

SUPERACTIVE MOISTURIZER SPF 50 MATTIFYING OIL PLUS PORE CONTROL SPF 50

avobenzene, homosalate, octisalate, octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70381-133
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
STARCH, TAPIOCA (UNII: 24SC3U704I)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPANEDIOL (UNII: 5965N8W85T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PROPANEDIOL DICAPRYLATE (UNII: C577OMC6UH)	
AMYLOPECTIN, UNSPECIFIED SOURCE (UNII: 4X04QFV777)	
COCONUT ALKANES (UNII: 1E5KJY107T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
BUTYL AVOCADATE (UNII: Q86RQ0D402)	
CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4)	
COCO-GLUCOSIDE (UNII: ICS790225B)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0O72R8RF8A)	
TREHALOSE (UNII: B8WCK70T7I)	
INOSITOL (UNII: 4L6452S749)	
TAURINE (UNII: 1EQV5MLY3D)	
BETAINE (UNII: 3SCV180C9W)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
XYLITYLGLUCOSIDE (UNII: 0OIEZ166FB)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	
AMYLOSE, UNSPECIFIED SOURCE (UNII: 7TDQ74Y18L)	

XYLITOL (UNII: VCQ006KQ1E)
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)
HYDROGENATED AVOCADO OIL (UNII: JA69U4B4XI)
TOCOPHEROL (UNII: ROZB2556P8)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
XANTHAN GUM (UNII: TTV12P4NEE)
LAURETH-12 (UNII: OAH19558U1)
POWDERED CELLULOSE (UNII: SMD1X3XO9M)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK)
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CHLORPHENESIN (UNII: I670DAL4SZ)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BITTER ORANGE OIL (UNII: 9TLV70SV6I)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+)- (UNII: F4VNO44C09)
LINALYL ACETATE (UNII: 5K47SSQ51G)
CITRAL (UNII: T7EU009VPP)
PINENE (UNII: 996299PUKB)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
DIMETHYL BENZYL CARBINYL ACETATE (UNII: 6Y9488RL8H)

Product Characteristics

Color	WHITE (White to Off-White)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-133-02	1 in 1 CARTON	03/24/2025	
1	NDC:70381-133-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	03/24/2025	

Labeler - Murad, LLC (781254792)

Establishment

Name	Address	ID/FEI	Business Operations
KDC/One Chatsworth, Inc.		118542196	MANUFACTURE(70381-133)

Revised: 3/2025

Murad, LLC