

**BOTANETH PRONOXIN HAIR REGAINER FS2 ACTIVATOR 2-A 2-B- allantoin
OUIBON GLOBAL**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

ALLANTOIN

2-A - Water, Alcohol, Butylene Glycol, Glycyrrhiza Glabra (Licorice) Root Extract, Octanediol, Allantoin, Sodium hydroxide, Ethylhexylglycerin, Ascorbic acid, Menthol, Disodium EDTA, Maltodextrin, Fragaria Chiloensis (Strawberry) Fruit Extract, Citrus Grandis (Grapefruit) Seed Extract, Nonfat Dry Milk, Glucose, Fructose, Sodium chloride, Cinnamon Cassia Bark Extract, Artemisia Princeps Extract

2-B - Water, Alcohol, Butylene Glycol, Curcuma Longa (Turmeric) Root Extract, Octanediol, Allantoin, Ethylhexylglycerin, Menthol, Disodium EDTA, Citric acid, Casein, Dextrin, Maltodextrin, Glucose, Citrus Grandis (Grapefruit) Seed Extract, Fructose, Potassium phosphate, Tricalcium phosphate, Dipotassium phosphate, Artemisia Princeps Extract

Protect scalp, hair loss prevention

keep out of reach of the children

1. After shampoo, spray activator 2-A & 2-B on scalp one by one.

2. Massage scalp gently 3. Wait at least 30 minutes then rinse off.

for external use only. If irritation develops, discontinue use.

for topical use only

BOTANETH PRONOXIN
HAIR REGAINING SOLUTION



1

STEP 1
SHAMPOO AND CLEAN YOUR
SCALP

STEP 2
DRY GENTLY WITH TOWEL



A B

STEP 3
SPRAY HAIR REGAINER
FS2 ACTIVATOR 2-A, 2-B
ON SCALP ONE BY ONE

PRONOXIN

HAIR REGAINER FS2 ACTIVATOR

NOURISHING & PERIPHERAL VASODILATOR
60ml 2.02 fl.oz. x2

두피 영양 공급 액티베이터
주원료 특허번호 제 10-1086-504호
SCI 영국 피부 임상 학회지 논문 발표

BOTANETH
CLINIC

2-A 2-B

BOTANETH
CLINIC

**PRONOXIN
HAIR REGAINER
FS2 ACTIVATOR**

INGREDIENTS
2-A - Water, Alcohol, Butylene Glycol, Glyceritha Clabra (Licoriz) Root Extract, Octanediol, Allantoin, Sodium Hydroxide, Ethylhexylglycerin, Ascorbic acid, Menthol, Disodium EDTA, Maltodextrin, Fragaria Chiloensis (Strawberry) Fruit Extract, Citrus Grandis (Grapefruit) Seed Extract, Nonfat Dry Milk, Glucose, Fructose, Sodium chloride, Cinnamon Cassia Bark Extract, Artemisia Princeps Extract

2-B - Water, Alcohol, Butylene Glycol, Curcuma Longa (Turmeric) Root Extract, Octanediol, Allantoin, Ethylhexylglycerin, Menthol, Disodium EDTA, Citric acid, Casein, Dextrin, Maltodextrin, Glucose, Citrus Grandis (Grapefruit) Seed Extract, Fructose, Potassium phosphate, Itracalcium phosphate, Dipotassium phosphate, Artemisia Princeps Extract

Directions : 1.After shampoo, spray activator 2-A & 2-B on scalp one by one. 2. Massage scalp gently 3. Wait at least 30 minutes then rinse off.

Warning for external use only. If irritation develops, discontinue use.

NI Wt. 2.02 fl. oz. x2 (60ml x2)

Distributed by TOIN USA, INC
P.O. Box 3785 W Lafayette, IN
47906 U.S.A. TEL 949-677-2448
FAX 765-588-6653
www.botaneth.com
Made in Korea



BOTANETH
CLINIC

**프로녹신 헤어 리게이너 FS2 액티베이터
두피 영양 공급 액티베이터**

보타네스의 프로녹신 헤어 리게이너 FS2 액티베이터는, 특허기술 원료를 배합하여 다시 건강한 모발로 가꿀 수 있도록 연구 개발된 프리미엄 성분 관리 솔루션입니다. (머리숱이 감소되어 감지되었다면 해당 부위에 분사하여 관리하시면 됩니다. 보타네스의 탁월한 기술력을 체험해보십시오.)



주원료 특허번호 제 10-1086-504호 (한국)
Patent About improvement blood flow (Key Ingredient)

SCI 영국 피부 임상 학회지 논문 발표
SCI Online Publication, Oct 2010
CED Clinical and Experimental Dermatology

사용법 샴푸 후 머리를 말린 후 액티베이터 2-A와 2-B를 차례대로 두피에 뿌린 후 마시지하듯이 충분히 문질러 줍니다. 최소 30분 이상 그대로 두십시오. 하루 1-2회 사용을 권장합니다.

제품명 프로녹신 헤어 리게이너 FS2 액티베이터 2-A 제품명 프로녹신 헤어 리게이너 FS2 액티베이터 2-B

전성분 정제수, 에탄올, 부틸렌글리콜, 감초추출물, 옥탄디올, 알란토인, 소듐하이드록사이드, 에틸헥실 글리세린, 아스코빅에이드, 멘톨, 디소듐에디타, 말토덱스트린, 프라그리차 클라브라 (Licoriz) 뿌리 추출물, 시트릭에이드, 카세인, 엑스트린, 말트 엑스트린, 알파글루코피루로이드, 글루코오스, 프락투오스, 프루크토오스, 소듐클로라이드, 시나몬 캐시아 껍질 추출물, 아르티미시아 프린세스 추출물

사용상의 주의사항 1) 다음의 경우에는 사용하지 않 것. 상처, 습진이 있는 두피 2) 다음의 경우에는 신중히 사용할 것. 약이나 화장품 등에 알레르기 증상(발진, 발적, 가려움, 붓 등)에 의한 피부와이 나타남 3) 약이 있는 사용. 3) 이상반응 이 제품의 사용으로 인해 발진, 발적, 가려움 등의 증상이 나타나 는 경우에는 사용을 중지하고 의사 또는 의사와 상의 할 것 4) 알레르기 주의 ① 눈에 들어가지 않도록 주의 할 것. ② 탈모에 들어간 경우에는 즉시 물로 씻을 것. ③ 만일 증상이 심한 경우에는 의사와의 치료를 받을 것. ④ 이 제품은 목적 외로 사용하지 않 것. 5) 지장상의 주 의 ① 적사광선을 피하고 할 수 있는 대로 서늘한 곳에 보관할 것. ② 오용을 막고 품질을 유지하기 위해 다른 용기에 넣지 않 것. ③ 화기가 있는 근처를 피하고 어린이의 손이 닿지 않는 곳에 보관할 것.

본 제품에 이상이 있을 경우, 공정거래위원회 고시 '소비자 분쟁 해결 기준'에 의해 보상해 드립니다.
소비자상담실 02-6339-6669 | 제조번호 및 사용 기한 별도표기 | 사용기한 제조일로부터 3년

책임판매처 영이주식회사 경기도 광주시 도곡면 대림로 100-55
제조업자 ㈜리베오 서울특별시 금천구 가산디지털 2로 184, 117호
상품공급 위분글로벌 서울특별시 양천구 국책대로 45-3층
TEL 82-2-6339-6669 FAX 82-50-4247-8666
www.botaneth.com Made in Korea




8 809240 439890

BOTANETH PRONOXIN HAIR REGAINER FS2 ACTIVATOR 2-A 2-B allantoin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73199-0002
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73199-0002-1	1 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/13/2019	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	60 mL
Part 2	1 BOTTLE, PLASTIC	60 mL

Part 1 of 2

BOTANETH PRONOXIN HAIR REGAINER FS2 ACTIVATOR 2-B allantoin liquid

Product Information

Item Code (Source)	NDC:73199-0004
---------------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73199-0004-1	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/13/2019	

Part 2 of 2

BOTANETH PRONOXIN HAIR REGAINER FS2 ACTIVATOR 2-A

allantoin liquid

Product Information

Item Code (Source)	NDC:73199-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73199-0003-1	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/13/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/13/2019	

Labeler - OUIBON GLOBAL (695029852)**Registrant** - OUIBON GLOBAL (695029852)**Establishment**

Name	Address	ID/FEI	Business Operations
LABIO Co., Ltd.		689845457	manufacture(73199-0002)

Establishment

Name	Address	ID/FEI	Business Operations
OUIBON GLOBAL		695029852	label(73199-0002)

Revised: 7/2019

OUIBON GLOBAL