

**KIRKLAND SIGNATURE ALLERCLEAR D 12 HR- loratadine, pseudoephedrine tablet, extended release**

**Costco Wholesale Company**

-----  
**Costco Wholesale Corp. AllerClear® D-12 hr Drug Facts**

**Active ingredients (in each tablet)**

Loratadine 5 mg

Pseudoephedrine sulfate 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet every 12 hours; not more than 2 tablets in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **each tablet contains:** calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

COMPARE TO CLARITIN-D® 12 HOUR active ingredients

ALLERGY & CONGESTION

NON-DROWSY\*

ALLERCLEAR® D-12 hr

Pseudoephedrine Sulfate 120 mg/Nasal Decongestant

Loratadine 5 mg/Antihistamine

Extended Release Tablets

Indoor & Outdoor Allergies

Actual Size

12 Hour Relief of:

Nasal & Sinus Congestion due to Colds or Allergies

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose due to Allergies

\*When taken as directed. See drug facts panel.

30 EXTENDED RELEASE TABLETS




\*\*This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of Claritin-D® 12 hour.

GLUTEN FREE

Packaged by:  
Perrigo®, 515 Eastern Ave., Allegan, MI 49010 USA  
1-800-719-9260  
For: Costco Wholesale Corporation  
P.O. Box 34535, Seattle, WA 98124-1535 USA  
1-800-774-2678 www.costco.com

15V04136a



**Drug Facts**

**Active ingredients (in each tablet)**      **Purpose**  
 Loratadine 5 mg.....Antihistamine  
 Pseudoephedrine sulfate 120 mg.....Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing      ■ itchy, watery eyes
  - runny nose    ■ itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores free breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease      ■ thyroid disease
- high blood pressure    ■ diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Drug Facts (continued)**

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

■ do not divide, crush, chew or dissolve the tablet	1 tablet every 12 hours; not more than 2 tablets in 24 hours
adults and children 12 years and over	
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- each tablet contains: calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

**Questions or comments? 1-800-719-9260**

## KIRKLAND SIGNATURE ALLERCLEAR D 12 HR

loratadine, pseudoephedrine tablet, extended release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63981-013
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	120 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	013
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-013-39	30 in 1 CARTON	01/10/2013	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63981-013-60	20 in 1 CARTON	11/16/2015	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076050	01/10/2013	

**Labeler** - Costco Wholesale Company (103391843)

Revised: 11/2019

Costco Wholesale Company