

SHISEIDO URBAN ENVIRONMENT- ensulizole, homosalate, octisalate, zinc oxide emulsion
Shiseido Americas Corporation

SHISEIDO URBAN ENVIRONMENT

▯*Drug Facts*

▯*Active ingredients*

Ensulizole 1.0%
Homosalate 15.0%
Octisalate 5.0%
Zinc Oxide 15.5%

▯*Purpose*

Sunscreen
Sunscreen
Sunscreen
Sunscreen

Uses

- help prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame, or while smoking

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:

- after 40 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

WATER □ DIMETHICONE □ TRISILOXANE □ SD ALCOHOL 40-B □ ZINC OXIDE □ GLYCERIN □ SILICA □ PEG/PPG-14/7 DIMETHYL ETHER □ LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE □ PEG-10 DIMETHICONE □ TREHALOSE □ MYRISTYL MYRISTATE □ ETHYLHEXYL PALMITATE □ DEXTRIN PALMITATE □ ISODECYL NEOPENTANOATE □ ASCORBYL TETRAISOPALMITATE □ THIOTAURINE □ DIPOTASSIUM GLYCYRRHIZATE □ SCUTELLARIA BAICALENSIS ROOT EXTRACT □ PAEONIA ALBIFLORA ROOT EXTRACT □ SODIUM HYALURONATE □ SANGUISORBA OFFICINALIS ROOT EXTRACT □ CAMELLIA SINENSIS LEAF EXTRACT □ GARCINIA MANGOSTANA BARK EXTRACT □ PERILLA OCYMOIDES LEAF EXTRACT □ SPIRULINA PLATENSIS EXTRACT □ TRIETHANOLAMINE □ TRIETHOXYCAPRYLYLSILANE □ BUTYLENE GLYCOL □ DISODIUM EDTA □ DISTEARDIMONIUM HECTORITE □ TOCOPHEROL □ BHT □ ALCOHOL □ ISOSTEARIC ACID □ MENTHOXYPROPANEDIOL □ SODIUM METABISULFITE □ POLYSILICONE-2 □ BARIUM SULFATE □ SODIUM CITRATE □ PHENOXYETHANOL □ BENZOIC ACID □ FRAGRANCE □ IRON OXIDES □

Other information

- protect this product in this container from excessive heat and direct sunlight

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO

Ginza Tokyo

Urban Environment

Sun Dual Care

OIL-FREE

with HYALURONIC ACID

SPF 42

BROAD SPECTRUM SPF 42

WATER RESISTANT (40 MINUTES)

SUNSCREEN

50mL 1.6 FL. OZ.

SHISEIDO
URBAN ENVIRONMENT
OIL-FREE SUNSCREEN
BROAD SPECTRUM SPF 42

Powered by Sun Dual Care™, infused with Hyaluronic Acid.
To protect skin from UV rays, and boost hydration.

1. Seamlessly protects against harmful UVA/UVB and pollution.
2. Amplifies the helpful power of sun light and supports skin's inner hydration ability. Dehydrated skin is instantly replenished.

• Oil-free and mattifying. Powerful protection. For smooth, hydrated skin, 365 days a year.
• NO OXYBENZONE • NO OCTINOATE • NO PARABENS • NO CYCLIC SILICONE • NON-COMEDOGENIC • DERMATOLOGIST AND OPHTHALMOLOGIST-TESTED

Drug Facts

Active ingredients

ENSULIZOLE 10%
HOMOSALATE 15.0%
OCTISALATE 5.0%
ZINC OXIDE 15.5%

Purpose

Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin

Drug Facts (continued)

Warnings
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
Flammable: Do not use near heat, flame, or while smoking.

Directions
For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ reapply:
• after 40 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor

Less elution*
*Comparing to Shiseido non-water resistant sunscreens

90% plant-derived bottle**
**Without cap and plug

SHISEIDO
GINZA TOKYO

Urban Environment
Sun Dual Care™

OIL-FREE
with HYALURONIC ACID

SPF 42

BROAD SPECTRUM SPF 42
WATER RESISTANT (40 MINUTES)
SUNSCREEN

50mL 1.6 FL. OZ.

Drug Facts (continued)

Inactive ingredients
WATER • DIMETHICONE • TRISILOXANE • SD ALCOHOL 40-B • ZINC OXIDE • GLYCERIN • SILICA • PEG/PPG-14/7 DIMETHYL ETHER • LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • TREHALOSE • MYRISTYL MYRISTATE • ETHYLHEXYL PALMITATE • DEXTRIN PALMITATE • ISODECYL NEOPENTANOATE • ASCORBYL TETRAISOPALMITATE • THIOURINE • DIPOTASSIUM GLUCYRRHIZATE • SCUTELLARIA BAICALENSIS ROOT EXTRACT • PAEONIA ALBIFLORA ROOT EXTRACT • SODIUM HYALURONATE • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • GARCINIA MANGOSTANA BARK EXTRACT • PERILLA OCYMOIDES LEAF EXTRACT • SPHRULINA PLATENSIS EXTRACT • TRIETHANOLAMINE • TRIETHOXYCAPRYLYLSILANE • BUTYLENE GLYCOL • DISODIUM EDTA • DISTEARDIMONIUM HECTORITE • TOCOPHEROL • BHT • ALCOHOL • ISOSTEARIC ACID • MENTHOXYPROPANEDIOL • SODIUM METABISULFITE • POLYSILOXANE-2 • BARIUM SULFATE • SODIUM CITRATE • PHENOXYETHANOL • BENZOIC ACID • FRAGRANCE • IRON OXIDES

Other Information
■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?
Call toll free 1-800-906-7503

<M100412-811>

<http://s1872.com/18212AA>
See our website for more information.

SHISEIDO URBAN ENVIRONMENT

ensulizole, homosalate, octisalate, zinc oxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-952
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	0.6 g in 50 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 50 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.3 g in 50 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	

SILICA (UNII: ETJ7Z6XBU4)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
TREHALOSE (UNII: B8WCK70T7I)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
THIOTAURINE (UNII: NQZ2D7AO62)	
DIPOTASSIUM GLYCYRRHIZATE (UNII: CA2Y0FE3FX)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
PAEONIA ALBIFLORA FLOWER (UNII: R73687A534)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0)	
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)	
PERILLA OCYMOIDES SEED OIL (UNII: 322MS57V7Z)	
SPIRULINA PLATENSIS (UNII: 9L3TIH1UUE)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BHT (UNII: 1P9D0Z171K)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
MENTHOXYPROPANEDIOL (UNII: KD6TZ2QICH)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-952-10	1 in 1 BOX	12/11/2027	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a		

1	Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/11/2025	

Labeler - Shiseido Americas Corporation (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-952) , analysis(58411-952)

Revised: 12/2025

Shiseido Americas Corporation