

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release
WALGREENS CO.**

Arthritis

Pain Reliever

ACETAMINOPHEN EXTENDED-RELEASE TABLETS USP, 650 mg

PAIN RELIEVER / FEVER REDUCER

ARTHRITIS 8 HOURCAPLETS

- **For the temporary relief of minor arthritis pain**
- **Lasts up to 8 hours**

Active ingredient

(in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

Keep out of reach of children

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not take more than directed (see overdose warning)**

adults

■ take 2 caplets every 8 hours with water

■ swallow whole; do not crush, chew, split or dissolve

■ do not take more than 6 caplets in 24 hours

■ do not use for more than 10 days unless directed by a doctor
under 18 years of age

■ ask a doctor

Other information

■ store between 20-25°C (68-77°F)

■ **do not use if foil inner seal is broken or missing**

Inactive ingredients

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions or comments?

Contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST.

Principal Display Panel

Walgreens free+pure[®] See New Warning

EASY OPEN

Arthritis Pain Reliever

Acetaminophen extended-release tablets USP 650 mg, pain reliever / fever reducer

Compare to the active ingredient in Tylenol[®] & HR Arthritis Pain[®]

8 hour Arthritis pain | For the temporary relief of minor arthritis pain

Not actual size
150 caplets[†]
(capsule-shaped bi-layer tablets)

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

IMPORTANT: READ ALL PRODUCT INFORMATION BEFORE USING

DO NOT USE IF FOIL INNER SEAL IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Acetaminophen USP 650 mg. Pain reliever/fever reducer

Purpose

Uses

- Temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
 - temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Other information

- Always alert acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin redness
 - itching
 - blister
 - rash
- If a skin reaction occurs, stop use and seek medical help right away
- Do not use
 - with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 - if you are allergic to acetaminophen or any of the inactive ingredients in this product.

CONTAINS NO ASPIRIN

DISTRIBUTED BY: WALGREEN CO. (CONTINUED ON BACK OF LABEL)
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walmart.com 82025 Walgreen Co.
MADE IN INDIA
NDC 0383-9993-15

ITEM 442633 W10761-0325-F
WFPORG0324-F
11917121080 3
RECYCLED PLASTIC BOTTLE
LOT
EXP
3 11917121080 3
5800009982
7800001986
REY-0225

Printed label, red line.

Inside (adhesive side)

Drug Facts (continued)

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- your pain gets worse or lasts more than 10 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-272-1222). (Local medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.)

Directions

Do not take more than directed (see overdose warning)

- adults
 - Take 2 caplets every 8 hours with water
 - swallow whole; do not crush, chew, split or dissolve
 - do not take more than 6 caplets in 24 hours
 - do not use for more than 10 days unless directed by a doctor
- under 18 years of age
 - ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if foil inner seal is broken or missing

Inactive ingredients

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyethylene glycol, polyethylene glycol, sodium starch glycolate, stearic acid

Questions or comments?

Walgreens Pharmacist Recommended.
Contains less than 20ppm of gluten.
We invite you to compare to national brands.
This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol.

contact 1-877-878-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

Principal Display Panel

Walgreens
free+pure[®]

Arthritis Pain Reliever

Acetaminophen extended-release tablets USP 650 mg,
pain reliever / fever reducer

Compare to the active ingredient
in Tylenol[®] 8 HR Arthritis Pain^{††}

8 hour
Arthritis pain
Free + Pure is:
• No artificial flavors
• No synthetic colors
For the temporary relief
of minor arthritis pain
225
caplets[‡]
• Gluten free*
• Non-GMO (*capsule-shaped bi-layer tablets)

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

IMPORTANT: READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION
TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN
OR MISSING

Drug Facts

Active ingredient (in each caplet)
Acetaminophen USP 650 mg..... Pain reliever/fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
 - temporarily reduces fever

Warnings

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
 - more than 6 caplets in 24 hours, which is the maximum daily amount.
 - with other drugs containing acetaminophen.
 - 3 or more alcoholic drinks every day while using this product.
- Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin redness
 - hives
 - itch
 - if a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

(CONTINUED ON BACK OF LABEL)

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

© 2025 Walgreen Co.

MADE IN INDIA

ITEM 451816 W10761-0725-F

CONTAINS NO ASPIRIN

NDC 0363-9993-21

WFPORG0324-F

REV-0525

3000000004

7/2025/01/01



LOT

EXP

simulate a printed label,
fold along dotted line.

Inside (adhesive side)

Walgreens Pharmacist Recommended.
Contains less than 20ppm of gluten.
We invite you to compare to national brands. This product is not
meant to be used as a substitute for Tylenol[®] 8 HR Arthritis Pain.
Registered trademark: Tylenol[®].

Questions or comments?

contact: 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

Other Information

- store between 20-25°C (68-77°F)
- do not use if foil liner seal is broken or missing

Directions

- do not take more than directed (see overdose warning)
- under 18 years of age
 - ask a doctor
- adults
 - take 2 caplets every 8 hours with water
 - swallow whole: do not crush, chew, split or dissolve
 - do not take more than 6 caplets in 24 hours
 - do not use for more than 10 days unless directed by a doctor

Warnings

- pregnant or breast-feeding, ask a health professional before use
- Keep out of reach of children
- Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-272-2222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- Stop use and ask a doctor if
 - joint aches worsen or last more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

Drug Facts (continued)

- If you are allergic to acetaminophen or any of the inactive ingredients in this product
- Ask a doctor before use if you have liver disease
- Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9993
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%) (UNII: 8136Y38GY5)	

HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE K30 (UNII: U725QWY32X)	

Product Characteristics

Color	white (White to off white colored)	Score	no score
Shape	OVAL (Capsule shaped, biconvex intact film coated tablets)	Size	19mm
Flavor		Imprint Code	G;650
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9993-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	09/28/2019	
2	NDC:0363-9993-21	225 in 1 BOTTLE; Type 0: Not a Combination Product	09/28/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	09/28/2019	

Labeler - WALGREENS CO. (008965063)

Revised: 12/2025

WALGREENS CO.