

**NEUROCOMFORT PAIN RELIEF- neurocomfort lotion**  
**NEUROCOMFORT PAIN RELIEF ROLL-ON- neuro comfort roll-on gel**  
**NEUROCOMFORT PAIN RELIEF GEL EXTRA STRENGTH- neuro comfort gel extra strength gel**  
**NEUROCOMFORT PAIN RELIEF GEL- neuro comfort gel gel**  
**NEUROCOMFORT PAIN RELIEF ROLL-ON EXTRA STRENGTH- neuro comfort roll-on extra strength gel**  
**Harmony Products LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

**NeuroComfort Line**

**For NDC 73096-021 NeuroComfort Pain Relief**

Drug Facts	Purpose
<b>Active ingredient</b>	
Lidocaine 2%.....	Topical Analgesic
<b>Uses:</b> For the temporary relief of minor pain	
<b>Warnings:</b> For external use only	
<b>Flammable:</b> Keep away from fire or flame and heated surfaces	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>• if you are allergic to any ingredient</li> <li>• on open wounds, damaged irritated skin</li> <li>• with a heating pad or TENS device</li> <li>• after expiration date</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>• do not bandage tightly</li> <li>• use only as directed</li> <li>• avoid contact with eyes or mucous</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>• condition worsens</li> <li>• rash, itching, redness or excessive irritation of the skin develops</li> <li>• symptoms last more than 7 days</li> <li>• symptoms clear up and occur again within a few days</li> </ul>	
<b>If pregnant or breast feeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions for adults and children 12 years of age and over:</b>	
<ul style="list-style-type: none"> <li>• shake well</li> <li>• apply to affected area not more than 4 times daily</li> <li>• massage painful area until absorbed into skin</li> <li>• wash hands after each use with cold water</li> </ul>	
<b>Children under 12 years of age:</b> consult a doctor	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>• store in a cool place away from direct sunlight</li> <li>• store with lid closed tightly</li> </ul>	
<b>Inactive ingredients</b>	
Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water	

Active ingredient Lidocaine 2%

Inactive ingredients Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if -condition worsens -rash, itching, redness or excessive irritation of the skin develops -symptoms last more than 7 days -symptoms clear up and occur again within a few days

Uses: For the temporary relief of minor pain

Purpose Lidocaine 2%.....Topical Analgesic

Directions for adults and children 12 years of age and over: -shake well -apply to affected area not more than 4 times daily -massage painful area until absorbed into skin -wash hands after each use with cold water

Warnings: For external use only

**For NDC 73096-022 NeuroComfort Pain Relief Gel**

Drug Facts	Purpose
<b>Active ingredient</b>	
Lidocaine 2%.....	Topical Analgesic
<b>Uses:</b> For the temporary relief of minor pain	
<b>Warnings:</b> For external use only	
<b>Flammable:</b> Keep away from fire or flame and heated surfaces	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>if you are allergic to any ingredient</li> <li>on open wounds, damaged irritated skin</li> <li>with a heating pad or TENS device</li> <li>after expiration date</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>do not bandage tightly</li> <li>use only as directed</li> <li>avoid contact with eyes or mucous</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>condition worsens</li> <li>rash, itching, redness or excessive irritation of the skin develops</li> <li>symptoms last more than 7 days</li> <li>symptoms clear up and occur again within a few days</li> </ul>	
<b>If pregnant or breast feeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions for adults and children 12 years of age and over:</b>	
<ul style="list-style-type: none"> <li>shake well</li> <li>apply to affected area not more than 4 times daily</li> <li>massage painful area until absorbed into skin</li> <li>wash hands after each use with cold water</li> </ul>	
<b>Children under 12 years of age:</b> consult a doctor	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store in a cool place away from direct sunlight</li> <li>store with lid closed tightly</li> </ul>	
<b>Inactive ingredients</b>	
Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water	

Active ingredient Lidocaine 2%

Inactive ingredients Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Stop use and ask a doctor if -condition worsens -rash, itching, redness or excessive irritation of the skin develops -symptoms last more than 7 days -symptoms clear up and occur again within a few days

Uses: For the temporary relief of minor pain

Purpose Lidocaine 2%.....Topical Analgesic

Directions for adults and children 12 years of age and over: -shake well -apply to affected area not more than 4 times daily -massage painful area until absorbed into skin -wash hands after each use with cold water

Warnings: For external use only



For NDC 73096-023 NeuroComfort Pain Relief Gel Extra Strength

72096-023-01  
 Distributed by  
 Harmony Products  
 2560 S. Decker Lake Blvd  
 Suite 22  
 West Valley City, UT  
 84119, U.S.A.  
 888VHHEMP

harmony  
 hemp

NeuroComfort™

Pain Relief Gel

1000

Extra  
 Strength

with  
**CBD**  
 Full Spectrum  
 Hemp Extract

NET WT 3.4oz (96.4g)



Drug Facts	
Active ingredient	Purpose
Lidocaine 2.25%.....	Topical Analgesic
<b>Uses:</b> For the temporary relief of minor pain	
<b>Warnings:</b> For external use only	
<b>Flammable:</b> Keep away from fire or flame and heated surfaces	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>if you are allergic to any ingredient</li> <li>on open wounds, damaged/irritated skin</li> <li>with a heating pad or TENS device</li> <li>after expiration date</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>do not bandage tightly</li> <li>use only as directed</li> <li>avoid contact with eyes or mucous</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>condition worsens</li> <li>rash, itching, redness or excessive irritation of the skin develops</li> <li>symptoms last more than 7 days</li> <li>symptoms clear up and occur again within a few days</li> </ul>	
<b>If pregnant or breast feeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions for adults and children 12 years of age and over:</b>	
<ul style="list-style-type: none"> <li>shake well</li> <li>apply to affected area not more than 4 times daily</li> <li>massage painful area until absorbed into skin</li> <li>wash hands after each use with cold water</li> </ul>	
<b>Children under 12 years of age:</b> consult a doctor	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store in a cool place away from direct sunlight</li> <li>store with lid closed tightly</li> </ul>	
<b>Inactive ingredients</b>	
Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water	

Active ingredient Lidocaine 2.25%

Inactive ingredients Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if -condition worsens -rash, itching, redness or excessive irritation of the skin develops -symptoms last more than 7 days -symptoms clear up and occur again within a few days

Uses: For the temporary relief of minor pain

Purpose Lidocaine 2.25%.....Topical Analgesic

Directions for adults and children 12 years of age and over: -shake well -apply to affected area not more than 4 times daily -massage painful area until absorbed into skin -wash hands after each use with cold water



For NDC 73096-024 NeuroComfort Pain Relief Roll-on

73096-024-01

Distributed by  
Harmony Products  
2550 S Decker  
Lake Blvd Suite 22  
West Valley City, UT  
84119, U.S.A.  
888.WHY.HEMP

harmony  
hemp  
**NeuroComfort™**

**Pain Relief Roll-On**

**500**



with  
**CBD**  
Full Spectrum  
Hemp Extract

NET WT 3oz (85.05g)

Drug Facts	
Active ingredient	Purpose
Lidocaine 2%	Topical Analgesic
<b>Uses:</b> For the temporary relief of minor pain	
<b>Warnings</b> For external use only	
<b>Flammable:</b> Keep away from fire or flame and heated surfaces	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>if you are allergic to any ingredient</li> <li>on open wounds, damaged irritated skin</li> <li>with a heating pad or TENS device</li> <li>after expiration date</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>do not bandage tightly</li> <li>use only as directed</li> <li>avoid contact with eyes or mucous membranes</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>condition worsens</li> <li>rash, itching, redness or excessive irritation of the skin develops</li> <li>symptoms last more than 7 days</li> <li>symptoms clear up and occur again within a few days</li> </ul>	
<b>If pregnant or breast feeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions for adults and children 12 years of age and over:</b>	
<ul style="list-style-type: none"> <li>shake well</li> <li>apply to affected area not more than 4 times daily</li> <li>massage painful area until absorbed into skin</li> <li>wash hands after each use with cold water</li> </ul>	
<b>Children under 12 years of age:</b> consult a doctor	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store in a cool place away from direct sunlight</li> <li>store with lid closed tightly</li> </ul>	
<b>Inactive ingredients</b>	
Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water	

Active ingredient Lidocaine 2%

Inactive ingredients Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Stop use and ask a doctor if -condition worsens -rash, itching, redness or excessive irritation of the skin develops -symptoms last more than 7 days -symptoms clear up and occur again within a few days

Uses: For the temporary relief of minor pain

Purpose Lidocaine 2%.....Topical Analgesic

Directions for adults and children 12 years of age and over: -shake well -apply to affected area not more than 4 times daily -massage painful area until absorbed into skin -wash hands after each use with cold water

Warnings: For external use only



For NDC 73096-025 NeuroComfort Pain Relief Roll-on Extra Strength

73096-025-01

Distributed by  
Harmony Products  
2550 S Decker  
Lake Blvd Suite 22  
West Valley City, UT  
84119, U.S.A.  
888.WHY.HEMP

harmony  
hemp  
**NeuroComfort™**

**Pain Relief Roll-On**

**1000**

**Extra  
Strength**



harmonyhemp.com

with  
**CBD**  
Full Spectrum  
Hemp Extract

NET WT 3oz (85.05g)

Drug Facts	
Active ingredient	Purpose
Lidocaine 2.25%	Topical Analgesic
<b>Uses:</b> For the temporary relief of minor pain	
<b>Warnings</b> For external use only <b>Flammable:</b> Keep away from fire or flame and heated surfaces	
<b>Do not use</b> <ul style="list-style-type: none"> <li>if you are allergic to any ingredient</li> <li>on open wounds, damaged irritated skin</li> <li>with a heating pad or TENS device</li> <li>after expiration date</li> </ul>	
<b>When using this product</b> <ul style="list-style-type: none"> <li>do not bandage tightly</li> <li>use only as directed</li> <li>avoid contact with eyes or mucous membranes</li> </ul>	
<b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>condition worsens</li> <li>rash, itching, redness or excessive irritation of the skin develops</li> <li>symptoms last more than 7 days</li> <li>symptoms clear up and occur again within a few days</li> </ul>	
<b>If pregnant or breast feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions for adults and children 12 years of age and over:</b> <ul style="list-style-type: none"> <li>shake well</li> <li>apply to affected area not more than 4 times daily</li> <li>massage painful area until absorbed into skin</li> <li>wash hands after each use with cold water</li> </ul> <b>Children under 12 years of age:</b> consult a doctor	
<b>Other information</b> <ul style="list-style-type: none"> <li>store in a cool place away from direct sunlight</li> <li>store with lid closed tightly</li> </ul>	
<b>Inactive ingredients</b> Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water	

Active ingredient Lidocaine 2.25%

Inactive ingredients Arnica Montana Flower Extract, Capsaicin, Dimethicone, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Hemp Extract, Hempseed Oil, Phenoxyethanol, Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7, Symphytum Officinale (Comfrey) Leaf Extract, Water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Stop use and ask a doctor if -condition worsens -rash, itching, redness or excessive irritation of the skin develops -symptoms last more than 7 days -symptoms clear up and occur again within a few days

Uses: For the temporary relief of minor pain

Purpose Lidocaine 2.25%.....Topical Analgesic

Directions for adults and children 12 years of age and over: -shake well -apply to affected area not more than 4 times daily -massage painful area until absorbed into skin -wash hands after each use with cold water





Warnings: For external use only

## NEUROCOMFORT PAIN RELIEF

neurocomfort lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73096-021
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4534 mg in 226.7 g
--	-----------	--------------------

### Inactive Ingredients

Ingredient Name	Strength
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
COMFREY LEAF (UNII: DG4F8T839X)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C13-14 ISO PARAFFIN (UNII: E4F12ROE70)	
HEMP (UNII: TD1MUT01Q7)	500 mg in 226.7 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73096-021-01	226.7 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/10/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2019	

## NEUROCOMFORT PAIN RELIEF ROLL-ON

neuro comfort roll-on gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73096-024
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	1701 mg in 85.05 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
COMFREY LEAF (UNII: DG4F8T839X)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
HEMP (UNII: TD1MUT01Q7)	500 mg in 85.05 g
EUCALYPTUS OIL (UNII: 2R04ONI662)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73096-024-02	1 in 1 CARTON	07/10/2019	
1	NDC:73096-024-01	85.05 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2019	

## NEUROCOMFORT PAIN RELIEF GEL EXTRA STRENGTH

neuro comfort gel extra strength gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73096-023
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2169 mg in 96.4 g

### Inactive Ingredients

Ingredient Name	Strength
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	

COMFREY LEAF (UNII: DG4F8T839X)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
HEMP (UNII: TD1MUT01Q7)	1000 mg in 96.4 g
EUCALYPTUS OIL (UNII: 2R04ONI662)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73096-023-02	1 in 1 CARTON	07/10/2019	
1	NDC:73096-023-01	96.4 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2019	

## NEUROCOMFORT PAIN RELIEF GEL

neuro comfort gel gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73096-022
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	1928 mg in 96.4 g

### Inactive Ingredients

Ingredient Name	Strength
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
COMFREY LEAF (UNII: DG4F8T839X)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
HEMP (UNII: TD1MUT01Q7)	500 mg in 96.4 g
EUCALYPTUS OIL (UNII: 2R04ONI662)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73096-022-02	1 in 1 CARTON	07/10/2019	
1	NDC:73096-022-01	96.4 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2019	

## NEUROCOMFORT PAIN RELIEF ROLL-ON EXTRA STRENGTH

neuro comfort roll-on extra strength gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73096-025
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	1914 mg in 85.05 g

### Inactive Ingredients

Ingredient Name	Strength
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)	
COMFREY LEAF (UNII: DG4F8T839X)	
DIMETHICONE 1000 (UNII: MCU2324216)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CAPSAICIN (UNII: S07O44R1ZM)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	

<b>HEMP</b> (UNII: TD1MUT01Q7)	1000 mg in 85.05 g
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73096-025-02	1 in 1 CARTON	07/10/2019	
1	NDC:73096-025-01	85.04 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2019	

**Labeler** - Harmony Products LLC (117041828)

**Registrant** - Steuart Custom Manufacturing (116952121)

### Establishment

Name	Address	ID/FEI	Business Operations
Steuart Custom Manufacturing		116952121	manufacture(73096-021, 73096-022, 73096-023, 73096-024, 73096-025)

Revised: 10/2019

Harmony Products LLC