DAY TIME COLD AND FLU COLD AND FLU MULTI SYMPTOM RELIEF- acetaminophen, dextromethorphan hbr, phenylephrine hcl solution We Care Distributor Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DayTime Cold and Flu Drug Facts

Active ingredients (in each 15 mL)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if adult/child takes

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if

your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- a sodium restricted diet

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- new symptoms occur
- redness or swelling is present
- symptom gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than directed cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see Overdose warning
- use dose cup
- do not exceed 4 doses per 24 hrs
- adults & children 12 years and over: 30 mL every 4 hrs
- children 6 to under 12 years: 15 mL every 4 hrs
- children under 12 years: ask a doctor

When using Day Time and Night Time products; carefully read each label to ensure correct dosing

Other information

- protect from freezing
- each tablespoon contains: sodium 46 mg
- store at room temperature 15-30°C (59-86°F)

Inactive ingredients

citric acid, FD&C yellow no. 6, flavor, glycerin, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sucrose

Questions or comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

Principal Display Panel

SEE NEW WARNINGS

Compare to DayQuil® Cold & Flu Active Ingredients

Non-Drowsy

DayTime Cold & Flu

Pain Reliever, Fever Reducer, Cough Suppressant, Nasal Decongestant Multi-Symptom Relief

Aches, fever - Acetaminophen

Cough - Dextromethorphan HBr

Nasal congestion - Phenylephrine HCl

Alcohol Free and Antihistamine Free

4 FL OZ (120 mL)



Drug Facts (continued)
Ask a doctor before use if you have a liver disease a heart disease thigh blood pressure a diabetes at thyoid disease to the high blood pressure a diabetes at thyoid disease to the part of the part
 cough that eccurs with too much philogim (mucus) a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchilis or emphysema
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin
Stop use and ask doctor if I you get nervous, dizzy, or sleepless new symptoms occur I redness or swelling is present
Symptoms get worse or lests more timen 5 days (chezren) or 7 days (aburs). Fever get worse lasts more than 3 days. Control comes hack, or occurs with rash or headache that lasts.
These could be signs of a serious condition
If pregnant or breast feeding, ask a health professional before use Keep out of reach of children
Overdose warning: Taking more than directed can cause serious health problem. In case of overdose get medical help or contact a Poison control center right away. Quick medical attention is critical for
adults and children even if you do not notice any signs or symptoms
Directions ■ take only as directed ■ see overdose warning ■ use dose cup ■ do not exceed 4 doses in 24 hours
and over
children inder 12 years 15 mL every 4 hours children inder 12 years ask a doctor
or night time productions
Other information ■ protect from freezing ■ each tablespoon contains: sodium 46 mg ■ store at room temperature 15°30° C (58°86° F)
Inactive ingredients citricacid, FD&C velow no. 6, flavor, glycein, polyethylene glycol, propylene glycol, purified water, sacchain sodium benoate sodium citrate sucrose.

DAY TIME COLD AND FLU COLD AND FLU MULTI SYMPTOM RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine hcl solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70005-045
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D)	ACETAMINOPHEN	325 mg in 15 mL	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL	

Inactive Ingredients			
Ingredient Name	Strength		
CITRIC ACID ACETATE (UNII: DSO12WL7AU)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SO DIUM (UNII: SB8ZUX40TY)			
SUCROSE (UNII: C151H8M554)			
SO DIUM BENZO ATE (UNII: OJ245FE5EU)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			

Product Characteristics			
Color	ORANGE (clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

l	Packaging				
ı	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 N	NDC:70005-045-01	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/05/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/30/2016	

Labeler - We Care Distributor Inc. (079832998)

Establishment				
Name	Address	ID/FEI	Business Operations	
PURINE PHARMA LLC		019950491	manufacture(70005-045)	

Revised: 8/2016 We Care Distributor Inc.