

AVON HEXASHIELD TRIPLE ANTIBIOTIC WITH PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment
Tai Guk Pharm. Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

AVON HeXas hield Triple Antibiotic Ointment with Pain Relief

Active Ingredients (in each gram)

Bacitracin Zinc 500 units

Neomycin Sulfate 3.5 mg

Polymyxin B Sulfate 10,000 units

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse

- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 2 years of age or older :**
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- **children under 2 years of age:** ask a doctor

Other information

- store at room temperature
- Lot No. & Exp. Date: see box or see crimp of tube

Inactive Ingredients

ethanol, methylparaben, mineral oil, petrolatum, polyoxyl 40 stearate, propylparaben

Questions or comments?

Call toll free 1-800-FOR-AVON

www.avon.com

Principal Display Panel

Compare to the active ingredient in Neosporin[®] Plus Pain Relief

Helps prevent infection & relieves pain in minor cuts, scrapes & burns

- MAXIMUM STRENGTH
- TRIPLE ANTIBIOTIC
- PAIN RELIEF

AVON

HeXashield

TRIPLE ANTIBIOTIC OINTMENT WITH PAIN RELIEF

BACITRACIN ZINC / NEOMYCIN SULFATE / POLYMYXIN B SULFATE / PRAMOXINE HCl


NET WT 1 oz (28g)



Compare to the active ingredient in Neosporin® Plus Pain Relief



Helps prevent infection & relieves pain in minor cuts, scrapes & burns



- MAXIMUM STRENGTH
- TRIPLE ANTIBIOTIC
- PAIN RELIEF

AVON

MAXIMUM STRENGTH TRIPLE ANTIBIOTIC PAIN RELIEF



TRIPLE ANTIBIOTIC OINTMENT WITH PAIN RELIEF

HeXashield

BACITRACIN ZINC / NEOMYCIN SULFATE / POLYMYXIN B SULFATE / PRAMOXINE HCl

NET WT 1 oz (28 g)



DISTRIBUTED BY: NEW AVON LLC,
NEW YORK, NY 10006
© 2019 NEW AVON LLC
MADE IN KOREA



This product is not manufactured or distributed by Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin®.

TP21637

LOT & EXP.

Drug Facts	<p>Active Ingredients (in each gram)</p> <p>Bacitracin Zinc 500 units.....First aid antibiotic</p> <p>Neomycin Sulfate 3.5 mg.....First aid antibiotic</p> <p>Polymyxin B Sulfate 10,000 units.....First aid antibiotic</p> <p>Pramoxine HCl 10 mg.....External analgesic</p> <p>Uses First aid to help prevent infection and for the temporary relief of pain or discomfort in minor:</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse
Drug Facts (continued)	<p>Purpose</p> <ul style="list-style-type: none"> ■ symptoms persists for more than 1 week, or clear up and occur again within a few days ■ rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ adults and children 2 years of age and older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage <p>Other information</p> <ul style="list-style-type: none"> ■ store at room temperature ■ Lot No. & Exp. Date: see box or see crimp of tube <p>Inactive ingredients ethanol, polyoxy 40 stearate, methylparaben, mineral oil, petrolatum, polyoxy 40 stearate, propylparaben</p> <p>Questions or comments?</p> <p>Call toll free 1-800-FOR-AVON www.avon.com</p>

Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)		Purpose	
Bacitracin Zinc 500 units.....	First aid antibiotic	■ symptoms persists for more than 1 week, or clear up and occur again within a few days	
Neomycin Sulfate 3.5 mg.....	First aid antibiotic	■ rash or other allergic reaction develops	
Polymyxin B Sulfate 10,000 units.....	First aid antibiotic	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Pramoxine HCl 10 mg.....	External analgesic	Directions	
Uses first aid to help prevent infection and for the temporary relief of pain of discomfort in minor : ■ cuts ■ scrapes ■ burns		■ adults and children 2 years of age and older : ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage	
Warnings For external use only.		■ children under 2 years of age: ask a doctor	
Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body		Other information ■ store at room temperature ■ Lot No. & Exp. Date: see box or see crimp of tube	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns		Inactive ingredients ethanol, methylparaben, mineral oil, petrolatum, polyoxyl 40 stearate, propylparaben	
Stop use and ask a doctor if ■ you need to use longer than 1 week ■ condition persists or gets worse		Questions or comments? Call toll free 1-800-FOR-AVON www.avon.com	

LOT & EXP.

TP21637

This product is not manufactured or distributed by Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Neosporin.

8 00100 0395460100 8

MADE IN KOREA

© 2019 NEW AVON LLC
NEW YORK, NY 10006
DISTRIBUTED BY: NEW AVON LLC.

AVON HEXASHIELD TRIPLE ANTIBIOTIC WITH PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43136-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP]U in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP]U in 1 g
PRAMO XINE HYDRO CHLORIDE (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056)	PRAMO XINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43136-100-01	1 in 1 CARTON	07/31/2019	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	07/31/2019	

Labeler - Tai Guk Pharm. Co., Ltd. (689060246)

Registrant - New Avon LLC (080143520)

Establishment			
Name	Address	ID/FEI	Business Operations
Tai Guk Pharma. Co., Ltd.		689060246	manufacture(43136-100)

Revised: 8/2019

Tai Guk Pharm. Co., Ltd.