

## **DYNA-MAX 110- iodine solution**

**Dairy Dynamics L.L.C.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

### **DYNA-MAX 110**

#### **COMMERCIAL**

#### **Iodine Pre and Post Dip**

**Active Ingredient: 10,000 PPM Titratable Iodine**

### **DIRECTIONS FOR USE**

#### **PRE-DIPPING**

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Apply DYNA-MAX 110 with dip cup or sprayer covering the entire surface of the teat.\*
- Allow for a minimum 15 seconds contact time.
- Wipe each teat with a single service towel to remove teat dip and soil from teat surface.
- Attach milking unit.

\* It is common practice to “fore-strip” teats prior to milking for the purposes of milk letdown and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of DYNA-MAX 110.

#### **POST-DIPPING**

Immediately after removal of milking unit apply DYNA-MAX 110 with a dip cup or sprayer ensuring complete coverage of teat surfaces with teat dip solution.

**DO NOT DILUTE TEAT DIP, USE AT FULL STRENGTH. IF TEAT DIP IN THE TEAT CUP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE CONTENTS IF THE DIP CUP WITH FRESH TEAT DIP. DO NOT RETURN CONTAMINATED TEAT DIP TO THE ORIGINAL CONTAINER.**

**If original container becomes frozen, thaw completely then mix thoroughly before use.**

### **PRECAUTIONARY STATEMENTS**

#### **DANGER**

**KEEP OUT OF REACH OF CHILDREN.**

**CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

#### **FIRST AID**

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

**Internal:** If swallowed, promptly rinse mouth with water then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

**FOR ASSISTANCE WITH MEDICAL EMERGENCY, CALL 1-800-367-5178.**

REFER TO MATERIAL DATA SAFETY SHEET.

HEALTH - 2

FLAMMABILITY - 0

REACTIVITY - 1

PERSONAL PROTECTION - A

Dyna-Max 110

Teat Dip Formulation Commercial

10,000 PPM Iodine (1% Iodine)

Contains 10% Glycerin

Usage: Post Dip, Pre-Dip

Weather Conditions: Adverse

Organism Challenge: High

Housing Conditions: Fair/Good

**DIRECTIONS FOR USE**

**PRE-DIPPING:**

- Immediately prior to milking, remove any excessive soils from teat surfaces.
- Apply DYNA-MAX 110 with dip cup or sprayer covering entire surface of teat.\*
- Allow for minimum of 15 seconds contact time.
- Wipe each teat with a single service towel to remove teat dip and soil from teat surface
- Attach milking unit.

\*It is a common practice to "fore-strip" teats prior to milking for purposes of milk let down and mastitis detection. The procedure of fore-stripping may be performed prior to or after application of DYNA-MAX 110.

**POST-DIPPING:**

- Immediately after removal of milking unit apply DYNA-MAX 110 with dip cup or sprayer ensuring complete coverage of teat surfaces with teat dip solution.

DO NOT DILUTE TEAT DIP, USE AT FULL STRENGTH. IF TEAT DIP IN THE TEAT CUP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE CONTENTS OF DIP CUP WITH FRESH TEAT DIP. DO NOT RETURN CONTAMINATED TEAT DIP TO THE ORIGINAL CONTAINER.

If original container becomes frozen, thaw completely then mix thoroughly before use.

HEALTH	2
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	A

**PRECAUTIONARY STATEMENTS**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN.  
CAN CAUSE EYE DAMAGE.**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

**Eyes:** In case of contact with eyes, flush immediately with water for at least 15 minutes. Call a physician.

**Inhalant:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

FOR ASSISTANCE WITH MEDICAL EMERGENCY,  
CALL: 1-800-367-5178.  
REFER TO MATERIAL SAFETY DATA SHEET.

**Dyna-Max 110**

Teat Dip Formulation-Commercial  
10,000 PPM Iodine (1% Iodine)

Contains 10% Glycerin

Usage: Post Dip, Pre-Dip  
Weather Conditions: Adverse  
Organism Challenge: High  
Housing Conditions: Fair/Good



**TDR-72F-DDC**

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED

# DYNA-MAX 110

## Iodine Pre and Post Dip

Active Ingredient: 1% Available Iodine



TAKE TIME



OBSERVE LABEL  
DIRECTIONS

NET CONTENTS:



TDR72FSDDC

Manufactured by: Dairy Dynamics 17820 Washington Street Union, IL 60180

TDR-72FS-DDC 04.07

**DYNA-MAX 110**

iodine solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:67351-972
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 1 L

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67351-972-01	3.8 L in 1 BOTTLE		
2	NDC:67351-972-05	18.9 L in 1 DRUM		
3	NDC:67351-972-15	56.8 L in 1 DRUM		
4	NDC:67351-972-55	208.2 L in 1 DRUM		
5	NDC:67351-972-75	1041 L in 1 TANK		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		10/01/2010	

**Labeler** - Dairy Dynamics L.L.C. (142010953)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dairy Dynamics L.L.C.		142010953	manufacture, api manufacture, pack, label

Revised: 11/2014

Dairy Dynamics L.L.C.