

SODIUM IODIDE- sodium iodide injection, solution
VetTek

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Sodium Iodide 20% Injection

INDICATIONS:

For use as an aid in the treatment of actinomycosis (lumpy jaw) actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

CONTRAINDICATIONS:

The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.

WARNING:

Not for use in lactating dairy cows.

DOSAGE AND ADMINISTRATION:

Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition outside of the vein. The usual dose is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if necessary.

CAUTION:

Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.

RMS-92-1017 Iss. 09-11
18-819-25

Manufactured For
VETTEK
Blue Springs, MO 64014

NET CONTENTS: 250 mL

Manufactured by
Nova-Tech, Inc.
Grand Island, NE 68801

Lot No. Exp. Date

For Animal Use Only.

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

COMPOSITION:

Each 100 mL of sterile aqueous solution contains:

Sodium Iodide 20 grams

Water For Injection q.s.

Store between 15 degrees C and 30 degrees C (59 degrees F and 86 degrees F).

TAKE TIME OBSERVE LABEL DIRECTIONS

KEEP OUT OF REACH OF CHILDREN

INDICATIONS: For use as an aid in the treatment of actinomycosis (lumpy jaw) actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

CONTRAINDICATIONS: The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.

DOSAGE AND ADMINISTRATION: Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition outside of the vein. The usual dose is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if necessary.

WARNING: Not for use in lactating dairy cows.

CAUTION: Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.

RMS-92-1017 Iss. 09-11
18-819-25

Manufactured For
VET TEK
Blue Springs, MO 64014



NDC 60270-863-13

Sodium Iodide 20% Injection

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

For Animal Use Only

NET CONTENTS: 250 mL



COMPOSITION: Each 100 mL of sterile aqueous solution contains:
Sodium Iodide 20 grams
Water For Injection q.s.

Store between 15°C and 30°C (59°F and 86°F).

Manufactured by
Nova-Tech, Inc.
Grand Island, NE 68801

TAKE TIME  OBSERVE LABEL DIRECTIONS

Lot No. Exp. Date



SODIUM IODIDE

sodium iodide injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:60270-863
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60270-863-13	250 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/17/2011	

Labeler - VetTek (056387798)

Registrant - VetTek (056387798)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 10/2011

VetTek