

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 0N1 PETAL- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 0W1 PEARL- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1C0 CAMEO- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1N2 VANILLE- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1W1 PORCELAIN- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 2C1 BLUSH- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 2N1 NUDE- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 2W1 NATURAL- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3C1 FAWN- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3N1 SAND- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3W1 BISQUE- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4C1 ALMOND- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4N1 WHEAT- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4W1 TAWNY- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 5C1 NUTMEG- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 5N1 WALNUT- avobenzene, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 5W1 TAN- avobenzene, octinoxate,

octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6C1 CACAO- avobenzone, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6W1 GANACHE- avobenzone, octinoxate, octocrylene, and oxybenzone cream

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6N1 MOCHA- avobenzone, octinoxate, octocrylene, and oxybenzone cream

Laura Mercier Cosmetics

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Laura Mercier Tinted Moisturizer Natural Skin Perfector Broad Spectrum SPF 30 Sunscreen

Drug Facts

Active ingredients

AVOBENZONE 2.5%

OCTINOXATE 7.49%

OCTOCRYLENE 2.0%

OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **For sunscreen use:**
 - apply liberally 15 minutes before sun exposure
 - children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSTEARIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BATYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROXY ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM METAPHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, T-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free **1-888-637-2437** M – F 9am – 5pm CST

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 0N1 - Petal

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 0W1 - Pearl

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 1C0 - Cameo

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 1N2 - Vanille

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 1W1 - Porcelain

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSARIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 2C1 - Blush

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERMINALIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:

Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON-COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 2N1 - Nude

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 2W1 - Natural

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON-COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 3C1 - Fawn

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 3N1 - Sand

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 3W1 - Bisque

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BATYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 4C1 - Almond

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, T-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:

Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 4N1 - Wheat

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 4W1 - Tawny

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:

Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 5C1 - Nutmeg

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 5N1 - Walnut

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 5W1 - Tan

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERMINALIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 6C1 - Cacao

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:
Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 6W1 - Ganache

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYLALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE:

Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector


Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST
TESTED.
NON COMEDOGENIC.

LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

12707125



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - 6N1 - Mocha

LAURA MERCIER
PARIS | NEW YORK

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

Drug Facts

Active ingredients

AVOBENZONE 2.5%
OCTINOATE 7.49%
OCTOCRYLENE 2.0%
OXYBENZONE 1.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating

Inactive ingredients

WATER, GLYCERIN, BUTYLENE GLYCOL, DIMETHICONE, PEG/PPG-14/7 DIMETHYL ETHER, HYDROGENATED POLYDECENE, PEG-5 GLYCERYL STEARATE, ISODODECANE, SILICA, PHENYL TRIMETHICONE, TREHALOSE, PHENOXYETHANOL, TOCOPHEROL, BUTYROSPERMUM PARKII (SHEA) BUTTER, MACADAMIA TERNIFOLIA SEED OIL, ALEURITES MOLUCCANUS SEED OIL, RHUS VERNICIFLUA PEEL WAX, TAMARINDUS INDICA SEED GUM, SACCHARIDE ISOMERATE, PENTYLENE GLYCOL, ISOSALIC ACID, GLYCERYL STEARATE SE, POLYSILICONE-11, BEHENYL ALCOHOL, BEHENIC ACID, STEARIC ACID, BUTYL ALCOHOL, HYDROXYPROPYL METHYLCELLULOSE STEAROYL ETHER, PEG-30 PHYTOSTEROL, DISODIUM EDTA, SODIUM META PHOSPHATE, CARBOMER, POLYACRYLATE CROSSPOLYMER-6, POTASSIUM HYDROXIDE, BHT, SODIUM CITRATE, CITRIC ACID, 1-BUTYL ALCOHOL. MAY CONTAIN: TITANIUM DIOXIDE, IRON OXIDES.

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-637-2437 M – F 9am – 5pm CST

Laura Mercier's skin-perfecting secret to a flawless, dewy, no-makeup-makeup look. This multitasking blend of skincare and makeup blurs imperfections, with a sheer hint of coverage. This lightweight formula helps skin retain moisture, while immediately delivering intense hydration that lasts 24 hours. Broad Spectrum UVB/UVA SPF 30 sunscreen — combined with a Vitamin C and E complex — helps protect against damaging environmental aggressors. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with a foundation sponge or with fingertips. Layer for additional coverage.

LAURA MERCIER
PARIS | NEW YORK

DERMATOLOGIST TESTED.
NON COMEDOGENIC.


LAURA MERCIER®
LAURA MERCIER COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
lauramercier.com

TINTED MOISTURIZER
Natural Skin Perfector

Broad Spectrum
SPF 30 Sunscreen

50 mL / 1.7 FL. OZ. LIQ. US

12707125



LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 0N1 PETAL

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-803
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C00X)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y10)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-803-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-803-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 0W1 PEARL

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-804
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSFERRIC OXIDE (UNII: XM0M87F357)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-804-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-804-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1C0 CAMEO

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	

PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)
ISODODECANE (UNII: A8289P68Y2)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
TREHALOSE (UNII: B8WCK70T7I)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SHEA BUTTER (UNII: K49155WL9Y)
MACADAMIA OIL (UNII: 515610SU8C)
KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-805-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-805-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1N2 VANILLE

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-806
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	

BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-806-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-806-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 1W1 PORCELAIN

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-807
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-807-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-807-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 2C1 BLUSH

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-808
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
TREHALOSE (UNII: B8WCK70T7I)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SHEA BUTTER (UNII: K49155WL9Y)
MACADAMIA OIL (UNII: 515610SU8C)
KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-808-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-808-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

**LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR
BROAD SPECTRUM SPF 30 SUNSCREEN 2N1 NUDE**

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-809
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-809-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-809-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 2W1 NATURAL
avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-810
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-810-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-810-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3C1 FAWN

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-811
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
TREHALOSE (UNII: B8WCK70T7I)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SHEA BUTTER (UNII: K49155WL9Y)
MACADAMIA OIL (UNII: 515610SU8C)
KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-811-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-811-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3N1 SAND

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-812
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-812-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-812-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 3W1 BISQUE

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-813
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL

OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-813-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-813-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4C1 ALMOND

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-814
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
SHEA BUTTER (UNII: K49155WL9Y)
MACADAMIA OIL (UNII: 515610SU8C)
KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-814-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-814-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4N1 WHEAT

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-815
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	

AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)

POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

TERT-BUTYL ALCOHOL (UNII: MD83SFE959)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSFERRIC OXIDE (UNII: XM0M87F357)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-815-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-815-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 4W1 TAWNY

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-816
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:58411-810-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-816-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 5C1 NUTMEG

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-817
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	

SHEA BUTTER (UNII: K49155WL9Y)
MACADAMIA OIL (UNII: 515610SU8C)
KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-817-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-817-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR

BROAD SPECTRUM SPF 30 SUNSCREEN 5N1 WALNUT

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-818
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED	

(45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-818-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-818-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 5W1 TAN

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-819
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C00X)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-819-60	1 in 1 CARTON	11/30/2021	

1		50 mL in 1 TUBE; Type 0: Not a Combination Product	
2	NDC:58411-819-61	1 in 1 CARTON	11/30/2021
2		25 mL in 1 TUBE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6C1 CACAO

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-820
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	

KUKUI NUT OIL (UNII: TP11QR7B8R)
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
ISOSTEARIC ACID (UNII: X33R8U0062)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DOCOSANOL (UNII: 9G1OE216XY)
BEHENIC ACID (UNII: H390488X0A)
STEARIC ACID (UNII: 4ELV7Z65AP)
BATILOL (UNII: 39YR661C4U)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-820-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-820-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6W1 GANACHE

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-821
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	

POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-821-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58411-821-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/30/2021	

LAURA MERCIER TINTED MOISTURIZER NATURAL SKIN PERFECTOR BROAD SPECTRUM SPF 30 SUNSCREEN 6N1 MOCHA

avobenzone, octinoxate, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-822
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.25 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 50 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.5 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)	
ISODODECANE (UNII: A8289P68Y2)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
SHEA BUTTER (UNII: K49155WL9Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
TOXICODENDRON VERNICIFLUUM FRUIT RIND WAX (UNII: 6RG2461FCH)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-822-60	1 in 1 CARTON	11/30/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

2	NDC:58411-822-61	1 in 1 CARTON	11/30/2021	
2		25 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352		11/30/2021	

Labeler - Laura Mercier Cosmetics (193691821)

Revised: 12/2021

Laura Mercier Cosmetics