

**NEOSTRATA SKIN ACTIVE MATRIX SUPPORT SPF 30- avobenzone, octinoxate, and octisalate cream**  
**NeoStrata Company Inc.**

-----  
**NeoStrata® Skin Active Matrix Support**  
**SPF 30**

**Drug Facts**

**Active ingredients (w/w)**

Avobenzone 3%,  
Octinoxate 7.5%,  
Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- Broad Spectrum SPF 30
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply sunscreen at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.

- Children under 6 months: Ask a doctor.

### **Other information**

- Store at 15°C-30°C (59°F-86°F)
- Protect this product from excessive heat and direct sun

### **Inactive ingredients**

Water, Acetyl Glucosamine, Butyloctyl Salicylate, Cyclopentasiloxane, Glyceryl Stearate, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, PEG-100 Stearate, Dimethicone, Cetyl Alcohol, Nylon-12, Triacontanyl PVP, Retinol, Citric Acid, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Coffea Arabica (Coffee) Fruit Extract, DL-Alpha Tocopheryl Acetate, Rosa Damascena Flower Oil, Punica Granatum Extract, Arginine, Glycerin, Propylene Glycol, Cyclohexasiloxane, Caprylyl Glycol, Dimethiconol, Disodium EDTA, BHT, Xanthan Gum, PEG-75 Stearate, Ceteth-20, Steareth-20, Polysorbate 20, Triethyl Citrate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Methylhydrojasmonate, Carbomer, Ethylene Brassylate, Phenoxyethanol, Chlorphenesin, Yellow 5 (CI 19140), Red 33 (CI 17200).

### **Questions?**

1-800-628-9904

### **PRINCIPAL DISPLAY PANEL - 50 g Tube Carton**

NEOSTRATA<sup>®</sup>  
SKIN ACTIVE

REPAIR  
Matrix Support  
with Sunscreen Broad  
Spectrum SPF 30

Cream  
DIN 02470527  
NET WT  
50 g/1.7 OZ

GLUE

**Drug Facts/Information sur le médicament**

**Active ingredients/ Ingrédients actifs (w/w)**  
 Avobenzene 3%,  
 Octinoxate 7.5%,  
 Octisalate 5% } .....Sunscreen/Écran solaire

**Purpose/ Utilité**

**Uses/Usages** • Helps prevent sunburn/ Aide à prévenir les coups de soleil • Broad Spectrum SPF 30/à Large Spectre FPS 30  
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun/Utilisé comme indiqué en association avec d'autres mesures de protection solaire (voir **Mode d'emploi**), diminue les risques de cancer de la peau et de photovieillessement cutané prématuré

**Warnings/Mises en garde**  
**For external use only/ Pour usage externe seulement**  
**Do not use** on damaged or broken skin/  
**Ne pas utiliser** sur une peau abîmée ou blessée.

**When using this product** keep out of eyes. Rinse with water to remove/  
**Lorsque vous utilisez ce produit** éviter le contact avec les yeux. En cas d'application accidentelle, rincer à l'eau claire.

**Stop use and ask a doctor** if rash occurs/  
**Cessez d'utiliser ce produit et consultez un médecin** si une éruption cutanée survient.  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away/  
**Garder hors de la portée des enfants.** En cas d'ingestion, consulter immédiatement un médecin ou contacter un centre anti-poison.

**Directions/Mode d'emploi**  
 • Apply liberally 15 minutes before sun exposure/ Appliquer généreusement 15 minutes avant l'exposition au soleil • Use a water resistant sunscreen if swimming or sweating/ Utiliser un écran solaire résistant à l'eau en cas de baignade ou de transpiration  
 • Reapply sunscreen at least every 2 hours/ Renouveler l'application de l'écran solaire au minimum toutes les 2 heures  
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • Wear long-sleeve shirts, pants, hats, and sunglasses.

**Drug Facts (continued)/ Information sur le médicament (suite)**

• **Mesures de protection solaire.** Passer du temps au soleil augmente les risques de cancer de la peau et de vieillissement cutané prématuré. Afin de réduire ces risques, appliquez régulièrement un écran solaire à large spectre FPS 15 ou supérieur, en association avec d'autres mesures de protection comme:  
 • La limitation de votre temps d'exposition au soleil, en particulier entre 10 h et 14 h  
 • Le port de vêtements à manches longues, de pantalons, de chapeaux et de lunettes de soleil  
 • Children under 6 months: Ask a doctor/ Enfants de moins de 6 mois: consulter un médecin.

**Other information/ Autres renseignements**  
 • Store at/ Conserver entre 15°C-30°C (59°F-86°F) • Protect this product from excessive heat and direct sun/ Protéger de la chaleur et des rayons directs du soleil.

**Inactive ingredients/ Ingrédients inactifs**  
 Aqua/Water/Eau, Acetyl Glucosamine, Butyloctyl Salicylate, Cyclopentasiloxane, Glyceryl Stearate, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, PEG-100 Stearate, Dimethicone, Cetyl Alcohol, Nylon-12, Triacotanyl PVP, Retinol, Citric Acid, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Coffea Arabica (Coffee) Fruit Extract, DL-Alpha Tocopheryl Acetate, Rosa Damascena Flower Oil, Punica Granatum Extract, Arginine, Glycerin, Propylene Glycol, Cyclohexasiloxane, Caprylyl Glycol, Dimethiconol, Disodium EDTA, BHT, Xanthan Gum, PEG-75 Stearate, Ceteth-20, Steareth-20, Polysorbate 20, Triethyl Citrate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Methylidihydrojasmonate, Carbomer, Ethylene Brassylate, Phenoxyethanol, Chlorphenesin, Yellow 5 (CI 19140), Red 33 (CI 17200).

**Questions?** 1-800-628-9904

REPAIR

**NEOSTRATA®**  
 SKIN ACTIVE | DERM ACTIF

REPAIR

**Matrix Support** with Sunscreen Broad Spectrum SPF 30

**Restructurant Matriciel** avec Écran Solaire à Large Spectre FPS 30

Cream/Crème DIN 02470527

**NET WT/POIDS NET**  
 50 g/1.7 OZ

**Matrix Support** with Sunscreen Broad Spectrum SPF 30 Daily concentrate for age spots, wrinkles and slack skin

**Cosmetic use:** Age spots, advanced wrinkles, lack of firmness, uneven skin tone.  
**How it works:** Retinol diminishes the appearance of age spots while NeoGlucosamine, a gentle exfoliant, targets the skin's hydrating matrix to firm skin's appearance and smooth the look of fine lines and wrinkles.  
**Results:** Improves uneven skin tone and texture while helping skin look firmer and healthier.

**Restructurant Matriciel** avec Écran Solaire à Large Spectre FPS 30 Concentré quotidien pour les taches de vieillesse, les rides et la peau relâchée

**Usage cosmétique:** Taches de vieillesse, rides marquées, manque de fermeté, teint irrégulier.  
**Comment ça fonctionne:** Le Retinol diminue l'apparence des taches de vieillesse tandis que la NeoGlucosamine, un doux exfoliant, cible la matrice d'hydratation de la peau pour visiblement la raffermir et lisser les rides et ridules.  
**Résultats:** Améliore le teint irrégulier et la texture de la peau tout en l'aidant à avoir l'air plus ferme et plus saine.

Take care to recycle this carton.  
 Veuillez recycler ce carton.

Imported in Canada by/Importé au Canada par JOHNSON & JOHNSON INC. Markham, Canada L3R 5L2  
 Mfd. for/Fabriqué pour NeoStrata Company, Inc., Skillman, NJ 08558, USA  
 Mfd. in the USA of Domestic and Imported Components/Fabriqué aux États-Unis à partir de composants produits localement ou importés 1-800-628-9904 (U.S. and Canada Only/États-Unis et Canada exclusivement)  
 www.neostrata.com  
 ©NeoStrata Company, Inc. 2023



29F30149XD

# NEOSTRATA SKIN ACTIVE MATRIX SUPPORT SPF 30

avobenzone, octinoxate, and octisalate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58414-3042
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>TRICONTANYL POVIDONE</b> (UNII: N0SS3Q238D)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PUNICA GRANATUM ROOT BARK</b> (UNII: CLV24I3T1D)	
<b>COFFEA ARABICA FRUIT</b> (UNII: HOX6BEK27Q)	
<b>ROSA X DAMASCENA FLOWER OIL</b> (UNII: 18920M3T13)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>PEG-75 STEARATE</b> (UNII: OT38R0N74H)	
<b>CETETH-20</b> (UNII: I835H2IHHX)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	

<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)
<b>ETHYLENE BRASSYLATE</b> (UNII: 9A87HC7ROD)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58414-3042-1	1 in 1 CARTON	07/18/2013	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/18/2013	

**Labeler** - NeoStrata Company Inc. (605754829)