# CHILDRENS PEDIACLEAR 8- pyrilamine maleate liquid GM Pharmaceuticals, INC

-----

**Childrens PediaClear 8** 

### **CHILDRENS PEDIACLEAR 8**

NDC: 58809-770-08

### **Active ingredients**

(in each 15 mL)

Pyrilamine Maleate 12.5 mg

### Purpose

Antihistamine

### Uses

■ temporarily relieves runny nose and alleviates sneezing, itching of the nose or throat, and itchy, watery eyes due to hay fever or other upper respiratory allergies.

### Warnings

### Ask a doctor before use if the child has

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

### Ask a doctor before use if the child is

taking sedatives or tranquilizers

### When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

### Stop use and ask a doctor if

new symptoms occur

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- mL= milliliter
- use enclosed 15 mL dose cup and keep with product
- children 6 to under 12 years: 30 mL (2 dose cups) every 6 to 8 hours, not to exceed
- 4 doses in 24 hours, or as directed by a doctor
- children under 6 years of age: consult a doctor.

### Other information

- each 15 mL contains: Sodium 6 mg
- read all product information before using
- this packaging is child-resistant
- store at room temperature 20-30°C (68-86°F)

#### Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

#### **Questions or comments?**

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

### PRINCIPAL DISPLAY PANEL

NDC 58809-770-08

Children's

PediaClear

8 Eight

8 fl oz (237 mL)

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING.

#### **RELIEVES:**

Sneezing Runny Nose Itchy, Watery Eyes Itchy Nose Itchy Throat

#### CLEAN & CLEAR:

Gluten Free Dye Free Sugar Free Alcohol Free

# NDC 58809-770-08 Children's PediaClear 8 **\*8 HOUR** ALLERGY RELIEF

Pyrilamine Maleate 12.5 mg Antihistamine

Sneezing • Runny Nose Itchy, Watery Eyes Itchy Nose • Itchy Throat

8 fl oz (237 mL)

Purpose



LIFT HERE FOR

Distributed by: GM Pharmaceuticals, Inc. Fort Worth, TX 76118

401142-01 Rev.0523

## Drug Facts

#### Active ingredient (in each 15 mL)

Pyrilamine Maleate 12.5 mg.....Antihistamine

#### Uses

temporarily relieves runny nose and alleviates sneezing, itching of the nose or throat, and itchy, watery eyes due to hay fever or other upper respiratory allergies.

#### Warnings

#### Ask a doctor before use if the child has

a breathing problem such as emphysema or chronic bronchitis
glaucoma

Ask a doctor before use if the child is taking sedatives or tranquilizers

#### When using this product

marked drowsiness may occur

sedatives and tranquilizers may increase drowsiness

excitability may occur, especially in children Stop use and ask a doctor if new symptoms occur

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

mL= milliliter

- use enclosed 15 mL dose cup and keep with product
- children 6 to under 12 years: 30 mL (2 dose cups) every 6 to 8 hours, not to exceed 4 doses in 24 hours, or
- as directed by a doctor
- children under 6 years of age: consult a doctor.

#### Other information

- each 15 mL contains: Sodium 6 mg
- read all product information before using
- this packaging is child-resistant
- store at room temperature 20-30°C (68-86°F)

#### Inactive ingredients

citric acid anhydrous, glycerin, masking agent, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

#### Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

yrilamine maleate	liquid				
Product Inform	ation				
Product Type		HUMAN OTC DRUG	Item Code	(Source)	NDC:58809-770
Route of Administ	ration	ORAL			
Active Ingredie	nt/Active	Moiety			
				Basis of Strength	Strength
PYRILAMINE MALEAT UNII:HPE31709TL)	<b>FE</b> (UNII: R351	D29L3ZA) (PYRILAMINE -			E 12.5 mg in 15 m
JNII:HPE317091L)					
nactive Ingred	ionts				
Ingredient Name					Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)					<b>j</b>
GLYCERIN (UNII: PDC)	5A3C0OX)				
PROPYLENE GLYCOL	UNII: 6DC9	Q167V3)			
WATER (UNII: 059QF0	KO0R)				
SODIUM BENZOATE	(UNII: OJ245F	E5EU)			
SODIUM CITRATE (U	NII: 1Q73Q2JU	JLR)			
SORBITOL (UNII: 506	T60A25R)				
SUCRALOSE (UNII: 96	K6UQ3ZD4)				
Packaging					
# Item Code	Pa	ckage Description	Ма	rketing Start Date	Marketing End Date
	37 mL in 1 BC oduct	OTTLE; Type 0: Not a Combin	nation 08/19	/2019	
	format	ion			
Marketing Ir		tion Number or Monog	raph Ma	arketing Start	Marketing End
Marketing Ir Marketing Category	Аррпсат	Citation		Date	Date

Labeler - GM Pharmaceuticals, INC (793000860)

Revised: 10/2024

GM Pharmaceuticals, INC