

STERILLIUM RUB FRAGRANCE FREE- alcohol liquid
BODE Chemie GmbH

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sterillium Rub Fragrance Free NDC 65616-008

Active ingredient

Ethyl Alcohol 85% w/w

Purpose

Antiseptic

Uses

- surgical hand antiseptic
- significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care

Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use in or near the eyes or on mucous membranes.

When using this product and contact with the eyes occurs, flush immediately with water.

Stop use and ask a doctor if

- irritation and redness develop
- condition persists for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply to clean, dry hands
- for the first use of the day, use a nail pick
- dispense approx. 2 mL into hand, dip fingers of opposite hand into palm, working product under nails and into cuticles
- repeat procedure with other hand
- with hands still moist spread around the hand and lower 1/3 of the forearm
- reapply the product to the hands, paying particular attention to fingers, cuticles, and interdigital spaces
- following application, rub hands until dry
- hands should remain moist for entire application time, approx. 1.5 minutes.

Inactive ingredients

Water, Isopropyl Alcohol, Myristyl Alcohol, Glycerin

BODE

Sterillium Rub

Fragrance-Free

Procedural Rub

SURGICAL

HAND ANTISEPTIC

85% w/w ethyl alcohol with emollients

Indication: Significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care.

Fast-acting. Dermatologically tested.

Gentle to skin.

Read Drug Facts panel before use.

Lot:

Use by:

Questions? Call 1-800-MEDLINE

NDC 65616-008-06

1000 mL 33.8 fl.oz.

Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 85 % w/w	Antiseptic

Uses
■ surgical hand antiseptic ■ significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use in or near the eyes or on mucous membranes.
When using this product and contact with the eyes occurs, flush immediately with water.

Stop use and ask a doctor if
■ irritation and redness develop
■ condition persists for more than 72 hours

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ apply to clean, dry hands ■ for the first use of the day, use a nail pick ■ dispense approx. 2 mL into hand, dip fingers of opposite hand into palm, working product under nails and into cuticles ■ repeat procedure with other hand ■ with hands still moist spread around the hand and lower 1/3 of the forearm ■ reapply the product to the hands, paying particular attention to fingers, cuticles, and interdigital spaces ■ following application, rub hands until dry ■ hands should remain moist for entire application time, approx. 1.5 minutes.

Inactive Ingredients
Water, Isopropyl Alcohol, Myristyl Alcohol, Glycerin.

Manufactured in USA for: **BODE Chemie GmbH**,
Melanchthonstrasse 27, 22525 Hamburg, Germany,
Tel. +49 40 54006-0, bode-chemie.com
Distributed in USA by: **MEDLINE Industries, Inc.**,
Three Lakes Drive, Northfield, Illinois 60093,
Tel. 1-800-MEDLINE, medline.com

4 031678 075430 > 910630R 05.181

container label_B

BODE
Sterillium® Rub

Fragrance-Free




**SURGICAL
HAND ANTISEPTIC**

85 % w/w ethyl alcohol with emollients

Indication: Significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care.

**Fast-acting. Dermatologically tested.
Gentle to skin.**

Read Drug Facts panel before use.

Use by: 

 

Questions? Call 1-800-MEDLINE

98163300 01.18.0

STRLMRUB1000
NDC 65616-008-06 **1000 mL 33.8 fl.oz.** RA19BDE

container label_F

READ DRUG FACTS PANEL INSIDE 

Manufactured in USA for:
BODE Chemie GmbH, Melanchthonsstr. 27,
22525 Hamburg, Germany,
Tel. +49 40 54006-0, bode-chemie.com

Distributed in USA by:
MEDLINE Industries, Inc.,
Three Lakes Drive, Northfield, Illinois 60093,
Tel. 1-800-MEDLINE, medline.com

98163300 01.19.0

Sterillium® Rub Fragrance-Free
Indication: Significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care.



4 031678 075454 >

container label_Bsp

50 mm

Drug Facts

Active ingredient	Purpose
Ethyl Alcohol 85 % w/w	Antiseptic

Uses
 surgical hand antiseptic significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care.

Warnings
For external use only. Flammable, keep away from fire or flame.
 Do not use in or near the eyes or on mucous membranes.

When using this product and contact with the eyes occurs, flush immediately with water.

Stop use and ask a doctor if irritation and redness develop condition persists for more than 72 hours

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 apply to clean, dry hands for the first use of the day, use a nail pick dispense approx. 2 mL into hand, dip fingers of opposite hand into palm, working product under nails and into cuticles repeat procedure with other hand with hands still moist spread around the hand and lower 1/3 of the forearm reapply the product to the hands, paying particular attention to fingers, cuticles, and interdigital spaces following application, rub hands until dry hands should remain moist for entire application time, approx. 1.5 minutes.

Inactive ingredients
 Water, Isopropyl Alcohol, Myristyl Alcohol, Glycerin.



container label_Fsp

STERILLIUM RUB FRAGRANCE FREE

alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65616-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	89.5 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65616-008-06	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/31/2019	
2	NDC:65616-008-08	50 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/31/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	07/31/2019	

