BACZOL EXPECTORANT- guaifenesin, phenylephrine hcl syrup Procaps S.A. de C.V.

BACZOL EXPECTORANT (Lex)

Drug Facts

Active ingredients (in each 5 mL tsp.)

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

Purpose

GuaifenesinExpectorant

PhenylephrineNasal Decongestant

Uses • helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes • temporarily relieves nasal congestion due to the common cold.

Warnings: • **Do not exceed recommended dosage** • If nervousness, dizziness, or sleeplessness occurs, discontinue use and consult a doctor.

Do not use this product • for persistant or chronic cough, such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or if cough is accompanied by excessive phlegm (mucus), unless directed by a Doctor • if you are now taking a prescription Monoamineoxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or a pharmacist before taking this product.
• if you have heart disease, high blood pressure, thyroid disease, diabetes, or difficulty in urination due to enlargement of the prostate gland unless directed by a Doctor.

Stop use and ask a Doctor • A persistent cough may be a sign of a serious condition; • If cough persists for more than one week, tend to recur, or is accompanied by fever, rash or persistent headache; • if symptoms do not improve within 7 days or are accompanied by fever.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, contact a physician or Poison Control Center right away.

Directions Do not exceed more than 6 doses for children and adults in a 24 - hour period.

Adults and Children 12 years of age and over Children 6 to under 2 teaspoonfuls (10 mL) every 4 hours 1 teaspoonful (5 mL) **Other information** • Store at room temperature 15º-30ºC (59º-86ºF). **Tamper evident:** Do not use if there is evidence of tampering.

Inactive ingredients: citric acid, glycerin, garpe flavor, methylparaben (as preservative), propylene glycol, propylparaben (as preservative), purified water, sodium citrate, sucralose, xanthan gum

Questions or Comments?

customer.service@lablopez.com.sv

Product Labeling

NDC 76864-209-02

Baczol ® **EXPECTORANT**

Guaifenesin • Expectorant Phenylephrine HCI • Nasal Decongestant

Fruit Flavor

- Sugar FREE
- Alcohol FREE

4 fl. oz.

Manufactured For: *Laboratorios López, S.A. de C.V.* Boulevard del Ejército Nacional, Km. 5 1/2, Soyapango, San Salvador,, El Salvador, C.A.

Lot: Rev. 07/2020


Exp. Date:

Carton



Bottle

Active ingredients (in each 5 mL tsp.) Guaifenesin 200 mg Phenylephrine HCl 5 mg	Nasal Decongestant
Uses = helps loosen phlegm (mucus) and thin b drain bronchial tubes = temporarily relieves nasal common cold,	ronchial secretions to congestion due to the
Warnings = Do not exceed recommended dos- dizziness, or sleeplessness occurs, discontinue is doctor. Do not use this product = for persistent or ch occurs with smoking, asthma, chronic bronchitis cough is accompanied by excessive phlegm (mi by a doctor = if you are now taking a prescriptio Inhibitor (MAOI) (certain drugs for depression, ps conditions or Parkinson's disease), or for 2 wee MAOI drug; if you do not know if you are taking a contains an MAOI, ask a doctor or pharmacist befe = if you have heart disease, high blood pressure, thyro or difficulty in urination due to enlargement of the directed by a Doctor. Stop use and ask a Doctor = A persistent coug serious condition; = If cough persist for more th recur, or is accompanied by fever, rash or pers symptoms do not improve within 7 days or are a If pregnant or breast-feeding, ask a health pro-	use and consult a aronic cough such as s, or emphysema, or it ucus), unless directed m Monoaminooxidase sychiatric or emotional eks after stopping the prescription drug that ore taking this product id disease, diabetes, prostate gland unless gh may be a sign of a aan one week, tend to sistent headach; = it idcompanied by fever, ofessional before use,
Keep out of reach of children. In case of overdos contact a Poison Control Center right away. BOCZOF is registered trade mark of Laboratorios Lép.	



	Drug Facts (continued)		
((0)	penodo de 24 noras.		
Ť			
/ /	Adultos y niños mayores 2 cucharaditas (10 mL),		
		cada 4 horas	
		1 cucharadita (5 mL), cada 4 horas	
	Niños menores de 6 años		
	Información adicional - Conserve a temperatura ambiente 15°-30°C (59°-86°F). Evidencia de manipulación: No utilizar si existe clara evidencia de manipulación.		
	Ingredientes inactivos: Sabor uva, acido citrico, citrato de sodio,		
	glicerina, metilparabeno (como preservante), propilenglicol, propilparabeno (como preservante), agua purificada, sucralosa goma de xantano.		
Н	Directions Do not exceed more than 6 doses for children and adults in a 24 - hour period.		
	Adults and children 12 years of age and over	2 teaspoonfuls (10 mL), every 4 hours	
	Children 6 to under 12 years of age	1 teaspoonful (5 mL), every 4 hours	
	Children under 6 years of a	age Ask a doctor	
	Other information = Store at room temperature 15°-30°C (59°-36°F). Tamper evident: Do not use if there is evidence of tampering.		
	Inactive ingredients; citric acid, glycerin, grape flavor, methylparaben		

Inactive ingredients: citric acid, glycerin, grape havor, metnyiparaben (as preservative), propylene glycol, propylparaben (as preservative), purified water, sodium citrate, sucralose, xanthan gum.

Preguntas o comentarios / Questions or comments? customer.service@lablopez.com.sv 754-260-6479

Lot: Exp. Date: Rev. 07/2020

res

BACZOL EXPECTORANT

guaifenesin, phenylephrine hcl syrup

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76864-209
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 5 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE	5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
GLYCERIN (UNII: PDC6A3C0OX)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:76864-209-02	1 in 1 CARTON	06/03/2021	
	1	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/03/2021	

Labeler - Procaps S.A. de C.V. (851259341)

XANTHAN GUM (UNII: TTV12P4NEE)

Contains

Revised: 12/2024 Procaps S.A. de C.V.