

**HEADACHE RELIEF- acetaminophen-aspirin-caffeine tablet, coated**  
**TARGET CORPORATION**

-----  
**370R 11673-070 HEADACHE RELIEF**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 250 mg

Aspirin 250 mg (NSAID\*)

Caffeine 65 mg

\*nonsteroidal anti-inflammatory drug

***Purposes***

Pain reliever

Pain reliever aid

***Uses***

- temporarily relieves minor aches and pains due to:

-headache

-a cold

-arthritis

-muscular aches

-toothache

-premenstrual and menstrual cramps

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

-skin reddening

-blisters

-rash

If a skin reaction occurs, stop use and seek medical help right away.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

-hives

-facial swelling

-asthma (wheezing)

-shock

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

#### **Do not use**

- if you have ever had an allergic reaction to acetaminophen, aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### **Ask a doctor before use if**

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

#### **Ask a doctor or pharmacist before use if you are taking**

- a prescription drug for diabetes, gout, or arthritis
- any other drug or are under a doctor's care for any serious condition

#### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:

- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- ringing in the ears or loss of hearing occurs
- painful area is red or swollen

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- any new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not use more than directed**
- drink a full glass of water with each dose
- adults and children 12 years of age and over: take 2 caplets every 6 hours; not more than 8 caplets in 24 hours
- children under 12 years: ask a doctor

### ***Other information***

- store at 20°- 25°C (68°- 77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

### ***Inactive ingredients***

carnauba wax, colloidal silicon dioxide, hypromellose, microcrystalline cellulose, mineral oil, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

***Questions or comments?*** Call **1-800-910-6874**

# Extra Strength Headache Relief

250 mg Acetaminophen,  
250 mg Aspirin (NSAID),  
65 mg Caffeine  
Pain Reliever / Pain Reliever Aid



100 CAPLETS\*\* (\*\*CAPSULE-SHAPED TABLETS)

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION  
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL  
OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

### Uses

Temporarily relieves: minor aches and pains due to: headache, a cold, arthritis, muscular aches, toothache, premenstrual and menstrual cramps

### Warnings

See caution for complete warnings  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.  
**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 8 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy, unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not use more than directed ■ drink a full glass of water with each dose ■ adults and children 12 years of age and over: take 2 caplets every 6 hours; not more than 8 caplets in 24 hours ■ children under 12 years: ask a doctor  
**Other information** ■ store at 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F) ■ use by expiration date on package  
**(Questions or comments?)** Call 1-800-910-6874

094.01.0563 R00 TM & © 2024 370R 1023  
C-002262-01-034-0000 Target Brands, Inc.  
Dist. by Target Corp.  
Mpls., MN 55403

Lot No.: Varnish Omit Area

Exp. Date:

275 CAPLETS\*\* (\*\*CAPSULE-SHAPED TABLETS)



Actual Size

# Extra Strength Headache Relief

250 mg Acetaminophen,  
250 mg Aspirin (NSAID), 65 mg Caffeine  
Pain Reliever / Pain Reliever Aid

Compare to active ingredient in Excedrin® Extra Strength Caplets®†

NDC 11673-070-72

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL  
OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

### Drug Facts

**Active ingredients (in each caplet)**  
Acetaminophen 250 mg Pain reliever  
Aspirin 250 mg (NSAID) Pain reliever  
Caffeine 65 mg "Moderated anti-inflammatory drug"

### Uses

Temporarily relieves minor aches and pains due to:  
■ headache ■ toothache ■ premenstrual and menstrual cramps  
■ muscle aches ■ skin redness ■ blisters ■ rash

### Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.  
**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 8 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy, unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not use more than directed ■ drink a full glass of water with each dose ■ adults and children 12 years of age and over: take 2 caplets every 6 hours; not more than 8 caplets in 24 hours ■ children under 12 years: ask a doctor  
**Other information** ■ store at 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F) ■ use by expiration date on package  
**(Questions or comments?)** Call 1-800-910-6874

094.01.0563 R00 TM & © 2024 370R 1023  
C-002262-01-034-0000 Target Brands, Inc.  
Dist. by Target Corp.  
Mpls., MN 55403

Lot No.: UNVARNISHED AREA

Exp. Date:



3 9483 37072 0

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: Varnish Omit Area

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023

0

3

9483 37072 0

Lot No.: UNVARNISHED AREA

Exp. Date:

094.01.0563 R00  
C-002262-01-034-0000  
Distributed by Target Corporation  
Minneapolis, MN 55403  
TM & © 2024 Target Brands, Inc.  
370R 1023



## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (caplet)	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL;370
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-070-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/04/2020	
2	NDC:11673-070-72	275 in 1 BOTTLE; Type 0: Not a Combination Product	02/04/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/04/2019	

**Labeler** - TARGET CORPORATION (006961700)

**Registrant** - TIME CAP LABORATORIES, INC (037052099)

## Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(11673-070)