

**ROHTO DRY-AID- povidone, propylene glycol liquid**  
**The Mentholatum Company**

-----  
**Drug Facts - Rohto Dry-Aid**

**Active ingredient**

Povidone 0.68%

Propylene glycol 0.3%

**Purpose**

Povidone – Lubricant

Propylene glycol - Lubricant

**Uses**

- temporarily relieves burning and irritation due to dryness of the eye
- protects against further irritation or to relieve dryness of the eye

**Warnings**

**For external use only**

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use
- do not use if solution changes color or becomes cloudy

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eyes lasts
- condition worsens or lasts more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- put 1 or 2 drops in the affected eye(s) as needed
- tightly snap on cap to seal

**Other information**

- do not freeze

## Inactive ingredients

boric acid, calcium chloride, edetate disodium, magnesium sulfate, menthol, PEG-10 castor oil, poloxamer, polyaminopropyl biguanide, polyoxyl stearate, purified water, sesame oil, sodium borate

## Questions?

1-877-636-2677 MON-FRI 9AM-5PM (EST)

## Principal Display Panel

**Drug Facts** Outline of bottle is actual size.

Active ingredients	Purpose
Povidone 0.68%	Lubricant
Propylene glycol 0.3%	Lubricant

**Uses**

- temporarily relieves burning and irritation due to dryness of the eye
- protects against further irritation or to relieve dryness of the eye

**Warnings**

**For external use only**

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use
- do not use if solution changes color or becomes cloudy

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eyes lasts
- condition worsens or lasts more than 72 hours

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- put 1 or 2 drops in the affected eye(s) as needed
- lightly snap on cap to seal

**Other information**

- do not freeze

**Inactive ingredients** boric acid, calcium chloride, edetate disodium, magnesium sulfate, menthol, PEG-10 castor oil, poloxamer, polyaminopropyl biguanide, polyoxyl stearate, purified water, sesame oil, sodium borate

**Questions?** 1-877-636-2677 MON-FRI 9AM-5PM (EST)

\* Relieves Dryness, Irritation, Grittiness, Burning, and Stinging. Retain carton for complete information.

**ROHTO® DRYAID®**  
Cooling Eye Drops  
Lubricant Eye Drops

**ADVANCED DRY EYE TREATMENT**

**LIQUID SHIELD™ TECHNOLOGY**

Soothes up to **12 HRS** Long-Lasting

**Fast Acting**  
Repairs Natural Tear Film  
Superior Comfort  
Non-blurring

**STERILE**  
0.34 FL OZ (10mL)

Repairs All Layers Of The Tear Film

5 Dry Eye Symptom Relief\*

BAK Free

100% TRUSTED EYES

Supporting Your Eye Health Around the World

Follow us on Instagram Facebook YouTube

Scan for Reviews

THRUST OFF TO REMOVE CAP

**ROHTO® DRYAID®**

Global OTC Eye Care Brand

Proprietary formula cools and soothes eyes instantly for added comfort.

Rohto® - Feel It Working!

Use only if **ROHTO®** imprinted inner pouch is intact at time of purchase.

Distributed by:  
The Menzobakum Company  
Orchard Park, NY 14127  
Made in Japan ©2021

U-16

4021 83802 CA426010

3 10742 01113 5

## ROHTO DRY-AID

povidone, propylene glycol liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10742-8162
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E) (POVIDONE, UNSPECIFIED - UNII:FZ989GH94E)	POVIDONE, UNSPECIFIED	6.8 mg in 1 mL
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	3 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>CALCIUM CHLORIDE</b> (UNII: M4I0D6VV5M)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)	
<b>RACEMENTHOL</b> (UNII: YS08XHA860)	
<b>POLYOXYL 35 CASTOR OIL</b> (UNII: 6D4M1DAL6O)	
<b>PEG/PPG-105/5 COPOLYMER</b> (UNII: 52901V8XAR)	
<b>POLIHANIDE HYDROCHLORIDE</b> (UNII: 4XI6112496)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SESAME OIL</b> (UNII: QX10HYY4QV)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10742-8162-1	1 in 1 CARTON	01/01/2017	
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:10742-8162-2	2 in 1 CARTON	01/01/2017	
2		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/01/2017	

**Labeler** - The Mentholatum Company (002105757)

**Registrant** - The Mentholatum Company (002105757)

**Establishment**

Name	Address	ID/FEI	Business Operations
Rohto Pharmaceutical Co. Ltd.		696604024	manufacture(10742-8162)

Revised: 12/2024

The Mentholatum Company