

TENSION HEADACHE RELIEF- acetaminophen-caffeine tablet, coated
TARGET CORPORATION

11673-839 TARGET - TENSION HEADACHE

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 65 mg

Purposes

Pain reliever

Pain reliever aid

Uses

Temporarily relieves minor aches and pains due to:

- headache
- muscular aches

Warnings

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- any new symptoms occur
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over: take 2 caplets every 6 hours; not more than 6 caplets in 24 hours
- children under 12 years: ask a doctor

Inactive ingredients carnauba wax, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, microcrystalline cellulose, polyethylene glycol (PEG) 400, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments? Call 1-877-290-4008

TENSION HEADACHE RELIEF

acetaminophen-caffeine tablet, coated

up&up 100 CAPLETS**
(**CAPSULE-SHAPED TABLETS)

Tension Headache Relief

500 mg Acetaminophen,
65 mg Caffeine
Pain Reliever / Pain Reliever Aid
Aspirin Free

NDC 11673-839-01

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Uses
Temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches

Warnings
Major warning: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
Other warnings: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 6 caplets in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.
Do not use ■ if you are allergic to acetaminophen
 ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
Ask a doctor before use if ■ you have liver disease
Ask a doctor or pharmacist before use if you are
 ■ taking the blood thinning drug warfarin
Stop use and ask a doctor if
 ■ any new symptoms occur
 ■ painful area is red or swollen
 ■ pain gets worse or lasts for more than 10 days
 ■ fever gets worse or lasts for more than 3 days
 These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not use more than directed
 ■ adults and children 12 years and over: take 2 caplets every 6 hours, not more than 6 caplets in 24 hours
 ■ children under 12 years: ask a doctor

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ use by expiration date on package

Questions or comments? Call 1-800-910-6874

0941010552 R00 Dist. by Target Corp.
 C-002262-01-034-0000 Minneapolis, MN 55403
 373R1023

Lot No.:
Exp. Date:

Varnish Omit Area

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts
Active Ingredients (in each caplet)
 Acetaminophen 500 mg
 Caffeine 65 mg
Pain Reliever / Pain Reliever Aid

Purposes
 ■ temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches

Uses
 ■ temporarily relieves minor aches and pains due to:
 ■ headache ■ muscular aches

Warnings
Major warning: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
Other warnings: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 6 caplets in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.
Do not use ■ if you are allergic to acetaminophen
 ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)
Directions
 ■ do not use more than directed
 ■ adults and children 12 years and over: take 2 caplets every 6 hours, not more than 6 caplets in 24 hours
 ■ children under 12 years: ask a doctor

Other information
Inactive ingredients: aluminum hydroxide, croscarmellose sodium, FD-302, hydroxypropyl methylcellulose, hypromellose, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinylpyrrolidone, pregelatinized starch, sodium lauryl sulfate, stearic acid, titanium dioxide.

Questions or comments? Call 1-800-910-6874

Compare to active ingredients in Excedrin® Tension Headache*
Tension Headache Relief
 500 mg Acetaminophen, 65 mg Caffeine
 Pain Reliever / Pain Reliever Aid
 Aspirin Free

up&up 100 CAPLETS**
 (**CAPSULE-SHAPED TABLETS)

Actual Size
100 Caplets

Compare to active ingredients in Excedrin® Tension Headache*
Tension Headache Relief
 500 mg Acetaminophen, 65 mg Caffeine
 Pain Reliever / Pain Reliever Aid
 Aspirin Free

up&up 100 CAPLETS**
 (**CAPSULE-SHAPED TABLETS)

Actual Size
100 Caplets

Lot No.:
Exp. Date:

Varnish Omit Area

0941010552 R00
 C-002262-01-034-0000
 49483 37301

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING.

NDC 11673-839-01

Compare to active ingredients in Excedrin® Tension Headache*
Tension Headache Relief
 500 mg Acetaminophen, 65 mg Caffeine
 Pain Reliever / Pain Reliever Aid
 Aspirin Free

NDC 11673-839-01

Compare to active ingredients in Excedrin® Tension Headache*
Tension Headache Relief
 500 mg Acetaminophen, 65 mg Caffeine
 Pain Reliever / Pain Reliever Aid
 Aspirin Free

Lot No.:
Exp. Date:

Varnish Omit Area

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-839
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
FD&C BLUE NO. 2 ALUMINUM LAKE (UNII: 4AQJ3LG584)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
TALC (UNII: 7SEV7J4R1U)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL ((Caplet))	Size	17mm
Flavor		Imprint Code	TCL373
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-839-01	100 in 1 CARTON; Type 0: Not a Combination Product	02/04/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/04/2020	

Labeler - TARGET CORPORATION (006961700)

Registrant - TIME CAP LABORATORIES, INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(11673-839)

Revised: 1/2025

TARGET CORPORATION