

HAND SANITIZER- alcohol liquid
Uline

Uline 456.001/456AC
70% Alcohol Foaming Hand Sanitizer

Active ingredient

Ethyl alcohol 70%

Purpose

Antiseptic

Uses

- to decrease bacteria on the skin that could cause disease
- recommended for repeated use

Warnings

For external use only: hands

Flammable. Keep away from fire or flame.

When using this product

- keep out of eyes. In case of contact with eyes, flush thoroughly with water.
- avoid contact with broken skin
- do not inhale or ingest

Stop use and ask a doctor if

- irritation and redness develop
- condition persists for more than 72 hours

Keep out of reach children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wet hands thoroughly with product and allow to dry without wiping
- for children under 6, use only under adult supervision
- not recommended for infants

Other information

- do not store above 105° F
- may discolor some fabrics
- harmful to wood finishes and plastics

Inactive ingredients

water, PEG-8 Dimethicone, meadowfoamamidopropyl betaine, glyceryl caprylate/caprate, glycerin, tocopheryl acetate, isopropyl Myristate

ADVERSE REACTION

*Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds.

Distributed by: ULINE

12575 Uline Drive, Pleasant Prairied, WI 53158

1-800-295-5510 uline.com

DSP-TN-21091 DSP-MO-20087 DSP-MO-28 SDS-MO-20068

principal display panel

ULINE

Foaming

Hand Samitizer

Kills 99.99% of germs instantly*

S-24121

18 FL OZ (532 mL)



Drug Facts**Active ingredient**

Ethyl alcohol 70%.....Antiseptic

Purpose

Antiseptic

Uses ■ to decrease bacteria on the skin that could cause disease ■ recommended for repeated use**Warnings**

For external use only: hands only

Flammable, keep away from fire or flame.

When using this product ■ keep out of eyes. In case of contact with eyes, flush thoroughly with water. ■ avoid contact with broken skin ■ do not inhale or ingest

Stop use and ask a doctor if ■ irritation and redness develop ■ condition persists for more than 72 hours

Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wet hands thoroughly with product and allow to dry without wiping**Drug Facts (continued)**

■ for children under 6, use only under adult supervision ■ not recommended for infants

Other information ■ do not store above 105° F ■ may discolor some fabrics ■ harmful to wood finishes and plastics**Inactive ingredients** water, PEG-8 dimethicone, meadowfoamamidopropyl betaine, glyceryl caprylate/caprinate, glycerin, tocopheryl acetate, isopropyl myristate

DSP-TN-21091 DSP-MO-20087 DSP-MO-28 SDS-MO-20068

*Effective at eliminating 99.99% of many common harmful germs and bacteria in as little as 15 seconds.

Distributed by:

ULINE12575 Uline Drive, Pleasant Prairie, WI 53158
1-800-295-5510 • uline.com

Pat. 9,161,982

L00196965A

HAND SANITIZER

alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69790-456
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
MEADOWFOAMAMIDOPROPYL BETAINE (UNII: HNV0L650LG)	
GLYCERYL CAPRYLATE/CAPRATE (UNII: G7515SW10N)	
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69790-456-44	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/08/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/08/2020	

Labeler - Uline (039612668)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091520	manufacture(69790-456)

Revised: 2/2026

Uline