

PREMIER VALUE ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

Pharmacy Value Alliance LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premier Value®

Antibiotic Plus Pain Relief

Drug Facts

<i>Active ingredients (each gram contains)</i>	<i>Purpose</i>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the

area 1 to 3 times daily

- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

Questions?

Call **1-866-923-4914**

Distributed By: Pharmacy Value Alliance, LLC
407 East Lancaster Avenue
Wayne, PA 19087

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

***Premier
Value®***

***Antibiotic Cream
+ Pain Relief***

- Neomycin Sulfate • Polymyxin B Sulfate
- Pramoxine HCl

**FIRST AID ANTIBIOTIC
PAIN RELIEVING CREAM**

NET WT ½ oz (14.2 g)

INDEPENDENTLY TESTED

PV

SATISFACTION GUARANTEED



COMPARE TO THE
ACTIVE INGREDIENTS IN
NEOSPORIN® + PAIN RELIEF*

Helps Prevent Infection
in Minor Cuts, Scrapes, and Burns
Plus Maximum Strength Pain Relief



Helps Prevent Infection in Minor Cuts, Scrapes, and Burns Plus
Maximum Strength Pain Relief.

LPK-5073-4
12174
10



Antibiotic Cream + Pain Relief

• Neomycin Sulfate • Polymyxin B Sulfate
• Pramoxine HCl

FIRST AID ANTIBIOTIC
PAIN RELIEVING CREAM

NET WT 1/2 oz (14.2 g)



Antibiotic Cream
+ Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.
Questions? Call 1-866-923-4914
Inactive ingredients emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum
Other information • store at 20° to 25° C (68° to 77°F) • see carton or tube crimp for lot number and expiration date
Drug Facts (continued)


T27
B51.3
ENG19A6

NO VARNISH NO AQ
LOT FOR COPY COLOR
THIS FLAP FOR PRINT
AND EXP DATE



Distributed by: Pharmacy Value Alliance, LLC
407 East Lancaster Avenue
Wayne, PA 19087
Made in Canada

If for any reason you are not
satisfied with this product,
please return it to the store
where purchased for a full refund.



8 40986 01937 1

Drug Facts
Active ingredients (each gram contains)
Neomycin sulfate 3.5 mg.....First aid antibiotic
Polymyxin B sulfate 10,000 units.....First aid antibiotic
Pramoxine hydrochloride 10 mg.....External analgesic
Uses
First aid to help prevent infection and for the temporary relief of pain or discomfort in minor:
• cuts • scrapes • burns
Warnings
For external use only.
Do not use • in the eyes • over large areas of the body
• If you are allergic to any of the ingredients
Ask a doctor before use if you have
• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if
• condition persists or gets worse • you need to use longer than 1 week
• symptoms persist for more than 1 week, or clear up and occur again within a few days
• rash or other allergic reaction develops
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control
Center right away.
Directions
Adults and children 2 years of age and older:
• clean the affected area and dry thoroughly
• apply a small amount of this product (an amount equal to the surface area of the tip of a
finger) on the area 1 to 3 times daily
• may be covered with a sterile bandage
Children under 2 years of age: ask a doctor

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-076
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
Pramoxine hydrochloride (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-076-01	1 in 1 CARTON	03/21/2012	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/21/2012	

Labeler - Pharmacy Value Alliance LLC (101668460)

Revised: 3/2018

Pharmacy Value Alliance LLC