

**FEVER - INFECTION-** anthracinum, influenza a virus, influenza b virus, pyrogenium, aconitum nap., antimon. tart., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chamomilla, cinchona, eupatorium perf., ferrum metallicum, gelsemium, hepar sulph.calc., iodium, lachesis, merc. viv., phosphorus, pulsatilla, rhus toxicodendron, salix nigra, verbascum, apis mel., echinacea, hydrastis liquid  
**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Fever 2440L**

### **INDICATIONS & USAGE SECTION**

Formulated for associated symptoms such as aches, chills, fatigue, sweating, nausea and loss of appetite.

### **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose. **Warning: If symptoms become severe or fever persists for more than 48 hours, consult a licensed health professional.**

### **OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mel. 6x, Echinacea 6x, Hydrastis 6x, Aconitum nap. 15x, Antimon. tart. 15x, Arnica 15x, Arsenicum alb. 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Cantharis 15x, Chamomilla 15x, Cinchona 15x, Eupatorium perf. 15x, Ferrum metallicum 15x, Gelsemium 15x, Hepar sulph.calc. 15x, Iodium 15x, Lachesis 15x, Merc. viv. 15x, Phosphorus 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Salix nigra 15x, Verbascum 15x, Anthracinum 30x, Influenzinum 30x, Pyrogenium 30x.

### **OTC - PURPOSE SECTION**

Formulated for associated symptoms such as aches, chills, fatigue, sweating, nausea and loss of appetite.

### **INACTIVE INGREDIENT SECTION**

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

### **WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## QUESTIONS SECTION

newtonlabs.net - Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

## OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

## OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children

## PACKAGE LABEL

**newtonlabs.net ~ Questions? 800.448.7256**  
Newton Laboratories, Inc. FDA Est # 1051203 • Conyers, GA 30013  
Label statements have not been reviewed by the FDA.

**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

**NEWTON homeopathics™**  
Since 1987

NDC#  
55714-2440-1

**Fever ~ Infection**

Formulated for associated symptoms such as aches, chills, fatigue, sweating, nausea and loss of appetite.

**1 FL OZ (30 ML)**

**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose. **Warning:** If symptoms become severe or fever persists for more than 48 hours, consult a licensed health professional.

**Active Ingredients:** Equal parts of Apis mel. 6x, Echinacea 6x, Hydrastis 6x, Aconitum nap. 15x, Antimon. tart. 15x, Arnica 15x, Arsenicum alb. 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Cantharis 15x, Chamomilla 15x, Cinchona 15x, Eupatorium perf. 15x, Ferrum met. 15x, Gelsemium 15x, Hepar sulph. calc. 15x, Iodium 15x, Lachesis 15x, Merc. viv. 15x, Phos. 15x, Pulsatilla 15x, Rhus tox. 15x, Salix nig. 15x, Verbascum 15x, Anthracinum 30x, Influenzinum 30x, Pyrogenium 30x.

**Inactive Ingredients:** USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# N004 Lot#

## FEVER - INFECTION

anthracinum, influenza a virus, influenza b virus, pyrogenium, aconitum nap., antimon. tart., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chamomilla, cinchona, eupatorium perf., ferrum metallicum, gelsemium, hepar sulph.calc., iodium, lachesis, merc. viv., phosphorus, pulsatilla, rhus toxicodendron, salix nigra, verbascum, apis mel., echinacea, hydrastis liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-2440
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACILLUS ANTHRACIS IMMUNOSERUM RABBIT</b> (UNII: 41LZ22DD4N) (BACILLUS ANTHRACIS IMMUNOSERUM RABBIT - UNII:41LZ22DD4N)	BACILLUS ANTHRACIS IMMUNOSERUM RABBIT	30 [hp_X] in 1 mL
<b>INFLUENZA A VIRUS</b> (UNII: R9HH0NDE2E) (INFLUENZA A VIRUS - UNII:R9HH0NDE2E)	INFLUENZA A VIRUS	30 [hp_X] in 1 mL
<b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	30 [hp_X] in 1 mL
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 mL
<b>ANTIMONY POTASSIUM TARTRATE</b> (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	15 [hp_X] in 1 mL
<b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	15 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA</b> (UNII: 5K1UO2888Y) (BAPTISIA TINCTORIA - UNII:5K1UO2888Y)	BAPTISIA TINCTORIA	15 [hp_X] in 1 mL
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	15 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
<b>LYTTA VESICATORIA</b> (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	15 [hp_X] in 1 mL
<b>MATRICARIA RECUTITA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	15 [hp_X] in 1 mL
<b>CINCHONA OFFICINALIS BARK</b> (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	15 [hp_X] in 1 mL
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	15 [hp_X] in 1 mL
<b>IRON</b> (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	15 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	15 [hp_X] in 1 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	15 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
<b>MERCURY</b> (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	15 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 mL
<b>PULSATILLA VULGARIS</b> (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	15 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 mL
<b>SALIX NIGRA BARK</b> (UNII: QU52J3A5B3) (SALIX NIGRA BARK - UNII:QU52J3A5B3)	SALIX NIGRA BARK	15 [hp_X] in 1 mL
<b>VERBASCUM THAPSUS</b> (UNII: C9TD27U172) (VERBASCUM THAPSUS - UNII:C9TD27U172)	VERBASCUM THAPSUS	15 [hp_X] in 1 mL

UNII:C9TD27U172)	VERBASCUM TRAFSUS	in 1 mL
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS</b> (UNII: 1314JZ2X6W) (INFLUENZA B VIRUS - UNII:1314JZ2X6W)	INFLUENZA B VIRUS	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2440-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/31/2019	
2	NDC:55714-2440-2	50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/31/2019	07/31/2019
3	NDC:55714-2440-0	0.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/31/2019	07/31/2019

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/31/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-2440)

Revised: 2/2025

Newton Laboratories, Inc.