

HEB ANTIFUNGAL- clotrimazole cream
H E B

HEB®
Antifungal

Drug Facts

Active ingredient

Clotrimazole 1%

Purpose

Antifungal

Uses

- cures most athlete's foot, jock itch and ringworm
- relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

Warnings

For external use only

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

- To open: unscrew cap, use the pointed end of cap to puncture seal.
- store between 20° - 25°C (68° - 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

Questions?

Call **1-866-923-4914**

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

Compare to Lotrimin[®] AF* active ingredient

NDC 37808-305-01

H-E-B[®]

Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Cures Most

Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

NET WT. 0.5 OZ (14.2g)

Compare to Lotrimin AF active ingredient

NDC 37808-305-01



Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Relief of:

- Itching
- Burning
- Cracking
- Scaling

Cures Most Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

LPK-87830-0
0119-0
15

Compare to Lotrimin AF active ingredient

NDC 37808-305-01



Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Cures Most Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

NET WT. 0.5 OZ (14.2g)

H-E-B
Athlete's Foot
Cream
Clotrimazole Cream USP, 1%
Antifungal

Compare to Lotrimin AF active ingredient

NDC 37808-305-01



Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Cures Most Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

NET WT. 0.5 OZ (14.2g)

Drug Facts (continued)

Inactive ingredients
berzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

Questions? Call 1-866-923-4914

2061-1206
5 0 4 1220 43753

1727
B51,3
ENG19,06

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT



MADE WITH PRIDE & CARE
BY H-E-B
SAN ANTONIO, TX 78204
MADE IN CANADA

All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin AF.

Drug Facts

Active ingredient
Clotrimazole 1%, Antifungal

Uses
• cures most athlete's foot, jock itch and ringworm
• relieves itching, burning, scaling and discomfort which accompany these conditions

Warnings
For external use only
Do not use on children under 2 years of age unless directed by a doctor.
When using this product avoid contact with eyes.
Stop use and ask a doctor if • irritation occurs
• there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch)
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• wash affected area and dry thoroughly
• apply a thin layer over affected area twice daily (morning and night)
• supervise children in the use of this product
• for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
• for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
• if condition persists longer, ask a doctor • this product is not effective on the scalp or nails

Other information
• to open: unscrew cap, use the pointed end of cap to puncture seal.
• store between 20° - 25°C (68° - 77°F)
• see carton or tube crimp for lot number and expiration date

clotrimazole cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-305
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0KOOR)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-305-01	1 in 1 CARTON	08/31/1993	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	08/31/1993	

Labeler - H E B (007924756)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(37808-305)