

HEB ANTIFUNGAL- clotrimazole cream

H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB®

Antifungal

Drug Facts

Active ingredient

Clotrimazole 1%

Purpose

Antifungal

Uses

- cures most athlete's foot, jock itch and ringworm
- relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

Warnings

For external use only

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

- To open: unscrew cap, use the pointed end of cap to puncture seal.
- store between 20° - 25°C (68° - 77°F)

- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

Questions?

Call **1-866-923-4914**

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

Compare to Lotrimin[®] AF* active ingredient

NDC 37808-305-01

H-E-B[®]

Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Cures Most

Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

NET WT. 0.5 OZ (14.2g)

Compare to Lotrimin[®] AF[®] active ingredient

NDC 37808-305-01



Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Relief of:

- Itching
- Burning
- Cracking
- Scaling

Cures Most Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

LPK-87830-0119-015

Compare to Lotrimin[®] AF[®] active ingredient

NDC 37808-305-01



Athlete's Foot Cream

Clotrimazole Cream USP, 1%

Antifungal

Cures Most Athlete's Foot

- Relieves Itching, Burning, Cracking and Scaling

NET WT. 0.5 OZ (14.2g)



Drug Facts (continued)

Inactive ingredients
berzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

Questions? Call 1-866-923-4914

727 851,3 ENG19,06

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT



MADE WITH PRIDE & CARE
ROB H-E-B[®]
SAN ANTONIO, TX 78204
MADE IN CANADA

All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin[®] AF.

Drug Facts

Active ingredient
Clotrimazole 1%.....Antifungal

Uses
• cures most athlete's foot, jock itch and ringworm
• relieves itching, burning, scaling and discomfort which accompany these conditions

Warnings
For external use only
Do not use on children under 2 years of age unless directed by a doctor.
When using this product avoid contact with eyes
Stop use and ask a doctor if • irritation occurs
• there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch)
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• wash affected area and dry thoroughly
• apply a thin layer over affected area twice daily (morning and night)
• supervise children in the use of this product
• for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
• for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
• if condition persists longer, ask a doctor • this product is not effective on the scalp or nails

Other information
• to open: unscrew cap, use the pointed end of cap to puncture seal.
• store between 20° - 25°C (68° - 77°F)
• see carton or tube crimp for lot number and expiration date



Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-305
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetyl esters wax (UNII: D072FFP9GU)	
octyldodecanol (UNII: 461N1O614Y)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
sorbitan monostearate (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-305-01	1 in 1 CARTON	08/31/1993	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333C	08/31/1993	

Labeler - HEB (007924756)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(37808-305)