

DIPHENHYDRAMINE HCL ORAL SOLUTION- diphenhydramine hcl oral solution
Rising Pharma Holdings, Inc.

Diphenhydramine HCl Oral Solution 25 mg/10 mL

Drug Facts

Active ingredient per 10 mL (1 Unit Dose)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- Temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as chronic bronchitis
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a physician
- do not take more than 6 doses in 24 hours

age	dose
Adults and children over 12 years of age	10 mL (25 mg) to 20 mL (50 mg)
Children 6 to under 12 years of age	10 mL (25 mg)
Children under 6 years of age	Do not use

Other information

- each 10 mL contains sodium: 6 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- do not use if lid is torn or broken

Inactive ingredients: citric acid, flavor, FD&C red#40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

Questions or comments? Call 1-844-474-7464

Distributed by:

Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816

FG-36/lss.:10/2023

NDC Information -

25 mg/10 mL

Each 10 mL of Diphenhydramine HCl Oral Solution contains Diphenhydramine HCl 25 mg and is supplied in the following oral dosage forms:

NDC 57237-318-01: 10 mL unit dose cup

NDC 57237-318-11: 100 x 10 mL Unit-Dose Cups

PRINCIPAL DISPLAY PANEL

25 mg/10 mL

Case Label NDC 57237-318-11

**Diphenhydramine HCl
Oral Solution
25 mg/10 mL**

Antihistamine

- Alcohol Free
- Sugar Free
- Cherry Flavor

USUAL DOSAGE: See attached Drug Facts

FOR INSTITUTIONAL USE
ONLY

100 x 10 mL Unit-Dose Cups

Drug Facts

Active ingredient per 10 mL (1 Unit Dose)
Diphenhydramine HCl 25 mg.

Purpose
Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

- Do not use
- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as chronic bronchitis
- glaucoma
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a physician
- do not take more than 6 doses in 24 hours

age	dose
Adults and children over 12 years of age	10 mL (25 mg) to 20 mL (50 mg)
Children 6 to under 12 years of age	10 mL (25 mg)
Children under 6 years of age	Do not use

Other information

- each 10 mL contains sodium, 6 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- do not use if lid is torn or broken

Inactive ingredients: citric acid, flavor, FD&C red#40, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

Questions or comments? Call 1-844-474-7464

Distributed by:

Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816
FG-36/Iss.:10/2023



NDC 57237-318-11



**Diphenhydramine HCl
Oral Solution
25 mg/10 mL**

100 x 10 mL Unit-Dose Cups



LOT#

Exp. Date:

Unvarnished Area

Lid Label NDC 57237-318-01

Delivers 10 mL

Diphenhydramine HCl

Oral Solution

25 mg/10 mL

FOR INSTITUTIONAL USE ONLY

Exp: YYYY/MM Lot#: XXXXXX

Dist. By: Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816

Iss. 12/2023 FG-36 SEE LABEL



5723731801

L1



DIPHENHYDRAMINE HCL ORAL SOLUTION

diphenhydramine hcl oral solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57237-318
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KOOR)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57237-318-11	100 in 1 BOX, UNIT-DOSE	12/15/2023	
1	NDC:57237-318-01	10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009.50	12/15/2023	

Labeler - Rising Pharma Holdings, Inc. (116880195)

Revised: 7/2025

Rising Pharma Holdings, Inc.