SUNBETTER BROAD SPECTRUM SPF 68 SUNSCREEN COMPACT TONE SMARTzinc oxide, titanium dioxide stick SKINBETTER SCIENCE LLC

sunbetter TONE SMART SPF 68 Sunscreen Compact

Drug Facts

Drug Facts

Active ingredients

Titanium Dioxide 8.4%

Zinc Oxide 10.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- **Do not use** on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Sun Protection Measures**: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Apply liberally and evenly 15 minutes before sun exposure.

Reapply:

after 80 minutes of swimming or sweating.

immediately after towel drying.

at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

Inactive ingredients

1,2-Hexanediol, Acrylates/Dimethicone Copolymer, Alumina, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Bisabolol, Brassica Campestris (Rapeseed) Sterols, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cerium Oxide, Cetylhydroxyproline Palmitamide, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disteardimonium Hectorite, Ethylhexylglycerin, Hexyldecanol, Himanthalia Elongata Extract, Hydrogenated Vegetable Oil, Iron Oxides (CI 77491, CI 77492, CI 77499), Laureth-25, Laureth-3, Mica, Octyldodecyl Neopentanoate, Ozokerite, Phenethyl Alcohol, Phenoxyethanol, Phenyl Trimethicone, Plankton Extract, Polyethylene, Polyhydroxystearic Acid, Polymethyl Methacrylate, Prunus Armeniaca (Apricot) Kernel Oil, Silica, Simethicone, Sodium Chloride, Stearic Acid, Tocopherol, Tocopheryl Acetate, Tribehenin, Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Water, Zingiber Officinale (Ginger) Root Extract.

Other information

• Protect this product from excessive heat and direct sun.

Questions or comments?

800-538-5600

Principal Display Panel

sun better™ Advanced Mineral Protection

BROAD SPECTRUM SPF 68 SUNSCREEN COMPACT

TONE SMART

Water-Resistant (80 Minutes)

Mineral Actives skinbetter science [®] Net wt. 0.42 oz (12g)

Peel Here



BOTTOM LABEL: Panel 1

Drug Facts

Active ingredients Titanium Dioxide 8.4% Zinc Oxide 10.0%

Purpose Sunscreen

Uses

Helps prevent sunburn.

If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging cause by the sun.

Warnings For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a polson control center right away.

Drug Facts (continued)

Directions

- Directions

 Apply liberally and evenly 15 minutes before sun exposure.

 Reapply:

 after 80 minutes of swimming or sweating.

 immediately after towel drying.

 at least every 2 hours.

 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

 limit time in the sun, especially from 10 a.m. = 2 p.m.

- 10 a.m. 2 p.m.

 wear long-sleeved shirts, pants, hats, and
- sunglasses.

 Children under 6 months: Ask a doctor.

BOTTOM LABEL: Panel 2

BOTTOM LABEL: Panel 3

Drug Facts (continued)

Inactive ingredients


1,2-Hexanediol, Acrylates/Dimethicone Copolymer,
Alumina, Bis-Virnyl Dimethicone/Dimethicone Copolymer,
Bisabolol, Brassica Campestris (Papeseed)
Sterols, Butyloctyl Sallcylate, Capryllof/Capric
Triglyceride, Caprylyl Glycol, Cerium Oxide,
Cetylhydroxyproline Palmitamide, Dimethicone,
Dimethicone/Inyl Dimethicone Crosspolymer,
Disteardimonium Hectorite, Ethylhexylgtycerin,

Drug Facts (continued)

Other information

Protect this product from excessive heat and direct sun.

Questions or comments? 800-538-5600



SUNBETTER BROAD SPECTRUM SPF 68 SUNSCREEN COMPACT TONE SMART

zinc oxide, titanium dioxide stick

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73291-0001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 g	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	84 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
CORN OIL (UNII: 8470G57WFM)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
HEXYLDECANOL (UNII: 151Z7P1317)	
CETYLHYDROXYPROLINE PALMITAMIDE (UNII: 740NU0S62G)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HIMANTHALIA ELONGATA (UNII: 21RND18XRR)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	
GINGER (UNII: C5529G5JPQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
.ALPHABISABOLOL, (+/-)- (UNII: 36HQN158VC)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CERIC OXIDE (UNII: 619G5K328Y)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

SODIUM CHLORIDE (UNII: 451W47IQ8X) STEARIC ACID (UNII: 4ELV7Z65AP) TRIBEHENIN (UNII: 80C9U7TQZ0) VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR) 1,2-HEXANEDIOL (UNII: TR046Y3K1G) **DISTEARDIMONIUM HECTORITE** (UNII: X687XDK09L) POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11) APRICOT KERNEL OIL (UNII: 54JB35T06A) .ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01) ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) LAURETH-25 (UNII: RPD53041LR) LAURETH-3 (UNII: F32E4CB0UJ) PHENOXYETHANOL (UNII: HIE492ZZ3T) HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7) CERESIN (UNII: Q1LS2UJO3A) DIMETHICONE METHACRYLATE (3000 MW) (UNII: LO1KC6D3D5) **ALUMINUM OXIDE (UNII: LMI2606933)** RAPESEED STEROL (UNII: B46B6DD20U) **DIMETHICONE** (UNII: 92RU3N3Y10) FERRIC OXIDE RED (UNII: 1K09F3G675) POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) MICA (UNII: V8A1AW0880)

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:73291- 0001-1	12 g in 1 CONTAINER; Type 0: Not a Combination Product	09/03/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	09/03/2019		

Labeler - SKINBETTER SCIENCE LLC (049403602)

Revised: 1/2025 SKINBETTER SCIENCE LLC