

**AVON HEXASHIELD CONGESTION RELIEF ORIGINAL- oxymetazoline hydrochloride spray**  
**Tai Guk Pharm. Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**AVON HeXas hield Nasal Relief Spray Congestion Relief Original**

**Active Ingredient**

Oxymetazoline HCl 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

**For external use only.**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

**When using this product**

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

**Stop use and ask a doctor if :**

- symptoms persist.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- **children under 6 years of age: ask a doctor:** Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counterclockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto the bottle.

### **Other information**

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

### **Inactive Ingredients**

benzalkonium chloride, edetate disodium, polyethylene glycol 400, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasi dihydrate, water

### **Questions or comments?**

Call toll free **1-800-FOR-AVON**

**www.avon.com**

### **Principal Display Panel**

HeXasheild

ORIGINAL

**NASAL RELIEF SPRAY**

**CONGESTION RELIEF**

Oxymetazoline HCl-

Nasal Decongestant

Compare to the active ingredient in Afrin<sup>®</sup> Original

Rapid & Powerful Congestion

Relief 12 Hour Relief

AVON

- **Original Nasal Spray - 12 HOURS**
- **Pump Mist**
- **Anti-Drip**

NET WT 0.5 FL oz (15 mL)

HeXashield

**Drug Facts**

**Active ingredient**      **Purpose**  
Oxymetazoline  
HCl 0.05% ..... Nasal decongestant

**Uses**  
■ temporarily relieves nasal congestion due to:  
■ common cold ■ hay fever  
■ upper respiratory allergies  
■ temporarily relieves sinus congestion and pressure  
■ shrinks swollen nasal membranes so you can breathe more freely

**Warnings**  
**Ask a doctor before use if you have**  
■ heart disease ■ high blood pressure  
■ thyroid disease ■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
**When using this product**  
■ do not use more than directed.  
■ do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.  
■ temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.  
■ use of this container by more than one person may spread infection.

**Stop use and ask a doctor if symptoms persist.**  
**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.


**Directions**  
■ **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.  
■ **children under 6 years of age: ask a doctor.** Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counterclockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto the bottle.

**Drug Facts (continued)**

**Other information**  
■ store between 20°C to 25°C (68° to 77°F)  
■ retain carton for future reference on full labeling

**Inactive ingredients**  
benzalkonium chloride, edetate disodium, polyethylene glycol 400, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic dihydrate, water

**Questions or comments?**  
Call toll free  
1-800-FOR-AVON  
www.avon.com



HeXashield

ORIGINAL

**NASAL RELIEF**  
**SPRAY** CONGESTION RELIEF

Oxymetazoline HCl-  
Nasal Decongestant

Compare to the active ingredient  
in Afrin® Original

*Rapid & Powerful Congestion  
Relief 12 Hour Relief*



- Original Nasal Spray - 12 HOURS
- Pump Mist
- Anti-Drip



AVON

NET WT 0.5 FL oz (15 mL)

Anti-Drip uses a special formulation that prevents dripping from your nose and down your throat. Our extra strength formulation works almost instantly and will last 12 hours for your nasal relief.

Full directions in drug facts panel



DISTRIBUTED BY:  
NEW AVON LLC,  
NEW YORK, NY 10006  
© 2019 NEW AVON LLC  
MADE IN KOREA

This product is not manufactured or distributed by Bayer, owner of the registered trademark Afrin® Original

TP21642

**AVON HEXASHIELD CONGESTION RELIEF ORIGINAL**

oxymetazoline hydrochloride spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43136-105	
<b>Route of Administration</b>	NASAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
WATER (UNII: 059QF0KO0R)				
POVIDONE (UNII: FZ989GH94E)				
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)				
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:43136-105-01	1 in 1 CARTON	07/31/2019	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part341	07/31/2019		

**Labeler** - Tai Guk Pharm. Co., Ltd. (689060246)

### Establishment

Name	Address	ID/FEI	Business Operations
Tai Guk Pharma. Co., Ltd.		689060246	manufacture(43136-105)

Revised: 7/2019

Tai Guk Pharm. Co., Ltd.