

SHOPRITE NASAL DECONGESTANT- pseudoephedrine hcl tablet, film coated
Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ShopRite Nasal Decongestant Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours• do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	<ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours• do not take more than 4 tablets in 24 hours
children under 6 years	do not use this product in children under 6 years of age

Other information

- each tablet contains: calcium 20 mg
- store at 20°-25°C (68°-77°F)
- do not use if blister unit is broken or torn

Inactive ingredients

carnauba wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, silicon dioxide, titanium dioxide

Questions or comments?

1-800-SHOPRITE

Principal Display Panel

Compare to: Active Ingredient in Sudafed® Congestion Tablets

MAXIMUM STRENGTH

NASAL DECONGESTANT

Pseudoephedrine HCl Tablets, 30 mg

SINUS PRESSURE + CONGESTION

Non-Drowsy

Nasal & Sinus Congestion

actual size

48 TABLETS



p

QUALITY GUARANTEES
 Your copies will be
 returned to you
 if you are not
 satisfied with
 our product.
 Call 1-800-ShopRite
 for more information.

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed® Congestion Tablets.
 Distributed By: Wakefern Food Corp., Kearsbey, NJ 08832 ©2016

Drug Facts (continued)

Directions
 adults and children
 ■ take 2 tablets every 4 to 6 hours
 ■ do not take more than 4 tablets in 24 hours

children ages 6 to 11 years
 ■ take 1 tablet every 4 to 6 hours
 ■ do not take more than 4 tablets in 24 hours

children under 6 years
 do not use this product in children under 6 years of age

Other Information
 ■ each tablet contains: pseudoephedrine HCl 30 mg
 ■ store at 20°-25°C (68°-77°F)
 ■ do not use if blister unit is broken or torn

Inactive Ingredients contain wax, dibasic calcium phosphate dihydrate, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, croscarmellose, polyethylene glycol, polyorbate 80, silicon dioxide, titanium dioxide

Questions or comments? 1-800-SHOPRITE

Drug Facts
Active Ingredient (in each tablet)
 Pseudoephedrine HCl 30 mg
 ... Nasal decongestant

Purpose
 Temporarily relieves sinus congestion and pressure
 Temporarily relieves nasal congestion due to the common cold,
 hay fever, or other upper respiratory allergies

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking the product.

As a doctor before use if you have
 ■ heart disease ■ high blood pressure
 ■ thyroid disease ■ diabetes
 ■ trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage
 ■ symptoms do not improve within 7 days or occur with a fever
 ■ use and ask a doctor if
 ■ nervousness, dizziness, or sleeplessness occur
 ■ pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

ShopRite
NASAL DECONGESTANT
 MAXIMUM STRENGTH
 CONVENIENT RECLOSING TAB

OPEN OTHER END

43267 88 C2



MAXIMUM STRENGTH
NASAL DECONGESTANT
 Pseudoephedrine HCl Tablets, 30 mg

Compare to: Active Ingredient in Sudafed® Congestion Tablets*



MAXIMUM STRENGTH
NASAL DECONGESTANT
 Pseudoephedrine HCl Tablets, 30 mg

SINUS PRESSURE + CONGESTION


— Non-Drowsy

Nasal & Sinus Congestion



actual size

48 TABLETS



SHOPRITE NASAL DECONGESTANT

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41190-432
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND (convex)	Size	7mm
Flavor		Imprint Code	L432
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41190-432-67	2 in 1 CARTON	09/17/2013	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/17/2013	

Labeler - Wakefern Food Corporation (069722418)

Revised: 12/2019

Wakefern Food Corporation