

**TYLO ARTHRITIS (ACETAMINOPHEN)- acetaminophen tablet, delayed release  
America Medic & Science, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Tylo Arthritis (Acetaminophen) 650 mg**

**Tylo Arthritis (Acetaminophen) 650 mg**

**Drug Facts**

**Active Ingredient**

Acetaminophen 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- arthritis
- headache
- muscular aches
- temporarily reduces fever
- the common cold
- toothache
- backache
- menstrual cramps

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Do not use**

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to acetaminophen or any of the inactive

ingredients in this product.

**Ask a doctor before use if you have** liver disease

**Ask your doctor or pharmacist before use if you are** taking the blood thinning drug warfarin or any other blood thinner.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms appear
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**do not take more than directed (see overdose warning).**

- take 2 caplets every 8 hours with water.
- Swallow whole—do not crush, chew, split or dissolve.
- Do not take more than 6 caplets in 24 hours.
- Do not use for more than 10 days unless directed by a doctor.

**Children**

- Under 18 years of age ask a doctor.

**Other information**

- store between 20-25°C (68-77°F)
- **do not use if neck wrap is broken or missing**
- see end panel for lot number and expiration date


**Inactive ingredients**

- Povidone, Pregelatinized Starch, Crosspovidone, Stearic Acid, Titanium Dioxide,

Carnauba Wax, Hypromellose, Polyethylene Glycol.

## Questions or comments?

call toll free 1-855-470-6722



**FAST RELIEF**

See New Warnings Information & Directions

NDC 49638-104-30

**TYLO**<sup>®</sup>

**Arthritis Pain**

**30 CAPLETS**

Contains No Aspirin

**ACETAMINOPHEN 650mg**

For the temporary relief of arthritis pain

**AMS**<sup>®</sup>  
America Medic & Science

**NEW FOR ADULTS**

**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION**

6 09788 96865 8

Manufactured by Elvi Pharma, LLC for America Medic & Science, (AMS), USA  
www.AmericaMedic.com

## Drug Facts

### Active Ingredient

Acetaminophen 650 mg

### Purpose

Pain reliever/fever reducer

### Uses

■ temporarily relieves minor aches and pain due to:

- arthritis
- common cold
- headache
- toothache
- muscular aches
- backache
- temporarily reduces fever
- menstrual cramps

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product.

### Do not use

■ with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

## **Drug Facts** (continued)

■ if you have ever had an allergic reaction to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease**

**Ask your doctor or pharmacist before use if you are** taking the blood thinning drug warfarin or any other blood thinner.

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms appear
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children. Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Drug Facts** (continued)

### **Directions**

**do not take more than directed (see overdose warning).**

- Take 2 caplets every 8 hours with water.
- **Swallow whole**—do not crush, chew, split or dissolve.
- Do not take more than 6 caplets in 24 hours.
- Do not use for more than 10 days unless directed by a doctor.

### **Children**

- Under 18 years of age ask a doctor.

### **Other information**

- store between 20-25°C (68-77°F)
- **do not use if neck wrap is broken or missing**
- see end panel for lot number and expiration date

### **Inactive ingredients**

■ Povidone, Pregelatinized Starch, Croscopdone, Stearic Acid, Titanium Dioxide, Carnauba Wax, Hypromellose, Polyethylene Glycol.

### **Questions or comments?**

call to ■ free 1-855-470-6722





**Active Ingredient**

**Acetaminophen 650 mg**

**Purpose:** Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to: ■ Arthritis ■ Headache ■ Muscular Aches ■ Temporarily Reduces Fever ■ The Common Cold ■ Toothache ■ Backache ■ Menstrual Cramps ■ **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Do not use** ■ with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether

◀ **READ THE LABEL** ▶



a drug contains acetaminophen, ask a doctor or pharmacist ■ if you have ever had an allergic reaction to acetaminophen or any of the inactive ingredients in this product. **Directions: do not take more than directed (see overdose warning). Adults and children 18 years and over:** ■ take 2 caplets every 8 hours ■ Swallow whole—do not crush, chew, split or dissolve. ■ Do not take more than 6 caplets in 24 hours. ■ Do not use for more than 10 days unless directed by a doctor. **Children** ■ Under 18 years of age ask a doctor. **Other information** ■ store between 20-25°C (68-77°F) ■ **do not use if neck wrap is broken or missing.**

**Questions or comments?**

call toll free 1-855-470-6722

Manufactured by Elvi Pharma, LLC for America Medic & Science, (AMS), USA [www.AmericaMedic.com](http://www.AmericaMedic.com)

**TYLO ARTHRITIS (ACETAMINOPHEN)**

acetaminophen tablet, delayed release

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49638-104
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSPROVIDONE</b> (UNII: 2S7830E561)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49638-104-30	1 in 1 CARTON	01/17/2019	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	01/17/2019	

**Labeler** - America Medic & Science, LLC (071065464)**Registrant** - America Medic & Science, LLC (071065464)**Establishment**

Name	Address	ID/FEI	Business Operations
Elvi Pharma LLC.		078739246	manufacture(49638-104)

Revised: 7/2021

America Medic &amp; Science, LLC