

ACETAMINOPHEN- acetaminophen tablet
Preferred Pharmaceuticals Inc.

Major Pharmaceuticals Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene

glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-800-616-2471

Principal Display Panel

EXTRA STRENGTH

Acetaminophen

PAIN RELIEVER/FEVER REDUCER

ASPIRIN FREE

FOR ADULTS

CAPLETS

Compare to the active ingredient in Extra Strength Tylenol®

Caplets 500 mg. Each

Repackaged By: Preferred Pharmaceuticals Inc.

Extra Strength
APAP Tab 500mg

Generic for Tylenol

Each tablet contains: Acetaminophen 500mg

Pkg Size: Exp Date: ###/###/####

Lot#: Batch#:

Ins:

Mfg: Major Pharm.; Livonia, MI

Prod#:

Warning

Liver Warning: this product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000mg). Severe liver damage may occur if you take more than 4,000mg of acetaminophen in 24 hours, with other drugs containing acetaminophen, 3 or more alcoholic drinks every day while using this product. Ask a doctor before use if you have liver disease or are taking the blood thinning drug warfarin. Do not use with any other drug containing acetaminophen. Store at 20°- 25°C (68°- 77°F). Keep out of the reach of children. Tablet is oval, white, and imprinted with L484.

Directions English

Take tablet(s)
every hours.

GTIN

#####

SN #####

EXP #####

CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed.

Extra Strength APAP Tab 500mg

Qty: Ins:

Lot: Bat:

Prod# (NDC):

Extra Strength APAP Tab 500mg

Qty: Ins:

Lot: Bat:

Prod# (NDC):

Extra Strength APAP Tab 500mg

Qty: Ins:

Lot: Bat:

Prod# (NDC):

Extra Strength APAP Tab 500mg

Qty: Ins:

Lot: Bat:

Prod# (NDC):

Log

Chart

Billing

Patient

ACETAMINOPHEN			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8070(NDC:0904-6720)
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)			ACETAMINOPHEN	500 mg
Inactive Ingredients				
Ingredient Name			Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)				
STARCH, CORN (UNII: O8232NY3SJ)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
Product Characteristics				
Color	WHITE	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	L484	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8070-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
2	NDC:68788-8070-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
3	NDC:68788-8070-5	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
4	NDC:68788-8070-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2021	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	343		08/23/2021	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8070)

