

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate lotion**  
**Old East Main Co.**

-----  
**Studio Selection D35.000/D35AA**  
**Sheer Touch Sunscreen SPF 70**

**Active Ingredients**

Avobenzone 3%

Homosalate 15%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (See **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control right away.

**Directions**

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, butyloctyl salicylate, diethylhexyl 2,6-naphthalate, styrene/acrylates copolymer, silica, glyceryl stearate, PEG-100 stearate, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, caprylyl methicone, aluminum starch octenylsuccinate, cetyl dimethicone, behenyl alcohol, acrylates/C12-22 alkyl methacrylate copolymer, xanthan gum, chlorphenesin, dimethicone/PEG-10/15 crosspolymer, sodium polyacrylate, fragrance, glycerin, disodium EDTA, ethylhexyl stearate, tocopheryl acetate, BHT, trideceth-6, pentylene glycol, benzyl benzoate

### **Claims**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributor of Neutrogena<sup>®</sup> Ultra Sheer<sup>®</sup> Dry-Touch Sunscreen Broad Spectrum SPF 70.

May stain or damage some fabrics or surfaces.

Pat. Pend.

### **Adverse Reactions**

100% Satisfaction Guaranteed!

(888) 309-9030

DISTRIBUTED BY

OLD EAST MIN CO.

100 MISSION RIDGE,

GOODLETTSVILLE, TN 37072

### **Principal display panel**

STUDIO SELECTION<sup>®</sup>

SUN

SHEER TOUCH

SUNSCREEN LOTION

BROAD SPECTRUM SPF 70

COMPARE TO NEUTROGENA<sup>®</sup> ULTRA SHEER<sup>®</sup> SUNSCREEN Broad Spectrum SPF 70\*

- Water-Resistant (80 Minutes)
- Lightweight, clean skin feel

SPF 70

Dermatologist-Tested

UVA/UVB Sunscreen

3 FL OZ (88 mL)



This product is not manufactured or distributed by Johnson & Johnson Corporation, distributor of Neutrogena<sup>®</sup> Ultra Sheer<sup>®</sup> Dry-Touch Sunscreen Broad Spectrum SPF 70.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**  
■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only  
Do not use ■ on damaged or broken skin  
When using this product ■ keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if ■ rash occurs  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ apply liberally ■ 15 minutes before sun exposure  
■ apply to all skin exposed to the sun  
■ reapply: ■ after 80 minutes of swimming or sweating  
■ immediately after towel drying ■ at least every 2 hours  
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
■ limit time in the sun, especially from 10 a.m. to 2 p.m.  
■ wear long-sleeved shirts, pants, hats and sunglasses  
■ children under 6 months of age. Ask a doctor

**Other information**  
■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients** water, butylacrylate, dimethylmethacrylate, diethylhexyl 2,6-naphthalate, styrenediarylate copolymer, silica, glyceryl stearate, PEG-100 stearate, dimethicone, potassium cetyl phosphate, benzyl alcohol, beeswax, capryl methacrylate, aluminum stearate acrylate, octyl dimethicone, behenyl alcohol, acrylates C12-18 alkyl methacrylate copolymer, xanthan gum, chlorophenol, dimethicone PEG-10/15 crosspolymer, sodium polyacrylate, fragrance, glycerin, disodium EDTA, ethylhexyl stearate, tocopherol acetate, BHT, hydroxyethyl piperonyl ether, benzyl benzoate

**100% Satisfaction Guaranteed!**  
(888) 209-9030

**DISTRIBUTED BY**  
OLD EAST MAIN CO.  
100 MISSOURI RIDGE,  
GOODLETTSVILLE, TN 37072

Pat. Pend. LD021412TA  
May stain or damage some fabrics or surfaces

B0752  
0 72785 114498 9

## AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzene, homosalate, octisalate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75712-935
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER</b> (UNII: 7K68DGG29P)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BENZYL BENZOATE</b> (UNII: N863NB338G)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75712-935-21	88 mL in 1 TUBE; Type 0: Not a Combination Product	08/01/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2023	

**Labeler** - Old East Main Co. (006946172)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(75712-935)

Revised: 3/2026

Old East Main Co.