

COVER ALL MAX PART A- lactic acid solution
Proactive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover All Max Part A

Cover All Max Part A

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is

98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts

water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed

800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in

a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats

a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide

teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents

and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if

irritation persists.

Ingredients:

Lactic Acid: 42.24%

Hazard statement(s):

Harmful if inhaled

Causes skin burns and eye damage

Causes serious eye damage

Precautionary statement(s):

Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.

Wash hands, forearms, and face thoroughly after handling. Take off contaminated clothing

and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control

center if you feel unwell.

Hazards not otherwise classified: No additional information available

Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight.

Store always product in container of same material as original container. Dispose of contents/container

to a hazardous or special waste collection point.

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.

Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Call a poison center/doctor/physician if you feel unwell

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed:

Potential adverse human health effects and symptoms: Causes serious eye damage.

Causes

severe skin burns.

Symptoms/effects after inhalation: Harmful if inhaled.

Symptoms/effects after skin contact: Burns.

Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max Part A



Hazard statement(s):
 Harmful if inhaled
 Causes skin burns and eye damage
 Causes serious eye damage
Precautionary statement(s):
 Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.
 Wash hands, forearms, and face thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control center if you feel unwell.
Hazards not otherwise classified: No additional information available
Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Causes serious eye damage. Causes severe skin burns.
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max Part A™

Activator

For Use Only With Cover All Max Part B™
 Sodium Chlorite

FOR FARM OR INDUSTRIAL USE ONLY -
 KEEP OUT OF REACH OF CHILDREN


Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:
 Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:
Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.
Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
 If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
 Lactic Acid: 42.24%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)



UN3265
 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
 (LACTIC ACID), 8, PG III



REV Date: 2/9/2026

FOR CHEMICAL EMERGENCIES:
 CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



Hazard statement(s):
 Harmful if inhaled
 Causes skin burns and eye damage
 Causes serious eye damage
Precautionary statement(s):
 Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.
 Wash hands, forearms, and face thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control center if you feel unwell.
Hazards not otherwise classified: No additional information available
Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Causes serious eye damage. Causes severe skin burns.
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max Part A™

Activator

For Use Only With Cover All Max Part B™
 Sodium Chlorite

FOR FARM OR INDUSTRIAL USE ONLY -
 KEEP OUT OF REACH OF CHILDREN

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:
 Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:
Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.
Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
 If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
 Lactic Acid: 42.24%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)



UN3265
 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
 (LACTIC ACID), 8, PG III



REV Date: 2/9/2026

FOR CHEMICAL EMERGENCIES:
 CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



Hazard statement(s):
 Harmful if inhaled
 Causes skin burns and eye damage
 Causes serious eye damage
Precautionary statement(s):
 Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.
 Wash hands, forearms, and face thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control center if you feel unwell.
Hazards not otherwise classified: No additional information available
Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Causes serious eye damage. Causes severe skin burns.
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max Part A™

Activator

For Use Only With Cover All Max Part B™
 Sodium Chlorite

FOR FARM OR INDUSTRIAL USE ONLY -
 KEEP OUT OF REACH OF CHILDREN

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:
 Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:
Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milk units.
Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
 If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
 Lactic Acid: 42.24%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)



FOR CHEMICAL EMERGENCIES:
 CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



UN3265
 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
 (LACTIC ACID), 8, PG III



Hazard statement(s):
 Harmful if inhaled
 Causes skin burns and eye damage
 Causes serious eye damage
Precautionary statement(s):
 Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.
 Wash hands, forearms, and face thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control center if you feel unwell.
Hazards not otherwise classified: No additional information available
Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Causes serious eye damage. Causes severe skin burns.
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max Part A™

Activator

For Use Only With Cover All Max Part B™
 Sodium Chlorite

FOR FARM OR INDUSTRIAL USE ONLY -
 KEEP OUT OF REACH OF CHILDREN

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:
 Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:
Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milk units.
Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
 If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
 Lactic Acid: 42.24%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
 Case Contents: 4x1 gal (total: 4 gal.)



FOR CHEMICAL EMERGENCIES:
 CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



UN3265
 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
 (LACTIC ACID), 8, PG III



DANGER



Hazard statement(s):

Harmful if inhaled
Causes skin burns and eye damage
Causes serious eye damage

Precautionary statement(s):

Avoid breathing mist, vapors. Wear protective gloves, eye protection, and face protection.
Wash hands, forearm, and face thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. Call poison control center if you feel unwell.

Hazards not otherwise classified: No additional information available

Storage and Disposal: Store in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents/container to a hazardous or special waste collection point.

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Causes serious eye damage. Causes severe skin burns.
Symptoms/effects after inhalation: Harmful if inhaled.
Symptoms/effects after skin contact: Burns.
Symptoms/effects after eye contact: Serious damage to eyes.

Cover All Max™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Max™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Max™ is a two part concentrate that must be mixed prior to use. The mix ratio is 98:1:1. Mix enough Cover All Max™ to last for 24 hours. In a clean container add 98 parts water, 1 part Cover All Max Part A™, and 1 part Cover All Max Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Max™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.
Post-Dipping: Immediately after milking, dip each teat with Cover All Max™ chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
Lactic Acid: 42.24%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)



FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



UN3265

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(LACTIC ACID), 8, PG III



COVER ALL MAX PART A

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4131
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	42.24 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4131-6	20.8 kg in 1 JUG		
2	NDC:63927-4131-2	62.4 kg in 1 DRUM		
3	NDC:63927-4131-3	228.9 kg in 1 DRUM		
4	NDC:63927-4131-4	1144.3 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
5	NDC:63927-4131-5	1373.2 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	

Labeler - Proactive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		043147537	api manufacture, manufacture, label, pack, repack

Revised: 2/2026

Proactive Solutions USA, LLC