

**SUNSCREEN- avobenzonone, homosalate, octisalate, octocrylene spray**  
**Meijer, Inc.**

-----  
**Meijer 938.002/938AB**  
**Sport Sunscreen Spray SPF 50**

**Active ingredients**

Avobenzonone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 8%

**purpose**

sunscreen

**uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**warnings**

**For external use only**

**Flammable**

Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

**do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

- rash occurs

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

## **other information**

- protect the product in the container from excessive heat and direct sun

## **inactive ingredients**

alcohol denat., acrylates/octylacrylamide copolymer, glycerin, triethanolamine, tocopherol, butyloctyl salicylate, fragrance

## **Disclaimers**

### **May stain or damage some fabrics of surfaces**

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademark Coppertone .

\*\*Oxybenzone & Octinoxate free

## **ADVERSE REACTION**

Questions 1-888-593-0593

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

**principal display panel**

Compare to Coppertone<sup>®</sup> Sunscreen Spray Sport Broad Spectrum SPF 50\*

meijer<sup>®</sup>

SPF 50

sport

sunscreen

spray

Broad Spectrum SPF 50

UVA/UVB PROTECTION

Water resistant (80 min)

Won't run we you start to sweat

REEF FRIENDLY\*\*

NET WT. 5.5 OZ (156 g)

Compare to  
Coppertone®  
Sunscreen Spray  
Sport Broad  
Spectrum  
SPF 50\*

meijer

SPF  
**50**

sport  
sunscreen  
spray

Broad Spectrum SPF 50

UVA/UVB PROTECTION

Water resistant (80 min)

Won't run when  
you start to sweat



NET WT.  
5.5 OZ (156 g)



**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 8%	Sunscreen

**Uses**

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Flammable:** Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if** ■ rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ spray liberally and spread evenly by hand 15 minutes before sun exposure  
■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply  
■ do not spray directly into face. Spray on hands then apply to face.

■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation

■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying

■ at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ limit time in the sun, especially from 10 a.m.–2 p.m.

■ wear long-sleeved shirts, pants, hats and sunglasses

■ children under 6 months of age: Ask a doctor

**Other information**

■ protect the product in this container from excessive heat and direct sun

**Inactive ingredients** alcohol denat., acrylates/octylacrylamide copolymer, glycerin, triethanolamine, tocopherol, butyloctyl salicylate, fragrance

**May stain or damage some fabrics or surfaces**

\*This product is not manufactured or distributed by Beiersdorf AG, owner of the registered trademark Coppertone®.

\*\*\*Oxybenzone & Octinoxate free

Questions 1-888-593-0593

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com



**SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0938
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g

<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0938-1	156 g in 1 CAN; Type 0: Not a Combination Product	01/27/2021	
2	NDC:79481-0938-2	258 g in 1 CAN; Type 0: Not a Combination Product	01/27/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/27/2021	

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

### Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0938)

Revised: 2/2026

Meijer, Inc.