ALEX MD PHD SHEER MINERAL SUNSCREEN- zinc oxide, titanium dioxide cream PHYSICIAN LABORATORIES INC

Active Ingredient

Zinc Oxide, 20.2% Titanium Dioxide, 6.8%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early

Warnings

- For external use only
- **Do not use on**damaged or broken skin.
- When using this productkeep out of eyes. Rinse with water to remove.
- Stop use and ask a doctorif rash occurs.
- **Keep out of reach of children**. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 80 minutes of swimmingor sweating.
- Immediately after towel drying.
- At least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- •Limit time in the sun, especially from 10am-2pm.
- •Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive igredients

Cyclopentasiloxane, Water/Aqua/Eau, Coco-Caprylate/Caprate, Isononyl Isononanoate, Polyglyceryl-3 Polydimethylsiloxyethyl

Dimethicone, HDI/Trimethylol Hexyllactone Crosspolymer, Methyl Methacrylate Crosspolymer, Glycerin, Aluminum Hydroxide, Stearic Acid,

Disteardimonium Hectorite, Undaria Pinnatifida Extract, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Astrocaryum Tucuma Seed Butter, Butyrospermum Parkii (Shea) Butter, Theobroma Grandiflorum Seed Butter, Tetrahexyldecyl Ascorbate, Dunaliella Salina Extract, Bisabolol, Ubiquinone, Ergothioneine, Tremella Fuciformis Sporocarp Extract, Tocopheryl Acetate, Betaine, Polyglyceryl-3 Diisostearate, Caprylyl Glycol, Caprylhydroxamic Acid, Squalane, Polyglyceryl-3 Polyricinoleate, C12-15 Alkyl Benzoate, Disodium EDTA, Sodium Chloride, Phenoxyethanol,

Ethylhexylglycerin, Potassium Sorbate, Sodium Benzoate, Lavandula Angustifolia (Lavender) Oil, Citrus Aurantium Dulcis (Orange) Peel Oil

Other information

Protect this product from excessive heat and direct sun.

Product label

Drug Facts (continued)

- ·Limit time in the sun, especially from 10am-2pm.
- ·Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Coco-Caprylate/Caprate, Isononyl Isononanoate, Polyglyceryl-3 Polydimeth-ylsiloxyethyl Dimethicone, HDI/Trimethylol Hexyllactone Crosspolymer, Methyl Methacrylate Crosspolymer, Glycerin, Aluminum Hydroxide, Stearic Acid, Disteardimonium Hectorite, Undaria Pinnatifida Extract, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Astrocaryum Tucuma Seed Butter, Butyrospermum Parkii (Shea) Butter, Theobroma Grandiflorum Seed Butter, Tetrahexyldecyl Ascorbate, Dunaliella Salina Extract, Bisabolol, Ubiquinone, Ergothioneine, Tremella Fuciformis Sporocarp Extract, Tocopheryl Acetate, Betaine, Polyglyceryl-3 Diisostearate, Caprylyl Glycol, Caprylhydroxamic Acid, Squalane, Polyglyceryl-3 Polyricinoleate, C12-15 Alkyl Benzoate, Disodium EDTA, Sodium Chloride, Phenoxyethanol, Ethylhexylglycerin, Potassium Sorbate, Sodium Benzoate, Lavandula Angustifolia (Lavender) Oil, Citrus Aurantium Dulcis (Orange) Peel Oil

Other Information

Protect this product from excessive heat and direct sun.

MANUFACTURED FOR

ALEX MD PhD IRVINE, CA 92618 877.228.4646 ALEXMOPHD.COM

ANTIDOTAL SKINCARE

coverage, clean hydration, and broad-spectrum SPF. For face or body.

DAILY DEFENSE SHEER MINERAL ANTI-AGING SUNSCREEN

> **BROAD SPECTRUM** SPF 50+ WATER RESISTANT (80 MINUTES)

net wt 2.3 oz - 65 g

Never go unprotected. This antioxidant-rich formula delivers buildable

Drug Facts

Active Ingredients

Zinc Oxide, 20.2% Titanium Dioxide, 6.8%

Purpose: Sunscreen

Uses

·Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk

of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- -After 80 minutes of swimming or sweating.
- Immediately after towel drying.
- At least every 2 hours. Children under 6 months:
- Ask a doctor.

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ->

Free of axybenzone, parabens, dyes, gluten and drama. Anti-pollution formula.

For all skin types.

ALEX MD PHD SHEER MINERAL SUNSCREEN

zinc oxide, titanium dioxide cream

Product Information

NDC:78709-001 **Product Type** HUMAN OTC DRUG Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

•		
Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	20.2 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.8 g in 100 g

Inactive Ingredients

Ingredient Name Strength

CYCLOPENTASILOXANE (UNII: 0THT5PCIOR) WATER (UNII: 059QF0KO0R) COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H) **ISONONYL ISONONANOATE** (UNII: S4V5BS6GCX) POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q) METHYL METHACRYLATE (UNII: 1960C77688) **GLYCERIN** (UNII: PDC6A3C0OX) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) STEARIC ACID (UNII: 4ELV7Z65AP) **DISTEARDIMONIUM HECTORITE** (UNII: X687XDK09L) UNDARIA PINNATIFIDA (UNII: ICV10K7M1S) TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ) **ASTROCARYUM VULGARE KERNEL OIL** (UNII: 11QY04O559) SHEA BUTTER (UNII: K49155WL9Y) THEOBROMA GRANDIFLORUM SEED BUTTER (UNII: 1711F13FXM) TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) **DUNALIELLA SALINA (UNII: F401DKI9A6)** LEVOMENOL (UNII: 24WE03BX2T) **UBIDECARENONE** (UNII: EJ27X76M46) **ERGOTHIONEINE** (UNII: BDZ3DQM98W) TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G) .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) **BETAINE (UNII: 3SCV180C9W)** POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) CAPRYLYL GLYCOL (UNII: 00YIU5438U) CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) **SQUALANE** (UNII: GW89575KF9) POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4) ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) EDETATE DISODIUM (UNII: 7FLD91C86K) **SODIUM CHLORIDE** (UNII: 451W47IQ8X) PHENOXYETHANOL (UNII: HIE492ZZ3T) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) POTASSIUM SORBATE (UNII: 1VPU26|ZZ4) **SODIUM BENZOATE** (UNII: OJ245FE5EU) LAVENDER OIL (UNII: ZBP1YXW0H8) ORANGE OIL. COLD PRESSED (UNII: AKN3KSD11B) HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:78709-001- 01	1 in 1 CARTON	03/19/2025			
1		65 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	03/19/2025			

Labeler - PHYSICIAN LABORATORIES INC (078503839)

Revised: 3/2025 PHYSICIAN LABORATORIES INC