

NOSMOTEA SMOKING DETERRENT- clove tea powder

Nosmo Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Active Ingredients: Cloves, Lemon oil, Menthol

USE ■ Smoking Deterrent ■ Stop Smoking Aid ■ Remove Nicotine ■ Restrain withdrawal symptoms

If you continue to smoke while taking Nosmotea, you may feel REJECTION SYMPTOMS with respect to smoking such as dizziness, headache, and vomiting. Therefore, you had better not continue to smoke while taking Nosmotea

Do not use if you have an allergy to medicinal herbs.

■ if you are taking any prescription medicine. ■ if you are pregnant or breast feeding.

Recovering phenomenon

■ you may experience RECOVERING PHENOMENON such as diarrhea within the first week of taking this product.

These minor reactions usually resolve in a few days. This is one of the symptoms that show a turn for the better,

which means a transient phenomenon in the process of constitution improvement, so it is different from side-effects.

Directions

■ You can conveniently drink it after dissolving Nosmotea in a cup of warm water (200mL). Take a tea bag

three times a day after having a meal or on feeling like to smoke for 4-5 weeks. However, do not take more than

4 tea bag a day. Start the very first medication in the evening after dinner.

Other information

store avoid direct sunlight,

high temperatures, and humidity.

keep in a cool place out of reach of children.

NOSMO[KING] 34605-6001-1 (10. 03. 02)

<p>Natural Smoking Cessation Aid NOSMO® [TEA]</p> <p>Do not use if individual laminated bags are open or torn.</p> <p>Manufactured by NOSMO CO., LTD. #8413 Dongeui institute of technology, 82 Yangju 5-ro, Busanjin-gu, Busan, 614-715 Korea</p> <p>LOT No. EXP Date</p>  <p>8 809224 132 120</p>	<p>Drug Facts</p> <p>Active Ingredient (in each packet) • Cloves 20.0mg • Lemon oil 1.0mg • Menthol 15mg</p> <p>Purpose smoking deterrent</p> <p>USE • Smoking Deterrent • Stop Smoking Aid • Remove Nicotine • Retrain withdrawal symptoms</p> <p>Warning • If you continue to smoke while taking NOSMO[TEA], you may feel REJECTION SYMPTOMS with respect to smoking such as dizziness, headache, and vomiting. Therefore, you had better not continue to smoke while taking NOSMO[TEA].</p> <p>Do not use • if you have an allergy to medicinal herbs.</p> <p>Ask your healthcare professional before use • if you are taking any prescription medicine. • if you have or have had kidney or heart disease • if you are pregnant or breast feeding</p> <p>Recovering phenomenon • you may experience RECOVERING PHENOMENON such as diarrhea within the first week of taking this product. These minor reactions usually resolve in a few days. This is one of the symptoms that show a turn for the better, which means a transient phenomenon in the process of constitution improvement, so it is different from side-effects.</p> <p>Directions • Take 1 tea packet 3 times daily after a meal or when you feel the urge to smoke. • Take with plenty of water. • Start the very first medication in the evening after dinner.</p> <p>Other information • store avoid direct sunlight, high temperatures, and humidity. • keep in a cool place out of reach of children.</p> <p>Inactive ingredients • Crataegus Pinnatifida • Aloe • Acathopanax Sessiliflorus • Glycyrrhizate • Polygonum Multiflorum • Actium Lappa • Raphani Sativus • Citrus Reticulatae • Ligustrum Tenusissimum • Platycodon Grandiflorum • Dextrin • Vitamin C • Vitamin A • Sodium Bicarbonate</p>	<p>Drug Facts (continued)</p> <p>Contact us • call 82-51-851-7688 weekdays 10:00 a.m. - 4:30 p.m.) • fax 82-51-851-7690 • http://www.nosmo.com</p>  <p>Natural Smoking Cessation Aid NOSMO® [TEA]</p> <p>Do not use if individual laminated bags are open or torn.</p>
<p style="text-align: center;">NOSMO [TEA] STOP SMOKING AID</p>		
<p style="text-align: center;">20 packets(2g each)</p>  <p style="text-align: center;">Natural Smoking Cessation Aid</p> <p style="text-align: right;">NDC 34605-6001-1</p>		
<p style="text-align: center;">Quit Smoking - The beginning of loving your family.</p> <p style="text-align: center;"><i>Tips to prepare</i> NOSMO[TEA]</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="544 1596 657 1701">  <p>• Mix one packet to one bottle of water (16.9 fl oz)</p> </div> <div data-bbox="673 1596 950 1701">  <p>• Or mix one packet to a cup of warm water (8 fl oz)</p> </div> <div data-bbox="966 1596 1079 1701">  <p>• Mix one packet to one bottle of water (16.9 fl oz)</p> </div> </div>		

NOSMOTEA SMOKING DETERRENT

clove tea powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:34605-6001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
clove (UNII: K48IKT5321) (clove - UNII:K48IKT5321)	clove	20 mg in 1 g
lemon (UNII: 24RS0A988O) (lemon - UNII:24RS0A988O)	lemon	1 mg in 1 g
menthol (UNII: L7T10EIP3A) (menthol - UNII:L7T10EIP3A)	menthol	1.5 mg in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34605-6001-2	20 in 1 CARTON		
1	NDC:34605-6001-1	2 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/06/2010	

Labeler - Nosmo Co., Ltd (687363874)

Revised: 3/2010

Nosmo Co., Ltd