

DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled
SALADO SALES INC.

CVP HEALTH DAY TIME SOFTGELS

Active ingredients (in each Softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 liquid caps 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product,

do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
 - symptoms get worse or last more than 5 days (children) or 7 days (adults)
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present ■ new symptoms occur
 - cough comes back, or occurs with rash or headache that lasts.
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Quick medical attention is critical for adults as well as children, even if you do not notice any signs or symptoms.

Directions

- take only as directed (see Warnings)
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

■ **when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing**

Other information

- Store at room temperature 20-25°C(68-77°F)
- avoid excessive heat

Inactive ingredients

FD&C Red#40, FD&C yellow#06,
gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol,
Purified water, Sorbitol sorbitan solution, Titanium dioxide.

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**

CVP

COMPARE TO VICKS® DAYQUIL™

HEALTH

COLD & FLU LIQUICAPS™

DAY TIME

ACTIVE INGREDIENTS

SOFTGELS

MULTI-SYMPTOM COLD & FLU MEDICINE

- **ACETAMINOPHEN-PAIN RELIEVER/FEVER REDUCER**
- **DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT**
- **PHENYLEPHRINE HCl - NASAL DECONGESTANT**

24 SOFTGELS

Distributed by Consumer Value Products, Inc.

P.O. Box 6115, Temple, Texas 76502

CVPproducts.com

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® DayQuil™ LiquiCaps™

8
1201240
3/22



HEALTH

DAY TIME SOFTGELS

MULTI-SYMPTOM COLD & FLU MEDICINE



HEALTH

DAY TIME SOFTGELS

MULTI-SYMPTOM COLD & FLU MEDICINE

- **ACETAMINOPHEN** - PAIN RELIEVER/FEVER REDUCER
- **DEXTROMETHORPHAN HBr** - COUGH SUPPRESSANT
- **PHENYLEPHRINE HCl** - NASAL DECONGESTANT



24 SOFTGELS

RELIEVES:
HEADACHE
FEVER
SORE THROAT
MINOR ACHES & PAINS
NASAL CONGESTION
SINUS PRESSURE
COUGH

COMPARE TO
VICKS® DAYQUIL™
COLD & FLU LIQUICAPS™
ACTIVE INGREDIENTS

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING

BX-136



Exp. Date
Lot #

Distributed by Consumer Value Products, Inc.
P.O. Box 6115, Temple, Texas 76502
CVPproducts.com

Drug Facts

Active ingredients (in each softgel)	Purpose
Acetaminophen 325 mg.....	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg.....	Cough suppressant
Phenylephrine HCl 5 mg.....	Nasal decongestant

Uses temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache

Drug Facts (continued)

■ minor aches & pains ■ fever

Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 8 Liquid Caps in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks daily while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

Drug Facts (continued)

- skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present ■ new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition. ➔

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as children, even if you do not notice any signs or symptoms.

Directions

- take only as directed (see Warnings)
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hours
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- store at room temperature 20-25°C (68-77°F).
- avoid excessive heat

Inactive ingredients

FD&C Red#40, FD&C yellow#06, gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide.

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® DayQuil™ LiquiCaps™

RES

DAYTIME COLD AND FLU RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57243-604
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	

GLYCERIN (UNII: PDC6A3C0OX)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

WATER (UNII: 059QF0KO0R)

SORBITOL (UNII: 506T60A25R)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	604
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57243-604-03	24 in 1 CARTON	12/23/2025	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/23/2025	

Labeler - SALADO SALES INC. (009830555)

Revised: 12/2025

SALADO SALES INC.