

**TERADYNE - iodine teat dip liquid**

**Tetradyne LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Teradyne**

**USE DIRECTIONS:**

**Use at full strength, do not dilute.**

**For post-dipping:** Dip entire teat in **TERADYNE**.  
Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **TERADYNE** at full strength.  
Do not return unused product to original container.

**PROTECT FROM FREEZING**  
**IF FROZEN: SHAKE**  
**VIGOROUSLY AFTER THAWING**

**WARNING: CONTAINS IODINE.**  
Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

**KEEP OUT OF REACH OF CHILDREN!**  
**OBSERVE LABEL DIRECTIONS.**

**FIRST AID:**  
**INTERNAL:** If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.  
**EYES:** Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.  
**GET MEDICAL ATTENTION IMMEDIATELY.**

**TERADYNE**  
**SANITIZING IODINE TEAT DIP FORMULATED**  
**WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING**

**This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.**  
Active Ingredient.....1.0% Available Iodine (provides 10,000 ppm titratable iodine)  
pH.....Minimum 4.0  
Emollients.....5% Glycerin

Lot#:\_\_\_\_\_

Exp. Date:\_\_\_\_\_

Net Contents:\_\_\_\_\_

Manufactured For:Tetradyne LLC  
 PO Box 17003  
 Reno, NV 89511

# TERADYNE

USE DIRECTIONS:  
**Use at full strength, do not dilute.**

**For post-dipping:** Dip entire teat in TERADYNE. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with TERADYNE at full strength. Do not return unused product to original container.

**SANITIZING IODINE TEAT DIP  
 FORMULATED WITH  
 EMOLLIENTS TO ENHANCE  
 SKIN CONDITIONING**

*This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.*

Active Ingredient . . . . .	1.00% Available Iodine (Provides 10,000 ppm titratable iodine)
pH . . . . .	Minimum 4.0
Emollients . . . . .	5% Glycerin

PROTECT FROM FREEZING IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING
---

Lot #: \_\_\_\_\_  
 Exp. Date: \_\_\_\_\_  
 Net Contents: \_\_\_\_\_

Manufactured For:  
 Tetradyne LLC  
 PO Box 17003  
 Reno, NV 89511



**WARNING:** CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

**FIRST AID:**

**INTERNAL:** If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

**EYES:** Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

**TERADYNE**

iodine teat dip liquid

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:66399-069
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10.31 g in 1 L

**Inactive Ingredients**

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	51.25 g in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-069-01	3.78 L in 1 JUG		
2	NDC:66399-069-02	18.9 L in 1 PAIL		
3	NDC:66399-069-03	56.7 L in 1 DRUM		
4	NDC:66399-069-04	113.4 L in 1 DRUM		
5	NDC:66399-069-05	207.9 L in 1 DRUM		
6	NDC:66399-069-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-069-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/10/2001	

**Labeler** - Tetrydyne LLC (130969293)

Revised: 11/2013

Tetrydyne LLC