

GERI-TUSSIN- guaifenesin liquid
Geri-Care Pharmaceuticals, Corp

Geri-Care GERI-TUSSIN

in each 10 mL = 2 teaspoonfuls

Guaifenesin - 200 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use if you have ever had an allergic reaction to any of the ingredients in this product.

Ask a doctor before use if you have

- cough with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours, as needed, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- do not exceed recommended dose

adults and children 12 years and over	10 to 20 mL (2 to 4 teaspoonfuls)
children under 12 years	ask a doctor

Other information

- each 10 mL contains: **sodium 20 mg**
- **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken or missing.
- store at room temperature 15°-30°C (59°-86°F)
- protect from freezing
- protect from light

- **Pharmacist:** Preserve and dispense in a tight, light resistant container with a child resistant cap as defined in the USP.

Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-800-540-3765

Geri Care®

GERI - TUSSIN

SUGAR FREE ♦ ALCOHOL FREE

EXPECTORANT

Distributed by: GERI-CARE PHARMACEUTICALS CORP.

1295 Towbin Avenue

Lakewood, NJ 08701

Code# L 010 REV05/24

 <p>NDC 57896-293-16</p> <h1>GERI-TUSSIN</h1> <p>GUAIFENESIN - Expectorant</p> <ul style="list-style-type: none"> • THINS & LOOSENS MUCUS • RELIEVES CHEST CONGESTION <p>COMPARE TO THE ACTIVE INGREDIENT OF ORIGINAL ROBITUSSIN**</p> <p>SUGAR FREE • ALCOHOL FREE</p> <p>EXPECTORANT</p> <p>16 FL OZ (473 mL)</p>	<p>Drug Facts</p> <table border="1"> <tr> <th>Active ingredient (in each 10 mL = 2 teaspoonfuls)</th> <th>Purpose</th> </tr> <tr> <td>Guaifenesin, USP 200mg</td> <td>Expectorant</td> </tr> </table> <p>Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive</p> <p>Warnings Do not use if you ever had an allergic reaction to any of the ingredients in this product. Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions • take every 4 hours, as needed, or as directed by a doctor • do not take more than 6 doses in 24 hours • do not exceed recommended dose</p> <table border="1"> <tr> <td>adults and children 12 years and over</td> <td>10 to 20 mL (2 to 4 teaspoonfuls)</td> </tr> <tr> <td>children under 12 years</td> <td>ask a doctor</td> </tr> </table> <p>Other information ■ each 10 mL contains: sodium 20 mg ■ TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken, or missing ■ store at room temperature 15°-30° C (59°-86°F) ■ protect from freezing ■ protect from light ■ Pharmacist: preserve and dispense in tight, light-resistant container with a child resistant cap as defined in the USP.</p> <p>Inactive ingredients: Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose</p> <p>Questions or comments? 1-800-540-3765</p>	Active ingredient (in each 10 mL = 2 teaspoonfuls)	Purpose	Guaifenesin, USP 200mg	Expectorant	adults and children 12 years and over	10 to 20 mL (2 to 4 teaspoonfuls)	children under 12 years	ask a doctor	 <p>57896 29316 1</p> <p>FOR INSTITUTIONAL USE Distributed by: GERI-CARE PHARMACEUTICALS CORP. 1295 Towbin Avenue Lakewood, NJ 08701 Code #L 010 REV05/24</p> <p>*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®.</p> <p>Lot# Exp. Date:</p>
Active ingredient (in each 10 mL = 2 teaspoonfuls)	Purpose									
Guaifenesin, USP 200mg	Expectorant									
adults and children 12 years and over	10 to 20 mL (2 to 4 teaspoonfuls)									
children under 12 years	ask a doctor									

GERI-TUSSIN			
guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-293
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-293-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/31/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2023	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 12/2025

Geri-Care Pharmaceuticals, Corp