EQUATE SPF 50 ULTRA ZINC SUNSCREEN- octocrylene, zinc oxide lotion Wal-Mart Stores Inc

Walmart Equate SPF 50 Ultra Zinc Sunscreen Lotion

Active ingredients

Octocrylene 4%, Zinc Oxide 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying

- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, ethylhexyl stearate, diisopropyl adipate, cetyl dimethicone, polyglyceryl-4 isostearate, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, phenoxyethanol, beeswax, isohexadecane, hydrogenated castor oil, fragrance, silica, triethoxycaprylylsilane, dimethicone, tocopherol (Vitamin E), tetrasodium EDTA, aloe barbadensis leaf juice, sodium chloride, sodium ascorbyl phosphate.

Label



equateTM Sunscreen
Broad Spectrum SPF 50 1FL OZ (29.6 mL) SPF 50

• Water resistant (80 minutes)

Tropical scent



Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc. Bentonvi≣e, AR 72716

Biended and Filled in the U.S.A. with imported and Domestic ingredients *No parabens separately added to preserve this product.



Drug Facts

Drug Facts (continued)	Drug Facts (continued)	Drug Facts (continued)
	Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove.	Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying
Warnings	Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	at least every 2 hours children under 6 months of age: Ask a doctor
101 01111111111111111111111111111111111		

Drug Facts (continued)

- Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including—intit time in the sun, sepecially from 10 a.m. 2 ym.
 wear long-sleeved shirts, pants, hats, and sunglasses

Drug Facts (continued)

Other information
• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics/materials or surfaces

Drug Facts (continued)

Inactive ingredients water, ethylhexyl stearate, diisopropyl adipate, cetyl dimethicone, cetyl PEG/PPG-10/1 dimethicone, phenoxyethanol, polyglyceryl-4 isostearate, hexyl laurate, bees isohexadecane, hydrogenated castor oil, fragrance, silica, triethoxycapnylytislane, dimethicone, tooophero (Vialma It, silisodium EDTA, aloe barbadensis leaf juice, sodium chloride, sodium ascortyl phosphate.

EQUATE SPF 50 ULTRA ZINC SUNSCREEN

octocrylene, zinc oxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49035-753

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50.2125 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EDETATE SODIUM (UNII: MP1J8420LU)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
HYDROGENATED CASTOR OIL (UNII: Z F94AP8MEY)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:49035-753- 42	29.6 mL in 1 JAR; Type 0: Not a Combination Product	08/12/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/12/2019	

Labeler - Wal-Mart Stores Inc (051957769)

Revised: 10/2024 Wal-Mart Stores Inc