MEIJER EARWAX REMOVAL DROPS- carbamide peroxide solution/ drops Meijer Distribution Inc

Meijer Earwax Removal Drops

Drug Facts

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment my be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe
- Consult a doctor Children under 12 years:

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

1-800-328-5890

Package Labeling:

meijer

Removal Aid

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient

Purpose Carbamide peroxide 6.5%...... Earwax removal aid

Uses for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge ear pain
- irritation, or rash in the ear dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery
- When using this product avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
 Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Keep cap on bottle when not in use

Drug Facts (continued)

- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate,

Questions? 1-800-328-5890

*This product is not manufactured or distributed by Medtech Products, Inc. owner of the registered trademark Debrox®.

REV 10/15



NDC 41250-836-34

Compare to Debrox® active ingredient*

rwax

Removal Aid Carbamide Peroxide 6.5%

Ear Drops

Safe and **Effective**

0.5 FL 0Z $(15 \, \text{mL})$







DIST. BY MEIJER DISTRIBUTION, INC. **GRAND RAPIDS, MI 49544** www.meijer.com



RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient Purpose

Carbamide peroxide 6.5% Earwax removal aid

Directions FOR USE IN THE EAR ONLY Adults and children over 12 years of age:

■ Tilt head sideways and place 5 to 10 drops into ear ■ Tip of applicator should not enter ear canal ■ Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear ■ Use twice daily for up to

4 days if needed, or as directed by a doctor

Any wax remaining after treatment may be removed by gently flushing the ear with warm

water, using a soft rubber bulb ear syringe Children under 12 years: consult a doctor

Inactive ingredients anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions? 1-800-328-5890

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544 REV 02/14

LOT:

EXP:

MEIJER EARWAX REMOVAL DROPS

carbamide peroxide solution/ drops

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-282

Route of Administration AURICULAR (OTIC)

Active Ingredient/Active Moiety

Active mgredient/Active Molecy					
Ingredient Name	Basis of Strength	Strength			
CARBAMIDE PEROXIDE (UNII: 31PZ 2VAU81) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL			

Inactive Ingredients				
Ingredient Name	Strength			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
WATER (UNII: 059QF0KO0R)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41250-282- 34	1 in 1 BOX	11/27/2014		
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M014	11/27/2014		

Labeler - Meijer Distribution Inc (006959555)

Revised: 12/2023 Meijer Distribution Inc