LORATADINE- loratadine tablet Cardinal Health

Drug Facts

Active ingredient (in each tablet)

Loratadine, USP 10

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to thisproduct or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over
children under 6 years of age
consumers with liver or kidney disease ask a doctor1 tablet daily; not more than 1 tablet in 24 hours
ask a doctor

Other information

- store between 2° and 30°C (36° and 86°F)
- do not use if seal under bottle cap is broken or missing
- protect from excessive moisture

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose

Questions or comments?

Call 1-800-706-5575, weekdays, 8:30am - 5:00pm Eastern Standard Time

Principal Display Panel

Cardinal Health NDC 70000-0317-1

Non-Drowsy*

Loratadine Tablets, USP 10 mg

Antihistamine

Indoor & Outdoor Allergies

24 hour

Relief of:

Sneezing Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

300 mg



Product Informati	ion							
Product T ype		HUMAN OTC DRUG Item Code		n Code (Source	de (Source) NDO		DC:70000-0317	
Route of Administrati	ion	ORAL						
Active Ingredient/	Active Moie	ty						
Ingredient Name						Basis of Strength Strengt		
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)					LORATADINE 10 mg			
Inactive Ingredien	nts							
Ingredient Name						Strength		
SILICON DIOXIDE (UN								
CROSCARMELLOSE S								
LACTOSE MONOHYDI								
MAGNESIUM STEARAT								
MIGRO GRI 5 I ALLINE	CELLULOSE (UNII: OP1R32D61U)						
		UNII: OP1R32D61U)						
Product Character		UNII: OP1R32D61U)			no score			
Product Character Color	ristics				no score 8mm			
Product Character Color Shape	ristics WHITE	Score	t Code			APO		
Product Character Color Shape Flavor	ristics WHITE	Score Size	t Code		8 mm	APO		
Product Character Color Shape Flavor Contains	ristics WHITE	Score Size	t Code		8 mm	APO		
Product Character Color Shape Flavor Contains Packaging	ristics WHITE OVAL	Score Size		Marketin	8mm LOR;10;4		ing End Dat	
Product Character Color Shape Flavor Contains Packaging # Item Code	ristics WHITE OVAL	Score Size Imprint Package Descript	ion		8mm LOR;10;4		0	
Product Character Color Shape Flavor Contains Packaging # Item Code 1 NDC:70000-0317-1 3	ristics WHITE OVAL 300 in 1 BOTTL	Score Size Imprint Package Descript	ion		8mm LOR;10;4	e Marketi	0	
Product Character Color Shape Flavor Contains Packaging	ristics WHITE OVAL 300 in 1 BOTTL	Score Size Imprint Package Descript	io n nbination Produc	ct 06/23/2016	8mm LOR;10;4	e Marketi 10/31/202	ing End Date	

Labeler - Cardinal Health (097537435)

Revised: 8/2019

Cardinal Health