

**CALAMINE PLUS PRAMOXINE HCL- calamine plus spray aerosol, spray  
Meijer Distribution Inc.**

-----  
**Meijer Calamine Plus Spray**

***Active ingredients***

Calamine 8%

Pramoxine HCl 1%

***Purpose***

Skin protectant

External analgesic

***Uses***

temporarily relieves pain and itching associated with:

- insect bites
- rashes
- minor skin irritations
- minor cuts
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

**Warnings**

For external use only.

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- do not get into eyes
- ask a doctor before using on children under 2 years of age

**Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days or clear up and occur again in a few days

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before using
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- cleanse the skin with soap and water
- let dry before use
- children under 2 years of age: consult a doctor

**Inactive ingredients**

benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

**Questions?**

**Call 1-866-964-0939**

**Principal Display Panel**

meijer

NO-RUB

calamine plus spray

Calamine

Pramoxine HCl

Skin Protectant

External Analgesic

SHAKE WELL BEFORE USE

Relieves itching from poison ivy, oak & sumac, & insect bites

Soothes minor skin irritations & cuts

NET WT 4.1 OZ (116 g)

NDC 41250-235-41  
Compare to Caladryl®  
active ingredients\*

**NO-RUB**  
**calamine plus spray**  
Calamine  
Pramoxine HCl

**Skin Protectant**  
**External Analgesic**

**SHAKE WELL BEFORE USE**

Relieves itching from poison ivy,  
oak & sumac, & insect bites

Soothes minor skin  
irritations & cuts

NET WT 4.1 OZ (116 g)

**Drug Facts**

Active ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic

**Uses** temporarily relieves pain and itching associated with:  
 insect bites     rashes     minor skin irritations     minor cuts  
 dries the oozing and weeping of poison ivy, poison oak and poison sumac

**Warnings**  
For external use only.

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product** ■ do not get into eyes  
 ■ ask a doctor before using on children under 2 years of age

**Stop use and ask a doctor if** ■ condition worsens    ■ symptoms last more than 7 days or clear up and occur again in a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 shake well before using  
 adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily  
 cleanse the skin with soap and water  
 let dry before use  
 children under 2 years of age: consult a doctor

**Other information**  
store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

**Questions? Call 1-866-964-0939**

\*This product is not manufactured or distributed by Valeant Pharmaceuticals North America LLC, owner of the registered trademark Caladryl®.

7 19283 94224 1

PID 4586117

50-074ME

## CALAMINE PLUS PRAMOXINE HCL

calamine plus spray aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-235
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675) (FERRIC OXIDE RED - UNII:1K09F3G675)	FERRIC OXIDE RED	0.345 mg in 116 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	2.72 mg in 116 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.16 mg in 116 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>OLEYL ALCOHOL</b> (UNII: 172F2VN8DV)	
<b>SORBITAN TRIOLEATE</b> (UNII: QE6F49RPJ1)	

<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>HYDRATED SILICA</b> (UNII: Y6O7T4G8P9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-235-41	116 g in 1 CANISTER; Type 0: Not a Combination Product	03/14/2020	06/30/2026

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/14/2020	06/30/2026

**Labeler** - Meijer Distribution Inc. (006959555)

Revised: 10/2024

Meijer Distribution Inc.