

**POST - VACCINATION- influenzzinum, morbillinum, pertussinum, aconitum nap., alumina, antimon. tart., arsenicum alb., baptisia, belladonna, bryonia, cinchona, crotalus horridus, gelsemium, kali bic., lachesis, ledum, merc. viv., mezereum, nux vom., phosphorus, pulsatilla, rhus toxicodendron, silicea, sulphur, thuja occ., vaccinium, apis mel., echinacea, hypericum liquid**

**Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Post Vac 1533L**

## **OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

**Keep out of reach of children.**

## **OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

## **WARNINGS SECTION**

**Warning:** **Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## **QUESTIONS SECTION**

newtonlabs.net - Questions? 1.800.448.7256 Newton Laboratories, Inc. FDA Ext # 1051203 - Conyers, GA 30013

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

## **OTC - PURPOSE SECTION**

Formulated for vaccination-related and viral-related symptoms such as fever, inflammation, injection site pain, fatigue and skin discomfort.

## **OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mel. 6x, Echinacea 6, Hypericum 6x, Aconitum nap. 15x, Alumina 15x, Antimon. tart. 15x, Baptisia 15x, Bryonia 15x, Cinchona 15x, Crotalus horridus 15x, Gelsemium 15x, Kali bic. 15x, Lachesis 15x, Ledum 15x, Merc. viv. 15x, Mezereum 15x, Phosphorus 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Silicea 15x, Sulphur 15x, Thuja occ. 15x, Vaccinium 15x, Arsenicum alb. 15x, Belladonna 15x, Nux vom. 15x, Influenzzinum 30x, Morbillinum 30x, Pertussinum 30x

## **DOSAGE & ADMINISTRATION SECTION**

Children, ages 0 to 11, give 3 drops by mouth (ages 12 and up, give 6 drops) one to four times daily or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full

dose.

## INDICATIONS & USAGE SECTION

Formulated for vaccination-related and viral-related symptoms such as fever, inflammation, injection site pain, fatigue and skin discomfort.

## PACKAGE LABEL

**newtonlabs.net ~ Questions? 800.448.7256**  
Newton Laboratories, Inc. FDA Est# 1051203 • Gampers, GA 30013  
**Label statements have not been reviewed by the FDA.**  
**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

**NEWTON homeopathics Kids**  
NDC# 55714-1533-1

**Post-Vaccination**  
Formulated for vaccination-related and viral-related symptoms such as fever, inflammation, injection site pain, fatigue and skin discomfort.

**1 FL OZ (30 ML)**

**Directions:** Children, ages 0 to 11, give 3 drops by mouth (ages 12 and up, give 6 drops) one to four times daily or as directed by a health professional. Sensitive persons begin with 1 drop and gradually increase to full dose.

**Active Ingredients:** Equal parts of Apis mel. 6x, Echinacea 6x, Hypericum 6x, Aconitum nap. 15x, Alumina 15x, Antimon. tart. 15x, Arsenicum alb. 15x, Baptisia 15x, Belladonna 15x, Bryonia 15x, Cinchona 15x, Crotalus hor. 15x, Gelsemium 15x, Kali bic. 15x, Lachesis 15x, Ledum 15x, Merc. viv. 15x, Mezereum 15x, Nux vom. 15x, Phos. 15x, Pulsatilla 15x, Rhus tox. 15x, Silicea 15x, Sulphur 15x, Thuja occ. 15x, Vaccinium 15x, Influenzinum 30x, Morbillinum 30x, Pertussinum 30x.

**Inactive Ingredients:** USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# **F098** Lot#

## POST - VACCINATION

influenzinum, morbillinum, pertussinum, aconitum nap., alumina, antimon. tart., arsenicum alb., baptisia, belladonna, bryonia, cinchona, crotalus horridus, gelsemium, kali bic., lachesis, ledum, merc. viv., mezereum, nux vom., phosphorus, pulsatilla, rhus toxicodendron, silicea, sulphur, thuja occ., vaccinium, apis mel., echinacea, hypericum liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-1533
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>INFLUENZA A VIRUS</b> (UNII: R9HH0NDE2E) (INFLUENZA A VIRUS - UNII:R9HH0NDE2E)	INFLUENZA A VIRUS	30 [hp_X] in 1 mL
<b>INFLUENZA B VIRUS</b> (UNII: 1314JZ2X6W) (INFLUENZA B VIRUS - UNII:1314JZ2X6W)	INFLUENZA B VIRUS	30 [hp_X] in 1 mL
<b>MEASLES VIRUS</b> (UNII: HT3R7C012Q) (MEASLES VIRUS - UNII:HT3R7C012Q)	MEASLES VIRUS	30 [hp_X] in 1 mL

<b>HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED</b> (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)	HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED	30 [hp_X] in 1 mL
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 mL
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933) (ALUMINUM OXIDE - UNII:LM26O6933)	ALUMINUM OXIDE	15 [hp_X] in 1 mL
<b>ANTIMONY POTASSIUM TARTRATE</b> (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	15 [hp_X] in 1 mL
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 mL
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	15 [hp_X] in 1 mL
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	15 [hp_X] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 mL
<b>CINCHONA OFFICINALIS BARK</b> (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	15 [hp_X] in 1 mL
<b>CROTALUS HORRIDUS HORRIDUS VENOM</b> (UNII: YHA2XLJ956) (CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)	CROTALUS HORRIDUS HORRIDUS VENOM	15 [hp_X] in 1 mL
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 mL
<b>POTASSIUM DICHROMATE</b> (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	15 [hp_X] in 1 mL
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	15 [hp_X] in 1 mL
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	15 [hp_X] in 1 mL
<b>MERCURY</b> (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)	MERCURY	15 [hp_X] in 1 mL
<b>DAPHNE MEZEREUM BARK</b> (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	15 [hp_X] in 1 mL
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	15 [hp_X] in 1 mL
<b>PULSATILLA VULGARIS</b> (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	15 [hp_X] in 1 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 mL
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	15 [hp_X] in 1 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 mL
<b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	15 [hp_X] in 1 mL
<b>BILBERRY</b> (UNII: 9P2U39H18W) (BILBERRY - UNII:9P2U39H18W)	BILBERRY	15 [hp_X] in 1 mL
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 mL
<b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	6 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ALCOHOL (UNII: 3K9958V90M)

WATER (UNII: 059QF0K00R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-1533-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/03/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/03/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-1533)

Revised: 11/2020

Newton Laboratories, Inc.