

**COUGH AND COLD RELIEF HBP- chlorpheniramine maleate, dextromethorphan hbr tablet, film coated**  
**United Natural Foods, Inc. dba UNFI**

-----  
**Equaline 44-689**

***Active ingredients (in each tablet)***

Chlorpheniramine maleate 4 mg  
Dextromethorphan HBr 30 mg

***Purpose***

Antihistamine  
Cough suppressant

***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing due to the common cold

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with excessive phlegm (mucus)
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages

- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over: 1 tablet every 6 hours, not more than 4 tablets in 24 hours.
- children under 12 years: do not use

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-855-423-2630**

### **Principal Display Panel**

**EQUALINE®**

NDC 41163-698-21

**compare to  
Coricidin® HBP  
Cough & Cold  
active ingredients\***

**cough & cold  
relief HBP**

chlorpheniramine maleate  
(antihistamine)  
dextromethorphan HBr  
(cough suppressant)

for people with high blood pressure

*temporarily relieves:*

- *cough*
- *runny nose*
- *sneezing*

**16** tablets

DECONGESTANT-FREE

actual size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED  
OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

**100% *Quality*  
GUARANTEED**

**DISTRIBUTED BY UNFI  
PROVIDENCE, RI 02908 USA  
855-423-2630**

\*This product is not  
manufactured or distributed by  
Bayer HealthCare LLC, owner  
of the registered trademark  
Coricidin® HBP Cough & Cold.

50844 REV0224C68921

**PARENTS:**

Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

EQUALINE®

cough & cold relief HBP

NDC 41163-698-21

compare to  
Coricidin® HBP  
Cough & Cold  
active ingredients\*

EQUALINE®

cough & cold  
relief HBP

chlorpheniramine maleate  
(antihistamine)  
dextromethorphan HBr  
(cough suppressant)

for people with high blood pressure

temporarily relieves:

- cough
- runny nose
- sneezing

16 tablets

DECONGESTANT-FREE

actual size

EQUALINE®

cough & cold relief HBP

OMIT A

Do not print/varnish  
Lot and Exp Date ONLY



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED  
OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING

B-0019E-698-21-R  
REV0224C68921

\*This product is not  
manufactured or distributed by  
Bayer HealthCare LLC, owner of  
the registered trademark  
Coricidin® HBP Cough & Cold.

50844 REV0224C68921

100% Quality  
GUARANTEED

DISTRIBUTED BY UNFI  
PROVIDENCE, RI 02908 USA  
855-423-2630

PARENTS:

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

A1945R1

KEEP OUTER PACKAGE  
FOR COMPLETE PRODUCT  
INFORMATION

**Drug Facts**

**Active ingredients  
(in each tablet)**

Chlorpheniramine maleate 4 mg..... Antihistamine  
Dextromethorphan HBr 30 mg..... Cough  
suppressant

**Uses**

- temporarily relieves cough due to minor throat  
and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing  
due to the common cold

**Warnings**

Do not use if you are now taking a prescription  
monoamine oxidase inhibitor (MAOI) (certain  
drugs for depression, psychiatric, or emotional  
conditions, or Parkinson's disease), or for 2 weeks  
after stopping the MAOI drug. If you do not know if  
your prescription drug contains an MAOI, ask a  
doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the  
prostate gland
- cough that occurs with excessive phlegm  
(mucus) ■ glaucoma
- a breathing problem such as emphysema or  
chronic bronchitis
- persistent or chronic cough such as occurs with  
smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you  
are taking sedatives or tranquilizers.**

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may  
increase drowsiness

**Drug Facts (continued)**

- avoid alcoholic beverages
- use caution when driving a motor vehicle or  
operating machinery

**Stop use and ask a doctor if cough persists more  
than 1 week, tends to recur, or is accompanied by  
a fever, rash, or persistent headache. These could  
be signs of a serious condition.**

**If pregnant or breast-feeding, ask a health  
professional before use.**

**Keep out of reach of children.** In case of  
overdose, get medical help or contact a Poison  
Control Center right away.

**Directions**

- do not take more than directed
- adults and children 12 years and over: 1 tablet  
every 6 hours, not more than 4 tablets in 24  
hours
- children under 12 years: do not use

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER  
PACKAGE IS OPENED OR BLISTER IS TORN OR  
BROKEN
- store at 25°C (77°F); excursions permitted  
between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

croscarmellose sodium, D&C red #27 aluminum  
lake, FD&C yellow #6 aluminum lake, lactose  
anhydrous, magnesium stearate, microcrystalline  
cellulose, polyethylene glycol, polyvinyl alcohol,  
silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**

1-855-423-2630

## COUGH AND COLD RELIEF HBP

chlorpheniramine maleate, dextromethorphan hbr tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-698
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;689
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-698-21	2 in 1 CARTON	03/31/2017	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2017	

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41163-698) , pack(41163-698)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41163-698)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-698)

Revised: 8/2025

United Natural Foods, Inc. dba UNFI