SU PHEDRINE PE NON-DROWSY, MAXIMUM STRENGTH- phenylephrine hcl tablet, film coated

Salado Sales, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVP 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

CVP®

<u>HEALTH</u>

COMPARE TO SUDAFED PE® CONGESTION ACTIVE INGREDIENT*

NON-DROWSY

SU-PHEDRINE PE

PHENYLEPHRINE HYDROCHLORIDE

NASAL DECONGESTANT

MAXIMUM STRENGTH

18 TABLETS

10 mg EACH

1 PILL PER DOSE

RELIEVES NASAL & SINUS CONGESTION

CONTAINS NO PSEUDOEPHEDRINE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Congestion. 50844 REV0118M45344

Distributed by Consumer Value Products, Inc.

P.O. Box 6115, Temple, Texas 76502

www.CVPproducts.com

NON-DROWSY SU·PHEDRINE PE

PHENYLEPHRINE HYDROCHLORIDE



no. & Expiration Date

ot

No Print Area



NON-DROWSY

PHENYLEPHRINE HYDROCHLORIDE NASAL DECONGESTANT

MAXIMUM STRENGTH

SINUS CONGESTION

RELIEVES NASAL &

CONTAINS NO PSEUDOEPHEDRINE

CVPproducts.com Distributed by Consumer Value Products, Inc. P.O. Box 6115, Temple, Texas 76502

20844 Sudafed PE® Congestion. REVOT18M45344 Johnson Corporation, owner of the registered trademark *This product is not manufactured or distributed by Johnson &

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



18 TABLETS 10 mg EACH 1 PILL PER DOSE

B-0226-453-44-RR REV0118M45344

Questions or comments? 1-800-426-9391

citrate dihydrate, titanium dioxide cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium lecithin, magnesium stearate, maltodextrin, microcrystalline monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, Inactive ingredients croscarmellose sodium, dextrose

- see end flap for expiration date and lot number (4°88-°83)
- store at 25°C (77°F); excursions permitted between 15°-30°C OPENED OR BLISTER IS TORN OR BROKEN
 - TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information
 - children under 12 years: ask a doctor hours. Do not take more than 6 tablets in 24 hours.
 - adults and children 12 years and over: take 1 tablet every 4

Directions

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical

If pregnant or breast-feeding, ask a health professional before Drug Facts (continued)

■ symptoms do not improve within 7 days or occur with fever ■ nervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if

When using this product do not exceed recommended dosage.

- difficulty in urination due to enlargement of the prostate gland ■ thyroid disease ■ high blood pressure
 - adiab etes ■ heart disease Ask a doctor before use if you have

oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Do not use it you are now taking a prescription monoamine

Warnings

- remporanly relieves sinus congestion and pressure
 - hay fever or other upper respiratory allergies
- femborarity relieves nasal congestion due to the common cold,

sasn

nasai decongestant Purpose

Active ingredient (in each tablet)

Drug Facts

Phenylephrine HCI 10 mg.

SU PHEDRINE PE NON-DROWSY, MAXIMUM STRENGTH

phenylephrine hcl tablet, film coated

D 1 .	T C
Product	Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:57243-453

Route of Administration ORAL

Activ	e Ingredient/Active Moiety		
	Ingredient Name	Basis of Strength	Strength
	YLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
DEXTROSE MONO HYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHO SPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6 B0)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
TRISO DIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	

Product Characteristics			
Color	RED	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

l	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:57243-453-44	1 in 1 CARTON	01/14/2005	
	1	18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part341	0 1/14/20 0 5		

Labeler - Salado Sales, Inc. (009830555)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(57243-453)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(57243-453)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(57243-453)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(57243-453)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(57243-453)

Revised: 5/2020 Salado Sales, Inc.