

**JILGYUNGYI (10 TABLETS)- allantoin tablet**  
**Haudongchun Co., Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Jilgyungyi (10 Tablets)**

**Active Ingredients**

Allantoin (11%)

**Purpose**

Vaginal skin protectant

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control right away. (1-800-222-1222)

**Uses**

- Moisturizes vaginal dryness and helps to improve elasticity
- Relieves external itching and alleviates odors before and after the menstruation

**Warnings**

For vaginal use only

Do not use if you have (are)

- an allergic reaction (rashes, and pimples, redness, swelling, skin irritation, discomfort, burning, vaginal peeling or bleeding, pain in the abdomen or pelvic area, fluttering heartbeat and chest pain, lumbar pain, abnormal vaginal secretion, pollakisuria, abnormal dryness, excessive menstrual bleeding, odor and green colored vaginal secretion, hypotension, faint, and papulopustule, pelvic pain)
- pregnant
- hyper sensitive skin and skin ailment
- scars on vagina
- itching, rash, swelling redness, discomfort, burning, irritation vaginal peeling or bleeding

When using this product

- do not use while having the monthly menstrual period
- prior to absorption there is a risk the tablet may fall out of the vagina
- often wash towels or underwear and do not wear reuse underwear again prior to washing due to risk of infections
- try to avoid sexual relations when you have vaginal yeast infection, it can be aggravated
- try not to use tampons and feminine cleansers
- avoid contact with eye area
- do not eat or swallow
- do not use rubber products such as latex, condoms, and diaphragms together
- do not use other vaginal tablets while using Jil Gyung Yi

If pregnant or breast-feeding, do not use.

Store at cool temperature and dry place with a closed container. Avoid direct sunlight

Overdose warning

- If you accidentally take the tablet orally, stop using this medication and see doctor immediately.

Stop use and ask a doctor if you have

- fever (over 36°C), pain in abdomen, odor, lumbar pain, abnormal secretion, nausea and abnormal shoulder pain.

### **Directions**

For adults – 2 tablets at the same time

- Keep use 2 days consecutively and prefer to use once 10 days in 2 months. (after then, use it when you need)

- Do not use up to 6 hours prior to any sexual relation.

- Do not use up to 6 months after giving birth.

- Symptoms may vary depending on the age of the patient.Directions

- Use only adults and children 12 years age and over

1) Wash hands before using this product

2) Do not remove moisture, open the package and vaginal tablets are placed into the vagina in much the same way as a tampon stand, squat, or lie on your back in a comfortable position then insert the loaded applicator into the vagina as far as it will comfortably go.

3) It is preferable to use the treatment during night time prior to bed.

4) Use of a sanitary pad after application, because there may be vaginal secretion 30min after application. If there are lots of secretion, change a new sanitary pad.

5) Wash the area around the vagina (the vulva) gently next day, bacteria in your vaginal secretion can cause itching.

### **Inactive Ingredients**

Sodium Chloride, Soluble Collagen, Glucose, Magnesium Stearate, Aloe Barbadensis Leaf Extract, Cereus Grandiflorus (Cactus) Extract, Ginkgo Biloba Leaf Extract, Mentha Piperita (Peppermint) Leaf Extract, Centella Asiatica Extract, Sophora Flavescens Root Extract, Angelica Gigas Root Extract

### **Jilgyungyi (10 Tablets)**

2019XX.XX



Batch number

# Jil Gyung Yi

## Feminine Cleanser

Jil Gyung Yi Feminine cleanser

10 tablets

### Total Care for Vaginal Health

- Relieves itching, burning, and dryness
- Soothes vaginal irritation
- Eliminates odor
- Increases moisture level
- Restores natural pH Balance

10 tablets

Manufactured by Ha U Dong Chun Co., Ltd.  
 3th Floor, 310, Imi-ro, Uiwang-si, Gyeonggi-do, Korea  
 2nd Floor, 32, Saimdang-ro, Seocho-gu, Seoul, Korea  
[www.jilgyungyi.com](http://www.jilgyungyi.com)



Made in Korea



10 tablets

Flavescens root extract, Angelica Gigas Root Extract  
 (Peppermint) Leaf Extract, Centella Asiatica Extract, Sophora  
 (Castus) Extract, Ginkgo Biloba Leaf Extract, Mentha piperita  
 Stearate, Aloe Barbadosis Leaf Extract, Cereus Grandiflorus  
 Sodium Chloride, Soluble Collagen, Glucose, Magnesium

#### INACTIVE INGREDIENTS

• Store at room temperature and in a dry place.

#### OTHER INFORMATION

relieved. • After then, keep using 2 tablets every week.  
 2 tablets at a time 2-4 consecutive days until symptom are  
 • This product is for adults and children age of 4 and up. • Use

#### DOSE

6 hours prior to vaginal intercourse.

the symptoms and clean the vagina. • Do not use within

take 20-30 minutes until the pills are dissolved to relieve

into the vagina with first two knuckles of a finger. It will

dynamic activities. • Wash your finger and insert 2 pills

• Use it at bedtime preferably or during daytime without

#### DIRECTIONS

or contact a Poison Control Center right away.

Keep out of reach of children. If swallowed, get medical help

ask a health professional before use

**IF PREGNANT OR BREAST-FEEDING,**

or discharge.  
 more than 7 days. • you get rashes or hives, abdominal pain,  
 fever, chills, nausea, vomiting or foul-smelling vaginal odor  
 • symptoms get worse or do not get better. • symptoms last  
 • symptoms last

#### STOP USE AND ASK A DOCTOR IF

• Do not use tampons, douches, condoms, feminine cleansers  
 or other vaginal products. • Do not eat or swallow.

• Do not use during menstruation. • Use clean underwear.

• Do not use tampons, douches, condoms, feminine cleansers  
 or other vaginal products. • Do not eat or swallow.

#### WHEN USING THIS PRODUCT

allergic reaction or pain.

• For vaginal use only. • Do not use if you have/are pregnant

hypersensitivity to any of the ingredients, scars on vagina,  
 • For vaginal use only. • Do not use if you have/are pregnant

#### WARNINGS

and burning, odor, vaginal dryness

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

• Relieves the following symptoms: vaginal irritation, itching

## JILGYUNGYI (10 TABLETS)

allantoin tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55618-2005
<b>Route of Administration</b>	VAGINAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.11 in 600 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
Sodium Chloride (UNII: 451W47IQ8X)	
.ALPHA.-D-GLUCOPYRANOSE (UNII: 5J5I9EB41E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GINKGO (UNII: 19FUJ2C58T)	
MENTHA PIPERITA LEAF (UNII: A389O33LX6)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
ANGELICA GIGAS ROOT (UNII: 32766B2FHX)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	capsule	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55618-2005-3	1 in 1 PACKAGE	03/15/2017	
1	NDC:55618-2005-2	10 in 1 BLISTER PACK		
1	NDC:55618-2005-1	600 mg in 1 CAPSULE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		03/15/2017	

**Labeler** - Haudongchun Co., Ltd. (688479464)**Registrant** - Haudongchun Co., Ltd. (688479464)

## Establishment

Name	Address	ID/FEI	Business Operations
Haudongchun Co., Ltd.		688479464	manufacture(55618-2005)

Revised: 3/2017

Haudongchun Co., Ltd.