

MEDI-FIRST IVY-RID FIRST AID- benzocaine and benzethonium chloride aerosol, spray
Unifirst First Aid Corporation

Medi-First Ivy-Rid Spray

Active ingredient

Benzocaine 5.0% w/w

Benzetonium Chloride 0.15% w/w

Purposes

Topical anesthetic

Topical antiseptic

Uses

For temporary relief of pain and itching and to help protect against infection in

- minor skin irritations
-
- rashes due to poison ivy, poison sumac and insect bites

Warnings

For external use only

Extremely Flammable

- keep away from flame
-
- contents under pressure
-
- do not puncture or incinerate container
-
- do not expose to temperatures above 120° F

Do not use

- in or near eyes or other mucous membranes
-
- in case of serious burns
-
- in deep puncture wounds

-
- for a prolonged period of time
-
- on large portions of the body

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
-
- shake can well before using
-
- hold 4-6 inches from surface and spray area until wet
-
- for adult institutional use only
-
- not intended for use on children

Inactive Ingredients

isopropyl myristate, PVP-VA, SDA-400-200 alcohol, n-butane, isobutane

Medi-First Ivy Rid Spray Label

Medi-First®

Ivy-Rid® Spray

Benzethonium Chloride 0.15%

Topical Antiseptic

Benzocaine 5.0%\Topical Anesthetic

Relief from itching and discomfort due to:

- Poison Ivy
- Poison Oak
- Poison Sumac
- Insect Bites
- Minor Skin Irritations

WARNING: EXREMELY FLAMMABLE

Contents Under Pressure, Read Bacl Panel Carefully

Net Weight 3 OZ (85g)

MEDI-FIRST®

Ivy-Rid® Spray

Benzethonium Chloride 0.15%
Topical Antiseptic
Benzocaine 5.0%
Topical Anesthetic

Relief from itching and discomfort due to:

- Poison Ivy
- Poison Oak
- Poison Sumac
- Insect Bites
- Minor Skin Irritations



WARNING: EXTREMELY FLAMMABLE
CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY

NET WEIGHT 3 OZ (85g)

Drug Facts (continued)

Directions

- clean the affected area
- shake can well before using
- hold 4-6 inches from surface and spray area until wet
- not to be used on children under 12 years of age

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients

isobutane, isopropyl myristate, n-butane, propane, PVP-VA, SDA-40-200 alcohol

Questions or comments? 1-800-634-7680

Reorder #48717

Manufactured for Medique Products

Fort Myers, FL 33967 USA

www.mediqueproducts.com



Drug Facts

Active ingredients

Benzethonium Chloride 0.15% w/w..... Topical antiseptic
Benzocaine 5.0% w/w Topical anesthetic

Purposes

Uses

For temporary relief of pain and itching and to help protect against infection in

- minor skin irritations
- rashes due to poison ivy, poison sumac and insect bites

Warnings

For external use only

Extremely Flammable

- keep away from flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120° F

Do not use

- in or near eyes or other mucus membranes
- on serious burns
- on deep puncture wounds
- for a prolonged period of time
- on a large portion of the body

Stop use and ask a doctor if

- redness, swelling, or irritation occurs
- condition worsens or persists for more than 7 days or clears up and returns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

MEDI-FIRST IVY-RID FIRST AID

benzocaine and benzethonium chloride aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-487
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	4250 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	127.5 mg in 85 g

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
ALCOHOL (UNII: 3K9958V90M)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
ISOBUTANE (UNII: BXR49TP611)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-487-17	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/05/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	04/05/2013	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation