

**MEDI-FIRST IVY-RID FIRST AID- benzocaine and benzethonium chloride aerosol, spray**  
**Unifirst First Aid Corporation**

-----  
**Medi-First Ivy-Rid Spray**

***Active ingredient***

Benzocaine 5.0% w/w

Benzetonium Chloride 0.15% w/w

***Purposes***

Topical anesthetic

Topical antiseptic

***Uses***

**For temporary relief of pain and itching and to help protect against infection in**

- minor skin irritations
- 
- rashes due to poison ivy, poison sumac and insect bites

***Warnings***

**For external use only**

**Extremely Flammable**

- keep away from flame
- 
- contents under pressure
- 
- do not puncture or incinerate container
- 
- do not expose to temperatures above 120° F

**Do not use**

- in or near eyes or other mucous membranes
- 
- in case of serious burns
- 
- in deep puncture wounds

- 
- for a prolonged period of time
- 
- on large portions of the body

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- clean the affected area
- 
- shake can well before using
- 
- hold 4-6 inches from surface and spray area until wet
- 
- for adult institutional use only
- 
- not intended for use on children

***Inactive Ingredients***

isopropyl myristate, PVP-VA, SDA-400-200 alcohol, n-butane, isobutane

**Medi-First Ivy Rid Spray Label**

Medi-First®

Ivy-Rid® Spray

Benzethonium Chloride 0.15%

Topical Antiseptic

Benzocaine 5.0%\Topical Anesthetic

Relief from itching and discomfort due to:

- Poison Ivy
- Poison Oak
- Poison Sumac
- Insect Bites
- Minor Skin Irritations

WARNING: EXREMELY FLAMMABLE

Contents Under Pressure, Read Bacl Panel Carefully

Net Weight 3 OZ (85g)

MEDI-FIRST®

# Ivy-Rid® Spray

**Benzethonium Chloride 0.15%**  
Topical Antiseptic  
**Benzocaine 5.0%**  
Topical Anesthetic

Relief from itching and discomfort due to:

- Poison Ivy
- Poison Oak
- Poison Sumac
- Insect Bites
- Minor Skin Irritations



**WARNING: EXTREMELY FLAMMABLE**  
CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY

NET WEIGHT 3 OZ (85g)

**Drug Facts (continued)**

**Directions**

- clean the affected area
- shake can well before using
- hold 4-6 inches from surface and spray area until wet
- not to be used on children under 12 years of age

**Other information**

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

**Inactive ingredients**

isobutane, isopropyl myristate, n-butane, propane, PVP-VA, SDA-40-200 alcohol

**Questions or comments?** 1-800-634-7680

Reorder #48717

Manufactured for Medique Products

Fort Myers, FL 33967 USA

www.mediqueproducts.com



**Drug Facts**

**Active ingredients**

Benzethonium Chloride 0.15% w/w..... Topical antiseptic  
Benzocaine 5.0% w/w ..... Topical anesthetic

**Purposes**

**Uses**

For temporary relief of pain and itching and to help protect against infection in

- minor skin irritations
- rashes due to poison ivy, poison sumac and insect bites

**Warnings**

For external use only

**Extremely Flammable**

- keep away from flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120° F

**Do not use**

- in or near eyes or other mucus membranes
- on serious burns
- on deep puncture wounds
- for a prolonged period of time
- on a large portion of the body

**Stop use and ask a doctor if**

- redness, swelling, or irritation occurs
- condition worsens or persists for more than 7 days or clears up and returns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## MEDI-FIRST IVY-RID FIRST AID

benzocaine and benzethonium chloride aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-487
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	4250 mg in 85 g
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	127.5 mg in 85 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>COPOVIDONE K25-31</b> (UNII: D9C330MD8B)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-487-17	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/05/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	04/05/2013	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation