

**DYE FREE WAL FEX CHILDRENS ALLERGY- fexofenadine hcl suspension
Walgreens**

DRUG FACTS

Active ingredient (in each 5 mL)

Fexofenadine HCL, USP 30 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Direction

- shake well before using
- use only with enclosed dosing cup

| | |
|--|--|
| adults and children 12 years of age and over | take 10 mL every 12 hours; do not take more than 20 mL in 24 hours |
| children 2 to under 12 years of age | take 5 mL every 12 hours; do not take more than 10 mL in 24 hours |
| children under 2 years of age | ask a doctor |
| adults 65 years of age and older | ask a doctor |
| consumers with kidney disease | ask a doctor |

Note: mL = milliliters

Other information

- **each 5 mL contains:** sodium 18 mg
- store between 20° to 25°C (68° and 77°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to the active ingredient in Children's Allegra® Allergy††

NON-DROWSY

2 YEARS & OLDER

Children's Allergy Relief

FEXOFENADINE HCl ORAL SUSPENSION

30 mg /PER 5 mL / ANTIHISTAMINE

- DYE FREE
- NON-DROWSY
- 12 - HOUR RELIEF

- ALCOHOL FREE
- Indoor/outdoor allergy relief of sneezing, runny nose itchy nose or throat & itchy, watery eyes

AGES 2 YEARS & OLDER

Berry Flavor

FL OZ (mL)

USE ONLY WITH ENCLOSED DOSING CUP.

WASH AND LET AIR DRY AFTER EACH USE

††This product is not manufactured or distributed by Chattem Inc., distributor of Children's Allegra® Allergy.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL OR NECKBAND PRINTED WITH "SEAL FOR YOUR PROTECTION" IS OPENED, TORN OR MISSING

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Product Label

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 18 mg
- store between 20° to 25°C (68° to 77°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylytol

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL OR NECKBAND PROTECTED WITH "SEALED FOR YOUR PROTECTION" IS OPENED, TORN OR MISSING

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
^{††}This product is not manufactured or distributed by Chattem, Inc., distributor of Children's Allegra® Allergy.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100% SATISFACTION GUARANTEED

walgreens.com
©2021 Walgreen Co.

ITEM 559046 W10141-1219-O



3 11917 21231 9

PLD-0612B FC008215 VC710388 PRODUCT OF INDIA

NDC 0363-9230-04
NDC 0363-9230-04




Compare to the active ingredient in Children's Allegra® Allergy[†]

**NON-DROWSY
2 YEARS & OLDER**

Children's Allergy Relief

**FEXOFENADINE HCl ORAL SUSPENSION
30 mg / 5 mL / ANTIHISTAMINE**

Dye Free Non-Drowsy

12-Hour Relief Alcohol Free

- Indoor/outdoor allergy relief of sneezing, runny nose, itchy nose or throat & itchy, watery eyes



AGES 2 YEARS & OLDER

**4 FL OZ (118 mL)
LIQUID ORAL SUSPENSION**

Berry flavor

USE ONLY WITH ENCLOSED DOSING CUP. WASH AND LET AIR DRY AFTER EACH USE.

**NON-DROWSY
2 YEARS & OLDER**

Children's Allergy Relief

**FEXOFENADINE HCl ORAL SUSPENSION
30 mg / 5 mL / ANTIHISTAMINE**

Dye Free Non-Drowsy

12-Hour Relief Alcohol Free

- Indoor/outdoor allergy relief of sneezing, runny nose, itchy nose or throat & itchy, watery eyes



AGES 2 YEARS & OLDER

**4 FL OZ (118 mL)
LIQUID ORAL SUSPENSION**

Berry flavor

USE ONLY WITH ENCLOSED DOSING CUP. WASH AND LET AIR DRY AFTER EACH USE.

Drug Facts

Active ingredient (in each 5 mL) Fexofenadine HCl, USP 30 mg.....Antihistamine

Purpose

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 ■ shake well before using
 ■ use only with enclosed dosing cup

| | |
|--|--|
| adults and children 12 years of age and over | take 10 mL every 12 hours; do not take more than 20 mL in 24 hours |
| children 2 to under 12 years of age | take 5 mL every 12 hours; do not take more than 10 mL in 24 hours |
| children under 2 years of age | ask a doctor |
| adults 65 years of age and older | ask a doctor |
| consumers with kidney disease | ask a doctor |

Note: mL = milliliters

WALGREENS Children's Allergy Relief Berry Flavor

DYE FREE WAL FEX CHILDRENS ALLERGY

fexofenadine hcl suspension

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-9230 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------|---------------|
| FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V) | FEXOFENADINE HYDROCHLORIDE | 30 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| BUTYLPARABEN (UNII: 3QPI1U3FV8) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| POLOXAMER 407 (UNII: TUF2IVW3M2) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| WATER (UNII: 059QF0KO0R) | |

| | |
|--|--|
| SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F) | |
| SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU) | |
| SUCROSE (UNII: C151H8M554) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| XYLITOL (UNII: VCQ006KQ1E) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | BERRY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-9230-04 | 1 in 1 BOX | 06/01/2020 | |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 2 | NDC:0363-9230-08 | 1 in 1 BOX | 06/01/2020 | |
| 2 | | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA | ANDA203330 | 06/01/2020 | |

Labeler - Walgreens (008965063)

Revised: 6/2022

Walgreens